



RE-COVERAGE FORM ADDENDUM

FOR PROPOSED EXPANSION ACTIVITIES
GENERAL NPDES PERMIT COVERAGE NO. MSG17 _____

INSTRUCTIONS

Submittals with this addendum must include an United States Geological Survey (USGS) quadrangle map (or a copy) showing site location and extending at least ½ mile beyond the site's property boundary and a drawing showing the dimensions of the wet deck recirculation pond(s) and the timber wet storage area(s). Maps can be obtained from the MDEQ, Office of Geology at 601-961-5523.

For expanding facilities, detailed plans and specifications must be submitted for the wet deck log spray recirculation pond(s) by a registered Professional Engineer. Also, contiguous landowner notification forms, the proof of publication in a local newspaper, and the acceptance letter from a local library must also be provided as outlined in Activity 4, Conditions S-2 and S-3 of the general permit.

All INFORMATION REQUESTS MUST BE ANSWERED (answer "NA" if not applicable)

THE APPLICANT IS OWNER OR OPERATOR? (CHECK ONE OR BOTH)

OWNER INFORMATION

Owner Contact Name & Position: _____

Owner Company Name: _____

Owner Street or (P.O. Box): _____

Owner City: _____ State: _____ Zip: _____

Owner Phone Number (Include Area Code): _____

OPERATOR INFORMATION (if different than owner)

Operator Contact Name & Position: _____

Operator Company: _____

Operator Street (P.O. Box): _____

Operator City: _____ **State:** _____ **Zip:** _____

Operator Phone Number (Include Area Code): _____

FACILITY INFORMATION

Facility Name: _____

Nature of Business (Include 4 – digit Standard Industrial Classification Code (SIC) and description):

SIC Code: _____

Physical Site Address (if not available indicate the nearest named road):

Street: _____ **City:** _____

County: _____ **Zip:** _____

Geographic Position:

Latitude: ____ degrees ____ minutes ____ seconds

Longitude: ____ degrees ____ minutes ____ seconds

WET DECK LOG SPRAY RECIRCULATION SYSTEM INFORMATION

How many outfalls/release points are eligible for coverage? _____

Siting Criteria:

MDEQ considers wet deck log spray recirculation systems to be wastewater treatment systems. According to the “State of Mississippi Wastewater Regulations”, wastewater treatment systems must be 150 feet from the nearest adjoining property line unless the property is zoned for commercial or industrial use or is being used as such.

Will the pond(s) and timber wet storage area(s) meet the siting criteria: Yes No

If no, is adjoining property zoned for commercial or industrial use or being used as such? Yes No

If siting criteria cannot be met, please complete a Property Line Buffer Zone Waiver Form. This form can be found on MDEQ’s website at [MDEQ - Timber and Wood Products Branch](#) webpage or be obtained from MDEQ Environmental Permits Division by calling (601) 961-5623.

Corps of Engineer Section 404 Permit Criteria:

Is the project rerouting, filing or crossing a water conveyance of any kind (Yes or No)? _____ (If yes, contact the U.S. Army Corps of Engineers’ Regulatory Branch for permitting requirements).

If the project requires a Corps of Engineer Section 404 Permit, provide appropriate documentation with this application that:

- The project has been approved by individual permit, or
- The work will covered by a nationwide permit and **NO** NOTIFICATION to the Corps is required, or
- The work will be covered by a nationwide or general permit and NOTIFICATION to the Corps is required

Geographic Position for outfall(s) from Wet Deck Log Spray Recirculation Pond(s)(If the applicant has more than one outfall/release point eligible for coverage, please use the space to the right.):

Latitude: ____ degrees ____ minutes ____ seconds

Longitude: ____ degrees ____ minutes ____ seconds

Receiving Stream(s) (If more than one outfall is covered, indicate the respective receiving stream for each outfall.):

**DOCUMENTATION OF COMPLIANCE WITH OTHER
REGULATIONS/REQUIREMENTS**

Is this addendum for a facility that will require other permits as part of this expansion? Yes No If yes, circle which one(s): Air, Hazardous Waste, Pretreatment, Water State Operating, Individual NPDES, or Other(s):

How will sanitary sewage be collected and treated? _____

Will the facility route boiler blowdown, exterior equipment or exterior vehicle washwater, or any other type wastewater to the wet deck log spray recirculation pond(s)? Yes No If yes, please indicate in gallons per day the volume of each wastestream. (Please be aware that facilities which route exterior equipment or exterior vehicle washwater where detergents or other chemicals are being used are not eligible to obtain coverage under this general permit.):

CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature¹ (Must be signed by operator when different than owner)

Date Signed

Printed Name¹

Title

¹This application shall be signed as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.

After signing please mail to:

Environmental Permits Division, Office of Pollution Control
P.O. Box 2261
Jackson, MS 39225-2261