



FILE COPY

STATE OF MISSISSIPPI
HALEY BARBOUR
GOVERNOR
MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
CHARLES H. CHISOLM, EXECUTIVE DIRECTOR

February 2, 2005

Mr. and Mrs. Steven Walker
307 Dampeer Street
Crystal Springs, MS 39059

Re: 307 Dampeer Street Site
State No-Further-Action Letter
Crystal Springs, Mississippi

The Mississippi Department of Environmental Quality (MDEQ) collected three soil samples at the above referenced property on Friday, January 28, 2005. A review of the attached data revealed no detectable concentrations of polychlorinated biphenyls in the samples. Therefore, the MDEQ requires no further investigative action at this site at this time. If cleanup standards change or additional data becomes available for the site then MDEQ will notify the appropriate parties of the need for any additional investigation(s) or remedial action(s). These actions will be consistent with our need to protect human health, welfare, and the environment.

If you have any questions, concerning this matter, please contact me at 601-961-5318.

Sincerely,

Tony Russell, Chief
Assessment Remediation Branch

K:\Common\UCSS\Tony\Kuhlman Electric\SNFA letters\Walker 307 Dampeer St SNFA 2-2-05.doc



STATE OF MISSISSIPPI
HALEY BARBOUR
GOVERNOR
MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
CHARLES H. CHISOLM, EXECUTIVE DIRECTOR

MEMORANDUM

TO: Kuhlman Electric Site File
Crystal Springs, Mississippi

FROM: Tony Russell *DR*

DATE: February 1, 2005

SUBJECT: Soil Sampling Event – Dampeer & Jackson Street

I met with Chuck Peel (Peel Consulting) on Friday, January 28, 2005, to collect soil samples from 222 Jackson Street and 307 Dampeer Street. At the request of MDEQ, BorgWarner arranged for Chuck to collect the soil samples and have the samples analyzed at the onsite lab.

I instructed Chuck to collect three discrete soil samples from the 222 Jackson Street property. Each sample was collected from the 0 to 6 inch interval using a pre-cleaned hand auger. The soil was transferred from the auger to zip lock bags so it could be homogenized then transferred to the appropriate sampling container. The three samples were collected from the front flower bed, the right half of the front yard and the left half of the front yard.

We then drove around to Carolyn Walker's home located at 307 Dampeer Street. Chuck was instructed to collect three discrete soil samples from this property. Each sample was collected from the 0 to 6 inch interval using a pre-cleaned hand auger. The soil was transferred from the auger to zip lock bags so it could be homogenized then transferred to the appropriate sampling container. The three samples were collected from the front flower bed, the front yard and an area near the rear of the house off a deck.

All the samples were taken to the onsite lab to be analyzed for PCBs. No photos were taken during this sampling event. The sampling event was conducted in a light rain.

K:\Common\UCSS\Tony\Kuhlman Electric\KEC Dampeer & Jackson sampling event 1-28-05.doc

Crystal Springs

Richard Stockett —

892-5500

554-4719 (c)

P.O. box 232
C.S. Ms. 39059

Property @ 222 Jackson St.

(across from funeral home)

Steven $\frac{1}{3}$

Carolyn Walker (307 Dampier St)

block east of Jackson St.

613-1324

892-2651

13 years

Jim Terry
~~Corey~~

⇒ Appraiser for 307 Dampier St.

cell 506-1636

Home 925-3653



"Hamel, Anastasia
(PTC-Auburn Hills)"
<AHamel@BWAUTO.com>

To: "Russell Tony - MDEQ (E-mail)" <Tony_Russell@deq.state.ms.us>
cc:
Subject: MDEQ Samples

01/31/2005 04:45 PM

Dear Tony,

Attached are the analytical results for the MDEQ soil sampling that took place on Friday, January 28, 2005.

As you are aware, these soil samples were obtained under MDEQ's presence and guidance and from sample locations that were designated by MDEQ.

Thanks and best regards,
Anastasia

Anastasia Hamel
Director, Environmental Programs
BorgWarner Inc.
Phone: (248) 754-0159
Fax: (248) 754-9159
e-mail: ahamel@bwauto.com


MDEQ CS Sampling Jan 05.r

PEEL CONSULTING, PLLC
140 Chapel Lane
Madison, Mississippi 39110

FAX

Fax: (601) 898-7784

Phone: (601) 898-2792

To:
Anastasia Hamel
Robert Martin

From:
Chuck Peel

Date:
January 31, 2005

Fax to number: 248 754-9159

828 669-5289

Number of Pages: 15

Remarks:

Please find the attached analytical results, C.O.C., etc for the sampling performed on January 28, 2005 at 222 Jackson Street and 307 Dampeer Street.

The samples were taken as follows:

- 222 Jackson 001 front flower bed
- 222 Jackson 002 front yard
- 222 Jackson 003 front yard
- 307 Dampeer 001 front yard
- 307 Dampeer 002 flower bed
- 307 Dampeer 003 back yard

Please note Joe made separate reports for each property. He also made separate reports showing one with Technical Chlordane and one without, he did not know if Tony Russell needed the Technical Chlordane or not.

Sample ID	Sample Number	Aroclor-1260 mg/kg	Technical Chlordane mg/kg
222 Jackson 001	ZZ001	0.17	0.70
222 Jackson 002	ZZ002	< 0.10	---
222 Jackson 003	ZZ003	< 0.10	---
307 Dampeer 001	ZZ004	< 0.10	---
307 Dampeer 002	ZZ005	< 0.10	0.18
307 Dampeer 003	ZZ006	< 0.10	---

If Tony wants the technical chlordane on the results sheet, give him the first batch of results

If he doesn't, give him the second batch of results

Thanks/jjk



**Environmental Chemistry
Consulting Services, Inc.**

2525 Advance Road
Madison, WI 53718
Phone 608-221-8700 FAX 608-221-4889

CHAIN OF CUSTODY

No. 008849 *

Page 1 of 1

Turn Around (circle one) Normal Rush
Report Due:

Project Number	Project Name	Project Location	Sampled By (Print)	Collection		Matrix	Total Bottles	Preserv*	Analysis Requested	P.O. No.	Quote No.	Laboratory Number
				Date	Time							
	MDEQ-TOUY RUSSELL	JACKSON/DAMPEER ST	Chuck Peal	01/29/05	1339	S	1	NA	ACBS	0-6"		22001
	222 JACKSON 002				1355					0-6"		22002
	222 JACKSON 003				1400					0-6"		22003
	307 DAMPEER 001				1410					0-6"		22004
	307 DAMPEER 002				1415					0-6"		22005
	307 DAMPEER 003				1420					0-6"		22006
<p>*Preservation Code A=None B=HCL C=H2SO4 D=HNO3 E=EnCore F=Methanol G=NaOH O=Other(Indicate)</p> <p>Custody Seal: Present/Absent Shipped Via: _____</p>												
Reinquired By: <i>Chuck Peal</i>				Date/Time: 1/29/05 1440				Received By: <i>Joseph Gumbel</i>		Date/Time: 01/28/05 14:50		
Reinquired By:				Date/Time:				Received By:		Date/Time:		
Initial/Not Intact				Seal #'s				Receipt Temp:		Temp Blank Y N		

WHITE - REPORT COPY YELLOW - LABORATORY COPY PINK - SAMPLER/SUBMITTER

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
 Project Location: 222 Jackson Street
 Sample ID: 222 Jackson 001 0-6"
 Date Collected: 01/28/05
 Time Collected: 13:39
 Sample Type: Soil

Date Extracted: 01/28/05 Lab Sample Number: ZZ001
 Date Analyzed: 01/28/05
 Concentration: mg/kg, as is basis
 Sample Weight (g): 4
 Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	0.17 mg/kg

1st batch

*Below MDEQ TRG level for chlordane @ 1.12 ppm
1/28/05*

Technical chlordane present @ 0.70 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
 2525 Advance Road
 Madison, WI 53718
 Phone: (608)221-8700
 Fax: (608)221-4889

Approved by: *[Signature]*
 Date: 01/28/05

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
 Project Location: 222 Jackson Street
 Sample ID: 222 Jackson 002 0-6"
 Date Collected: 01/28/05
 Time Collected: 13:55
 Sample Type: Soil

 Date Extracted: 01/28/05 Lab Sample Number: ZZ002
 Date Analyzed: 01/28/05
 Concentration: mg/kg, as is basis
 Sample Weight (g): 4
 Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	< 0.10 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
 2525 Advance Road
 Madison, WI 53718
 Phone: (608)221-8700
 Fax: (608)221-4889

Approved by: *[Signature]*
 Date: 01/29/05

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
Project Location: 222 Jackson Street
Sample ID: 222 Jackson 003 0-6"
Date Collected: 01/28/05
Time Collected: 14:00
Sample Type: Soil

Date Extracted: 01/28/05 Lab Sample Number: ZZ003
Date Analyzed: 01/28/05
Concentration: mg/kg, as is basis
Sample Weight (g): 4
Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	< 0.10 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
2525 Advance Road
Madison, WI 53718
Phone: (608)221-8700
Fax: (608)221-4889

Approved by: 
Date: 01/28/05

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
 Project Location: 307 Dampeer Street
 Sample ID: 307 Dampeer 001 0-6"
 Date Collected: 01/28/05
 Time Collected: 14:10
 Sample Type: Soil


 Date Extracted: 01/28/05 Lab Sample Number: ZZ004
 Date Analyzed: 01/28/05
 Concentration: mg/kg, as is basis
 Sample Weight (g): 4
 Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	< 0.10 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
 2525 Advance Road
 Madison, WI 53718
 Phone: (608)221-8700
 Fax: (608)221-4889

Approved by:


 01/28/05

Date:

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
 Project Location: 307 Dampeer Street
 Sample ID: 307 Dampeer 002 0-6"
 Date Collected: 01/28/05
 Time Collected: 14:15
 Sample Type: Soil

Date Extracted: 01/28/05 Lab Sample Number: ZZ005
 Date Analyzed: 01/28/05
 Concentration: mg/kg, as is basis
 Sample Weight (g): 4
 Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	< 0.10 mg/kg

*Below MDEQ
 TRG level of 1.82 ppm
 in Chlordane
 TR 2/1/05*

Technical chlordane present @ 0.18 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
 2525 Advance Road
 Madison, WI 53718
 Phone: (608)221-8700
 Fax: (608)221-4889

Approved by:

Date:

Joyce Hubel
 01/28/05

Summary of Test Results


Project Name: MDEQ- Jackson and Dampeer Streets
 Project Location: 307 Dampeer Street
 Sample ID: 307 Dampeer 003 0-6"
 Date Collected: 01/28/05
 Time Collected: 14:20
 Sample Type: Soil

 Date Extracted: 01/28/05 Lab Sample Number: ZZ006
 Date Analyzed: 01/28/05
 Concentration: mg/kg, as is basis
 Sample Weight (g): 4
 Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	< 0.10 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
 2525 Advance Road
 Madison, WI 53718
 Phone: (608)221-8700
 Fax: (608)221-4889

Approved by: 
 Date: 01/28/05

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
 Project Location: 222 Jackson Street
 Sample ID: 222 Jackson 001 0-6"
 Date Collected: 01/28/05
 Time Collected: 13:39
 Sample Type: Soil

Date Extracted: 01/28/05 Lab Sample Number: ZZ001
 Date Analyzed: 01/28/05
 Concentration: mg/kg, as is basis
 Sample Weight (g): 4
 Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	0.17 mg/kg

2nd patch

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
 2525 Advance Road
 Madison, WI 53718
 Phone: (608)221-8700
 Fax: (608)221-4889

Approved by:



01/28/05

Date:

Summary of Test Results


Project Name: MDEQ- Jackson and Dampeer Streets
 Project Location: 222 Jackson Street
 Sample ID: 222 Jackson 002 0-6"
 Date Collected: 01/28/05
 Time Collected: 13:55
 Sample Type: Soil

 Date Extracted: 01/28/05 Lab Sample Number: ZZ002
 Date Analyzed: 01/28/05
 Concentration: mg/kg, as is basis
 Sample Weight (g): 4
 Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	< 0.10 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
 2525 Advance Road
 Madison, WI 53718
 Phone: (608)221-8700
 Fax: (608)221-4889

Approved by: 
 Date: 01/28/05

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
Project Location: 222 Jackson Street
Sample ID: 222 Jackson 003 0-6"
Date Collected: 01/28/05
Time Collected: 14:00
Sample Type: Soil

Date Extracted: 01/28/05 Lab Sample Number: ZZ003
Date Analyzed: 01/28/05
Concentration: mg/kg, as is basis
Sample Weight (g): 4
Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	< 0.10 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
2525 Advance Road
Madison, WI 53718
Phone: (608)221-8700
Fax: (608)221-4889

Approved by: *Joseph Hubal*
Date: 01/28/05

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
Project Location: 307 Dampeer Street
Sample ID: 307 Dampeer 001 0-6"
Date Collected: 01/28/05
Time Collected: 14:10
Sample Type: Soil

Date Extracted: 01/28/05
Date Analyzed: 01/28/05
Concentration: mg/kg, as is basis
Sample Weight (g): 4
Dilution Factor: 1


Lab Sample Number: ZZ004

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	< 0.10 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
2525 Advance Road
Madison, WI 53718
Phone: (608)221-8700
Fax: (608)221-4889

Approved by:



01/28/05

Date:

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
 Project Location: 307 Dampeer Street
 Sample ID: 307 Dampeer 002 0-6"
 Date Collected: 01/28/05
 Time Collected: 14:15
 Sample Type: Soil


 Date Extracted: 01/28/05 Lab Sample Number: ZZ005
 Date Analyzed: 01/28/05
 Concentration: mg/kg, as is basis
 Sample Weight (g): 4
 Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	< 0.10 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
 2525 Advance Road
 Madison, WI 53718
 Phone: (608)221-8700
 Fax: (608)221-4889

Approved by:



01/28/05

Date:

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
 Project Location: 307 Dampeer Street
 Sample ID: 307 Dampeer 003 0-6"
 Date Collected: 01/28/05
 Time Collected: 14:20
 Sample Type: Soil

 Date Extracted: 01/28/05 Lab Sample Number: ZZ006
 Date Analyzed: 01/28/05
 Concentration: mg/kg, as is basis
 Sample Weight (g): 4
 Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	< 0.10 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
 2525 Advance Road
 Madison, WI 53718
 Phone: (608)221-8700
 Fax: (608)221-4889

Approved by: 
 Date: 01/28/05



STATE OF MISSISSIPPI
HALEY BARBOUR
GOVERNOR
MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
CHARLES H. CHISOLM, EXECUTIVE DIRECTOR

MEMORANDUM

TO: Kuhlman Electric Site File
Crystal Springs, Mississippi

FROM: Tony Russell *DR*

DATE: February 1, 2005

SUBJECT: Soil Sampling Event – Dampeer & Jackson Street

I met with Chuck Peel (Peel Consulting) on Friday, January 28, 2005, to collect soil samples from 222 Jackson Street and 307 Dampeer Street. At the request of MDEQ, BorgWarner arranged for Chuck to collect the soil samples and have the samples analyzed at the onsite lab.

I instructed Chuck to collect three discrete soil samples from the 222 Jackson Street property. Each sample was collected from the 0 to 6 inch interval using a pre-cleaned hand auger. The soil was transferred from the auger to zip lock bags so it could be homogenized then transferred to the appropriate sampling container. The three samples were collected from the front flower bed, the right half of the front yard and the left half of the front yard.

We then drove around to Carolyn Walker's home located at 307 Dampeer Street. Chuck was instructed to collect three discrete soil samples from this property. Each sample was collected from the 0 to 6 inch interval using a pre-cleaned hand auger. The soil was transferred from the auger to zip lock bags so it could be homogenized then transferred to the appropriate sampling container. The three samples were collected from the front flower bed, the front yard and an area near the rear of the house off a deck.

All the samples were taken to the onsite lab to be analyzed for PCBs. No photos were taken during this sampling event. The sampling event was conducted in a light rain.

K:\Common\UCSS\Tony\Kuhlman Electric\KEC Dampeer & Jackson sampling event 1-28-05.doc

Crystal Springs

Richard Stockett →

892-5500

554-4719 (c)

P.O. box 232
C.S.G. Ms. 39059

Property @ 222 Jackson St.

(access from funeral home)

Steven &

Carolyn Walker (307 Dampier St) block east of Jackson St.

613-1324

892-2651

13 years

Jim Terry
Corey

⇒ Appraiser for 307 Dampier St.

cell 506-1636

Home 925-3653



"Hamel, Anastasia
(PTC-Auburn Hills)"
<AHamel@BWAUTO.c
om>

To: "Russell Tony - MDEQ (E-mail)" <Tony_Russell@deq.state.ms.us>
cc:
Subject: MDEQ Samples

01/31/2005 04:45 PM

Dear Tony,

Attached are the analytical results for the MDEQ soil sampling that took place on Friday, January 28, 2005.

As you are aware, these soil samples were obtained under MDEQ's presence and guidance and from sample locations that were designated by MDEQ.

Thanks and best regards,
Anastasia

Anastasia Hamel
Director, Environmental Programs
BorgWarner Inc.
Phone: (248) 754-0159
Fax: (248) 754-9159
e-mail: ahamel@bwauto.com


MDEQ CS Sampling Jan 05.r

PEEL CONSULTING, PLLC

140 Chapel Lane
Madison, Mississippi 39110

FAX

Fax: (601) 898-7784

Phone: (601) 898-2792

To:
Anastasia Hamel
Robert Martin

From:
Chuck Peel

Date:
January 31, 2005

Fax to number: 248 754-9159

828 669-5289

Number of Pages: 15

Remarks:

Please find the attached analytical results, C.O.C., etc for the sampling performed on January 28, 2005 at 222 Jackson Street and 307 Dampeer Street.

The samples were taken as follows:

- 222 Jackson 001 front flower bed
- 222 Jackson 002 front yard
- 222 Jackson 003 front yard
- 307 Dampeer 001 front yard
- 307 Dampeer 002 flower bed
- 307 Dampeer 003 back yard

Please note Joe made separate reports for each property. He also made separate reports showing one with Technical Chlordane and one without, he did not know if Tony Russell needed the Technical Chlordane or not.

Sample ID	Sample Number	Aroclor-1260 mg/kg	Technical Chlordane mg/kg
222 Jackson 001	ZZ001	0.17	0.70
222 Jackson 002	ZZ002	< 0.10	---
222 Jackson 003	ZZ003	< 0.10	---
307 Dampeer 001	ZZ004	< 0.10	---
307 Dampeer 002	ZZ005	< 0.10	0.18
307 Dampeer 003	ZZ006	< 0.10	---

If Tony wants the technical chlordane on the results sheet, give him the first batch of results

If he doesn't, give him the second batch of results


Thanks/fjk



Environmental Chemistry Consulting Services, Inc.
 2525 Advance Road
 Madison, WI 53716
 Phone 608-221-8700 FAX 608-221-4889

CHAIN OF CUSTODY

No. 008849 *
 Page 1 of 1

Project Number		Report Due:		Turn Around (circle one) Normal Rush	
Project Name: <u>MDEP-TOUY RUSSELL</u>		Invoice To:		Company:	
Project Location: <u>JACKSON/DAMPPEER ST</u>		Address:		Company:	
Sampled By (Print): <u>Chuck Peel</u>		P.O. No.:		Quote No.:	
Collection		Analysis Requested		Laboratory Number	
Date	Time	Matrix	Preserv	Total Bottles	Comments
01/28/05	1339	S	NA	1	0-6" PCBs
	1355				0-6"
	1400				0-6"
	1410				0-6"
	1415				0-6"
	1420				0-6"
					
*Preservation Code		Retrieved By:		Date/Time:	
A=None B=HCL C=H2SO4		<u>Chuck Peel</u>		1/28/05 1440	
D=HNO3 E=EnCore F=Methanol		Retrieved By:		Date/Time:	
G=NaOH O=Other (Indicate)				1/28/05 14:50	
Custody Seal: Present/Absent		Intact/Not Intact		Seal #'s	
Shipped Via:		Receipt Temp:		Temp Blank Y N	

WHITE - REPORT COPY YELLOW - LABORATORY COPY PINK - SAMPLER/SUBMITTER

Sample Tracking Form

Page 1 of 1
Date: 01/28/05


Target Analyte	Z12		Z13		Z14		Z15		Z16		Z17		Z18		Z19		Z20		Blank #	LCS #	MS #	MSD #
	051	002	003	001	002	003	22001	22002	22003	22004	22005	22006	22007	22008	22009	22010	22011	22012				
1,3,5-TrICB																						
1,2,4-TrICB																						
1,2,3-TrICB																						
1,2,3,5,8,1,2,4,5																						
1,2,3,4-TeCB																						
Penta-CB																						
Hexa-CB																						
Tech. calib. done	0.70																					
PCB as 1260	0.17																					
Surrogates																						
TCMX (%)	102	101	987	100	97.7	97.2																
DCBP (%)	59.3	92.1	77.2	73.2	73.5	74.0																
TIME	1337	1355	1408	1410	1405	1420																
Dilution																						
Date injected	01/28/05																					
																						01/28/05

J = Estimated
 E = Exceeds calibration range
 A = Acid treated
 P = Paradigm split sample

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
 Project Location: 222 Jackson Street
 Sample ID: 222 Jackson 001 0-6"
 Date Collected: 01/28/05
 Time Collected: 13:39
 Sample Type: Soil

Date Extracted: 01/28/05 Lab Sample Number: ZZ001
 Date Analyzed: 01/28/05
 Concentration: mg/kg, as is basis
 Sample Weight (g): 4
 Dilution Factor: 1



<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	0.17 mg/kg

1st batch

*Below MDEQ TRG level for chlordane @ 1.12 ppm
TR 2/1/05*

Technical chlordane present @ 0.70 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
 2525 Advance Road
 Madison, WI 53718
 Phone: (608)221-8700
 Fax: (608)221-4889

Approved by: *[Signature]*
 Date: 01/28/05

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
 Project Location: 222 Jackson Street
 Sample ID: 222 Jackson 002 0-6"
 Date Collected: 01/28/05
 Time Collected: 13:55
 Sample Type: Soil


Date Extracted: 01/28/05 Lab Sample Number: ZZ002
 Date Analyzed: 01/28/05
 Concentration: mg/kg, as is basis
 Sample Weight (g): 4
 Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	< 0.10 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
 2525 Advance Road
 Madison, WI 53718
 Phone: (608)221-8700
 Fax: (608)221-4888

Approved by:



01/28/05

Date:

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
 Project Location: 222 Jackson Street
 Sample ID: 222 Jackson 003 0-6"
 Date Collected: 01/28/05
 Time Collected: 14:00
 Sample Type: Soil

Date Extracted: 01/28/05 Lab Sample Number: ZZ003
 Date Analyzed: 01/28/05
 Concentration: mg/kg, as is basis
 Sample Weight (g): 4
 Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	< 0.10 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
 2525 Advance Road
 Madison, WI 53718
 Phone: (608)221-8700
 Fax: (608)221-4889

Approved by:
 Date: 01/29/05

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
 Project Location: 307 Dampeer Street
 Sample ID: 307 Dampeer 001 0-6"
 Date Collected: 01/28/05
 Time Collected: 14:10
 Sample Type: Soil

 Date Extracted: 01/28/05 Lab Sample Number: ZZ004
 Date Analyzed: 01/28/05
 Concentration: mg/kg, as is basis
 Sample Weight (g): 4
 Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	< 0.10 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
 2525 Advance Road
 Madison, WI 53718
 Phone: (608)221-8700
 Fax: (608)221-4889

Approved by: 
 Date: 01/28/05

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
 Project Location: 307 Dampeer Street
 Sample ID: 307 Dampeer 002 0-5"
 Date Collected: 01/28/05
 Time Collected: 14:15
 Sample Type: Soil

Date Extracted: 01/28/05 Lab Sample Number: ZZ005
 Date Analyzed: 01/28/05
 Concentration: mg/kg, as is basis
 Sample Weight (g): 4
 Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	< 0.10 mg/kg

Technical chlordane present @ 0.18 mg/kg

Below MDEQ TRG level of 1.82 ppm for chlordane TR 2/1/05

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
 2525 Advance Road
 Madison, WI 53718
 Phone: (608)221-8700
 Fax: (608)221-4889

Approved by: *Jennifer Hubal*
 Date: 01/28/05

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
 Project Location: 307 Dampeer Street
 Sample ID: 307 Dampeer 003 0-6"
 Date Collected: 01/28/05
 Time Collected: 14:20
 Sample Type: Soil


 Date Extracted: 01/28/05 Lab Sample Number: ZZ006
 Date Analyzed: 01/28/05
 Concentration: mg/kg, as is basis
 Sample Weight (g): 4
 Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	< 0.10 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
 2525 Advance Road
 Madison, WI 53718
 Phone: (608)221-8700
 Fax: (608)221-4889

Approved by:



01/28/05

Date:

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
Project Location: 222 Jackson Street
Sample ID: 222 Jackson 001 0-6"
Date Collected: 01/28/05
Time Collected: 13:39
Sample Type: Soil

Date Extracted: 01/28/05 Lab Sample Number: ZZ001
Date Analyzed: 01/28/05
Concentration: mg/kg, as is basis
Sample Weight (g): 4
Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	0.17 mg/kg

2nd batch

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
2525 Advance Road
Madison, WI 53718
Phone: (608)221-8700
Fax: (608)221-4889

Approved by: *[Signature]*
Date: *01/28/05*

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
 Project Location: 222 Jackson Street
 Sample ID: 222 Jackson 002 0-6"
 Date Collected: 01/28/05
 Time Collected: 13:55
 Sample Type: Soil

 Date Extracted: 01/28/05
 Date Analyzed: 01/28/05
 Concentration: mg/kg, as is basis
 Sample Weight (g): 4
 Dilution Factor: 1

 Lab Sample Number: ZZ002

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	< 0.10 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure.

E.C.C.S.
 2525 Advance Road
 Madison, WI 53718
 Phone: (608)221-8700
 Fax: (608)221-4889

Approved by: 
 Date: 01/28/05

Summary of Test Results


Project Name: MDEQ- Jackson and Dampeer Streets
 Project Location: 307 Dampeer Street
 Sample ID: 307 Dampeer 001 0-6"
 Date Collected: 01/28/05
 Time Collected: 14:10
 Sample Type: Soil

 Date Extracted: 01/28/05 Lab Sample Number: ZZ004
 Date Analyzed: 01/28/05
 Concentration: mg/kg, as is basis
 Sample Weight (g): 4
 Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	< 0.10 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
 2525 Advance Road
 Madison, WI 53718
 Phone: (608)221-8700
 Fax: (608)221-4889

Approved by: 
 Date: 01/28/05

Summary of Test Results

Project Name: MDEQ- Jackson and Dampeer Streets
 Project Location: 307 Dampeer Street
 Sample ID: 307 Dampeer 003 0-6"
 Date Collected: 01/28/05
 Time Collected: 14:20
 Sample Type: Soil

 Date Extracted: 01/28/05 Lab Sample Number: ZZ006
 Date Analyzed: 01/28/05
 Concentration: mg/kg, as is basis
 Sample Weight (g): 4
 Dilution Factor: 1

<u>Compound</u>	<u>Reporting Limit</u>	<u>Sample Result</u>
Aroclor 1260	0.10	< 0.10 mg/kg

ECCS SOP: Polychlorinated Biphenyl (PCB) Mini Extraction Screening Procedure

E.C.C.S.
 2525 Advance Road
 Madison, WI 53718
 Phone: (608)221-8700
 Fax: (608)221-4889

Approved by: *Jerry Hubal*
 Date: 01/28/05