

P 215 643 274

US Postal Service

Receipt for Certified Mail

MR DAVE VINSON
407 N JACKSON STREET
CRYSTAL SPRINGS MS 39059

Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

PS Form 3800, April 1995

Stick postage stamps to article to cover First-Class postage, certified mail fee, and charges for any selected optional services (See front).

1. If you want this receipt postmarked, stick the gummed stub to the right of the return address leaving the receipt attached, and present the article at a post office service window or hand it to your rural carrier (no extra charge).
2. If you do not want this receipt postmarked, stick the gummed stub to the right of the return address of the article, date, detach, and retain the receipt, and mail the article.
3. If you want a return receipt, write the certified mail number and your name and address on a return receipt card, Form 3811, and attach it to the front of the article by means of the gummed ends if space permits. Otherwise, affix to back of article. Endorse front of article **RETURN RECEIPT REQUESTED** adjacent to the number.
4. If you want delivery restricted to the addressee, or to an authorized agent of the addressee, endorse **RESTRICTED DELIVERY** on the front of the article.
5. Enter fees for the services requested in the appropriate spaces on the front of this receipt. If return receipt is requested, check the applicable blocks in item 1 of Form 3811.
6. Save this receipt and present it if you make an inquiry.

SENDER:

- Complete items 1 and/or 2 for additional services.
Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. Addressee's Address
2. Restricted Delivery

3. Article Addressed to:

MR DAVE VINSON
407 N JACKSON STREET
CRYSTAL SPRINGS MS 39059

4a. Article Number

P 215 643 274

4b. Service Type

- Registered Certified
 Express Mail Insured
 Return Receipt for Merchandise COD

7. Date of Delivery

10/17/00

5. Received By: (Print Name)


Dave Vinson

6. Signature (Addressee or Agent)

Dave Vinson

8. Addressee's Address (Only if requested and fee is paid)

UNITED STATES POSTAL SERVICE




First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

● Print your name, address, and ZIP Code in this box ●

MS DEPT OF ENVIRONMENTAL QUALITY
PO BOX 10385
JACKSON MS 39289-0385
ATTENTION: GRETCHEN ZMITROVICH

1234567890





FILE COPY

STATE OF MISSISSIPPI
DAVID RONALD MUSGROVE, GOVERNOR
MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
CHARLES H. CHISOLM, EXECUTIVE DIRECTOR

October 16, 2000

Mr. Dave Vinson
407 N. Jackson Street
Crystal Springs, Mississippi 39059

RE: soil and wipe sampling

Dear Mr. Vinson:

Please find attached the report for the soil and wipe sampling recently conducted at 407 N. Jackson Street, Crystal Springs, MS. The report includes the following:

1. a map showing the sampling locations,
2. a table containing the sample results for the analysis conducted by the mobile laboratory, Environmental Chemistry Consulting Services,
3. data sheets containing the split sample results for the analysis conducted by the fixed laboratory, Paradigm Analytical Laboratories, Inc., and
4. data sheets containing the split sample results for the analysis conducted by the MDEQ laboratory.

In addition, please find enclosed a letter from the MDEQ stating that, based on the information collected to date, no further investigative or remedial action is required on your property in regard to contamination from the Kuhlman facility.

Please contact Gretchen Zmitrovich at 601-961-5240 if you have any questions regarding this report.

Sincerely,

A handwritten signature in black ink, appearing to read "Tony Russell".

Tony Russell, Chief
Uncontrolled Sites Section

Enclosures

Kuhlman Electric-407 N. Jackson (Vinson) report_10-16-00 (gz)



STATE OF MISSISSIPPI
DAVID RONALD MUSGROVE, GOVERNOR
MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
CHARLES H. CHISOLM, EXECUTIVE DIRECTOR

October 16, 2000

CERTIFIED LETTER NO. P 215 643 274 RETURN RECEIPT REQUESTED

Mr. Dave Vinson
407 N. Jackson Street
Crystal Springs, Mississippi 39059

RE: 407 N. Jackson Street
Crystal Springs, Copiah County, Mississippi

Dear Mr. Vinson:

The Uncontrolled Sites Section of the Mississippi Department of Environmental Quality (MDEQ) has completed a review of the sampling report prepared by Ogden Environmental and Engineering for the above referenced property. The MDEQ requires no further action at this site at this time.

If cleanup standards change or additional data becomes available for the site, then MDEQ will notify the appropriate parties of the need for any additional investigation(s) or remedial action(s). These actions will be consistent with our need to protect human health, welfare, and/or the environment.

If you have any questions, concerning this matter, please contact Gretchen Zmitrovich at (601) 961-5240.


Sincerely,

A handwritten signature in cursive script, appearing to read "Tony Russell".

Tony Russell, Chief
Uncontrolled Sites Section

Kuhlman Electric-407 N. Jackson (Vinson) SNFA_10-16-00 (gz)

COPY



LEGEND

- ◆ SAMPLE POINT
- DP 322 SAMPLE POINT NUMBER



- 1) ALL DISTANCES ARE ESTIMATED
- 2) THIS MAP WAS PREPARED FROM RECORD MAPS
- 3) THIS MAP HAS BEEN PREPARED FOR PRESENTATION PURPOSES ONLY

**SAMPLE LOCATIONS FOR
LOUIE LANG/ DAVID VINSON
407 NORTH JACKSON**

SCALE: AS SHOWN

DR MDI CHK TF REV BPS

PREPARED BY:

OGDEN ENVIRONMENTAL AND ENGINEERING SERVICES

200 SOUTH OLD STATEVILLE ROAD • HUNTERSVILLE, NC 28078 • 704-875-3570

PROJ: 073360000 | DATE: 09/24/00 | SHEET 1 OF 1

Soil and Wipe Sample Results
 Louie Lang / David Vinson Property
 407 North Jackson
 Crystal Springs, Mississippi

SOIL SAMPLES (MG/KG)											
Target Analyte	Sample #	DP-321	DP-321	DP-321	DP-321	DP-321	DP-321	DP-322	DP-322	DP-322	DP-323
	0.1	0.5	2	4	0.1	0.5	4	0.1	4	0.1	
	769	46	47	48	770	48	48	48	49	771	
PCB as 1260	<0.10	0.23	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Collection Date	8/31/00	8/16/00	8/16/00	8/16/00	8/31/00	8/16/00	8/16/00	8/16/00	8/16/00	8/16/00	8/31/00
Collection Time	9:29	17:02	17:05	17:05	9:33	17:08	17:05	17:08	17:09	17:09	9:35
Injection Date	8/31/00	8/17/00	8/17/00	8/17/00	8/31/00	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00	8/31/00

WIPE SAMPLES (TOTAL UG)								
Target Analyte	Sample #	DVW1	DVW2	DVW3	DVW4	DVW5	DVW6	DVW7
	777	777	778	779	780	781	782	783
PCB as 1260	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Collection Date	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00
Collection Time	9:54	9:57	10:00	10:05	10:10	10:15	10:20	10:20
Injection Date	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00

LOCATIONS:

- DVW1: Steel mesh patio table, rear patio.
- DVW2: Cooktop on grill.
- DVW3: Rear screendoor, below knob.
- DVW4: Honda Harmony HRM215 lawnmower, right side, between wheels on cutting deck.
- DVW5: Honda Harmony HRM215 lawnmower, discharge chute guard.
- DVW6: Scotts green plastic garden cart, inside rear wall.
- DVW7: Front inside of grey metal wheelbarrow.

Soil and Wipe Sample Results
 Louie Lang / David Vinson Property
 407 North Jackson
 Crystal Springs, Mississippi

SOIL SAMPLES (MG/KG)		DP-323	DP-324	DP-324	DP-324	DP-324	DP-370	DP-370	DP-370
Target Analyte	Sample #	0.5	4	0.1	0.5	4	0.1	0.5	4
	Depth (ft)	51	52	772	53	54	773	161	162
	Lab #								
PCB as 1260		<0.10	<0.10	<0.10	0.25	<0.10	<0.10	<0.10	NA
Collection Date		8/16/00	8/16/00	8/31/00	8/16/00	8/16/00	8/31/00	8/18/00	8/18/00
Collection Time		17:10	17:12	9:40	17:15	17:16	9:37	15:08	15:09
Injection Date		8/17/00	8/17/00	8/31/00	8/17/00	8/17/00	8/31/00	8/19/00	NA

Notes:

NA indicates sample not analyzed

SOIL SAMPLES (MG/KG)		DP-371	DP-371	DP-371	DP-372	DP-372	DP-372	DP-372
Target Analyte	Sample #	0.1	0.5	4	0.1	0.5	4	4
	Depth (ft)	774	163	164	775	165	166	166
	Lab #							
PCB as 1260		<0.10	<0.10	NA	<0.10	<0.10	NA	NA
Collection Date		8/31/00	8/18/00	8/18/00	8/31/00	8/18/00	8/18/00	8/18/00
Collection Time		9:46	15:17	15:19	9:48	15:21	15:22	15:22
Injection Date		8/31/00	8/19/00	NA	8/31/00	8/19/00	NA	NA

Notes:

NA indicates sample not analyzed

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for PCBs
by EPA 8082

Client Sample ID: DP 321-0.1
Client Project ID: Kuhlman Electric
Lab Sample ID: 94425
Lab Project ID: G185-81
Matrix: Soil

Date Collected: 8/31/00
Date Received: 9/1/00
Date Analyzed: 9/11/00
Analyzed By: CLP
Dilution: 1

%SOLIDS: 66.4

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
Arochlor-1016	320	BQL
Arochlor-1221	320	BQL
Arochlor-1232	320	BQL
Arochlor-1242	320	BQL
Arochlor-1248	320	BQL
Arochlor-1254	320	BQL
Arochlor-1260	320	BQL
Arochlor-1262	320	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
TCMX	100	62	62

Comments:

BQL = Below Quantitation Limit

NA = Not applicable, surrogate diluted out.

Reviewed By: 

Results for Semivolatiles

by GCMS 8270

Client Sample ID: DP 321-0.1

Client Project ID: Kuhlman Electric

Lab Sample ID: 94425

Lab Project ID: G185-81

Matrix: Soil

Date Collected: 8/31/00

Date Received: 9/1/00

Date Analyzed: 9/8/00

Analyzed By: MRC

Dilution: 1

%Solids: 66.4

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
Acenaphthene	580	BQL
Acenaphthylene	580	BQL
Anthracene	580	BQL
Benzo[a]anthracene	580	BQL
Benzo[a]pyrene	580	BQL
Benzo[b]fluoranthene	580	BQL
Benzo[g,h,i]perylene	580	BQL
Benzo[k]fluoranthene	580	BQL
Benzoic Acid	1200	BQL
Bis(2-chloroethoxy)methane	580	BQL
Bis(2-chloroethyl)ether	580	BQL
Bis(2-chloroisopropyl)ether	580	BQL
Bis(2-ethylhexyl)phthalate	580	BQL
4-bromophenyl phenyl ether	580	BQL
Butylbenzylphthalate	580	BQL
4-Chloroaniline	580	BQL
4-Chloro-3-methylphenol	580	BQL
2-Chloronaphthalene	580	BQL
2-Chlorophenol	580	BQL
4-Chlorophenyl phenyl ether	580	BQL
Chrysene	580	BQL
Di-n-Butylphthalate	580	BQL
Di-n-octylphthalate	580	BQL
Dibenzo[a,h]anthracene	580	BQL
Dibenzofuran	580	BQL
1,2-Dichlorobenzene	580	BQL
1,3-Dichlorobenzene	580	BQL
1,4-Dichlorobenzene	580	BQL
3,3'-Dichlorobenzidine	1200	BQL
2,4-Dichlorophenol	580	BQL
Diethylphthalate	580	BQL
2,4-Dimethylphenol	580	BQL
Dimethylphthalate	580	BQL
4,6-Dinitro-2-methylphenol	2900	BQL
2,4-Dinitrophenol	2900	BQL
2,4-Dinitrotoluene	580	BQL
2,6-Dinitrotoluene	580	BQL
Fluoranthene	580	BQL
Fluorene	580	BQL
Hexachlorobenzene	580	BQL
Hexachlorobutadiene	580	BQL
Hexachlorocyclopentadiene	1200	BQL
Hexachloroethane	580	BQL
Indeno(1,2,3-c,d)pyrene	580	BQL
Isophorone	580	BQL

Results for Semivolatiles
by GCMS 8270

Client Sample ID: DP 321-0.1
Client Project ID: Kuhlman Electric
Lab Sample ID: 94425
Lab Project ID: G185-81
Matrix: Soil

%Solids: 66.4

Date Collected: 8/31/00
Date Received: 9/1/00
Date Analyzed: 9/8/00
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
2-Methylnaphthalene	580	BQL
2-Methylphenol	580	BQL
3- & 4-Methylphenol	580	BQL
N-Nitrosodi-n-propylamine	580	BQL
N-Nitrosodiphenylamine	580	BQL
Naphthalene	580	BQL
2-Nitroaniline	580	BQL
3-Nitroaniline	580	BQL
4-Nitroaniline	580	BQL
Nitrobenzene	580	BQL
2-Nitrophenol	580	BQL
4-Nitrophenol	2900	BQL
Pentachlorobenzene	580	BQL
Pentachlorophenol	2900	BQL
Phenanthrene	580	BQL
Phenol	580	BQL
Pyrene	580	BQL
1,2,3,4-Tetrachlorobenzene	580	BQL
1,2,3,5- & 1,2,4,5-Tetrachlorobenzene	580	BQL
1,2,3-Trichlorobenzene	580	BQL
1,2,4-Trichlorobenzene	580	BQL
1,3,5-Trichlorobenzene	580	BQL
2,4,5-Trichlorophenol	580	BQL
2,4,6-Trichlorophenol	580	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	9.8	98
2-Fluorophenol	10	9.1	91
Nitrobenzene-d5	10	9.8	98
Phenol-d6	10	9.9	99
2,4,6-Tribromophenol	10	9.9	99
4-Terphenyl-d14	10	11.7	117

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARAM ANALYTICAL LABORATORIES INC.
Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: DP 321-0.1

Client Project ID: Kuhlman Electric

Lab Sample ID: 94425

Lab Project ID: G185-81

Matrix: Soil

%SOLIDS

66.4

Date Collected: 8/31/00

Date Received: 9/1/00

Date Analyzed: 9/8/00

Analyzed By: MRC

Dilution: 1

Num.	Compound	CAS#	Match Probability	Result (ug/KG)
1	Alkane, Unknown			9900
2	Alkane, Unknown			8800
3	Unknown			8300
4	Alkane, Unknown			3200
5	Unknown			2900
6	Unknown			2700
7	Unknown			1300
8	Unknown			1100
9	Unknown			1100
10	Unknown			790

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARAMOUNT ANALYTICAL LABORATORIES, INC.

Results for PCBs
by EPA 8082

Client Sample ID: DP 322-0.1
Client Project ID: Kuhlman Electric
Lab Sample ID: 94426
Lab Project ID: G185-81
Matrix: Soil

%SOLIDS: 78.5

Date Collected: 8/31/00
Date Received: 9/1/00
Date Analyzed: 9/11/00
Analyzed By: CLP
Dilution: 1

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
Arochlor-1016	270	BQL
Arochlor-1221	270	BQL
Arochlor-1232	270	BQL
Arochlor-1242	270	BQL
Arochlor-1248	270	BQL
Arochlor-1254	270	BQL
Arochlor-1260	270	BQL
Arochlor-1262	270	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
TCMX	100	61	61

Comments:

BQL = Below Quantitation Limit

NA = Not applicable, surrogate diluted out.

Reviewed By: 

Results for Semivolatiles

by GCMS 8270

Client Sample ID: DP 322-0.1

Client Project ID: Kuhlman Electric

Lab Sample ID: 94426

Lab Project ID: G185-81

Matrix: Soil

%Solids: 78.5

Date Collected: 8/31/00

Date Received: 9/1/00

Date Analyzed: 9/8/00

Analyzed By: MRC

Dilution: 1

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
Acenaphthene	610	BQL
Acenaphthylene	610	BQL
Anthracene	610	BQL
Benzo[a]anthracene	610	BQL
Benzo[a]pyrene	610	BQL
Benzo[b]fluoranthene	610	BQL
Benzo[g,h,i]perylene	610	BQL
Benzo[k]fluoranthene	610	BQL
Benzoic Acid	1200	BQL
Bis(2-chloroethoxy)methane	610	BQL
Bis(2-chloroethyl)ether	610	BQL
Bis(2-chloroisopropyl)ether	610	BQL
Bis(2-ethylhexyl)phthalate	610	BQL
4-bromophenyl phenyl ether	610	BQL
Butylbenzylphthalate	610	BQL
4-Chloroaniline	610	BQL
4-Chloro-3-methylphenol	610	BQL
2-Chloronaphthalene	610	BQL
2-Chlorophenol	610	BQL
4-Chlorophenyl phenyl ether	610	BQL
Chrysene	610	BQL
Di-n-Butylphthalate	610	BQL
Di-n-octylphthalate	610	BQL
Dibenzo[a,h]anthracene	610	BQL
Dibenzofuran	610	BQL
1,2-Dichlorobenzene	610	BQL
1,3-Dichlorobenzene	610	BQL
1,4-Dichlorobenzene	610	BQL
3,3'-Dichlorobenzidine	1200	BQL
2,4-Dichlorophenol	610	BQL
Diethylphthalate	610	BQL
2,4-Dimethylphenol	610	BQL
Dimethylphthalate	610	BQL
4,6-Dinitro-2-methylphenol	3100	BQL
2,4-Dinitrophenol	3100	BQL
2,4-Dinitrotoluene	610	BQL
2,6-Dinitrotoluene	610	BQL
Fluoranthene	610	BQL
Fluorene	610	BQL
Hexachlorobenzene	610	BQL
Hexachlorobutadiene	610	BQL
Hexachlorocyclopentadiene	1200	BQL
Hexachloroethane	610	BQL
Indeno(1,2,3-c,d)pyrene	610	BQL
Isophorone	610	BQL

Results for Semivolatiles
by GCMS 8270

Client Sample ID: DP 322-0.1

Client Project ID: Kuhlman Electric

Lab Sample ID: 94426

Lab Project ID: G185-81

Matrix: Soil

%Solids: 78.5

Date Collected: 8/31/00

Date Received: 9/1/00

Date Analyzed: 9/8/00

Analyzed By: MRC

Dilution: 1

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
2-Methylnaphthalene	610	BQL
2-Methylphenol	610	BQL
3- & 4-Methylphenol	610	BQL
N-Nitrosodi-n-propylamine	610	BQL
N-Nitrosodiphenylamine	610	BQL
Naphthalene	610	BQL
2-Nitroaniline	610	BQL
3-Nitroaniline	610	BQL
4-Nitroaniline	610	BQL
Nitrobenzene	610	BQL
2-Nitrophenol	610	BQL
4-Nitrophenol	3100	BQL
Pentachlorobenzene	610	BQL
Pentachlorophenol	3100	BQL
Phenanthrene	610	BQL
Phenol	610	BQL
Pyrene	610	BQL
1,2,3,4-Tetrachlorobenzene	610	BQL
1,2,3,5- & 1,2,4,5-Tetrachlorobenzene	610	BQL
1,2,3-Trichlorobenzene	610	BQL
1,2,4-Trichlorobenzene	610	BQL
1,3,5-Trichlorobenzene	610	BQL
2,4,5-Trichlorophenol	610	BQL
2,4,6-Trichlorophenol	610	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	5.9	59
2-Fluorophenol	10	6.4	64
Nitrobenzene-d5	10	6.3	63
Phenol-d6	10	7	70
2,4,6-Tribromophenol	10	6.1	61
4-Terphenyl-d14	10	6.8	68

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.
Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: DP 322-0.1
Client Project ID: Kuhlman Electric
Lab Sample ID: 94426
Lab Project ID: G185-81

Date Collected: 8/31/00
Date Received: 9/1/00
Date Analyzed: 9/8/00
Analyzed By: MRC
Dilution: 1

Matrix: Soil %SOLIDS 78.5

Num.	Compound	CAS#	Match Probability	Result (ug/KG)
1	Alkane, Unknown			9000
2	Alkane, Unknown			8300
3	Unknown			7000
4	Alkane, Unknown			3600
5	Unknown			1500
6	Unknown			970
7	Unknown			790
8	Unknown			690
9	Unknown			580
10	Unknown			520

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: fw

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for PCBs
by EPA 8082

Client Sample ID: DP 323-0.1
 Client Project ID: Kuhlman Electric
 Lab Sample ID: 94427
 Lab Project ID: G185-81
 Matrix: Soil

%SOLIDS: 80.4


Date Collected: 8/31/00
 Date Received: 9/1/00
 Date Analyzed: 9/15/00
 Analyzed By: CLP
 Dilution: 1

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
Arochlor-1016	190	BQL
Arochlor-1221	190	BQL
Arochlor-1232	190	BQL
Arochlor-1242	190	BQL
Arochlor-1248	190	BQL
Arochlor-1254	190	BQL
Arochlor-1260	190	BQL
Arochlor-1262	190	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
TCMX	100	54	54

Comments:

BQL = Below Quantitation Limit
 NA = Not applicable, surrogate diluted out.

Reviewed By: 

PARAMGM ANALYTICAL LABORATORIES INC.

Results for Semivolatiles

by GCMS 8270

Client Sample ID: DP 323-0.1

Client Project ID: Kuhlman Electric

Lab Sample ID: 94427

Lab Project ID: G185-81

Matrix: Soil

%Solids: 80.4

Date Collected: 8/31/00

Date Received: 9/1/00

Date Analyzed: 9/8/00

Analyzed By: MRC

Dilution: 1

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
Acenaphthene	510	BQL
Acenaphthylene	510	BQL
Anthracene	510	BQL
Benzo[a]anthracene	510	BQL
Benzo[a]pyrene	510	BQL
Benzo[b]fluoranthene	510	790
Benzo[g,h,i]perylene	510	BQL
Benzo[k]fluoranthene	510	600
Benzoic Acid	1000	BQL
Bis(2-chloroethoxy)methane	510	BQL
Bis(2-chloroethyl)ether	510	BQL
Bis(2-chloroisopropyl)ether	510	BQL
Bis(2-ethylhexyl)phthalate	510	BQL
4-bromophenyl phenyl ether	510	BQL
Butylbenzylphthalate	510	BQL
4-Chloroaniline	510	BQL
4-Chloro-3-methylphenol	510	BQL
2-Chloronaphthalene	510	BQL
2-Chlorophenol	510	BQL
4-Chlorophenyl phenyl ether	510	BQL
Chrysene	510	BQL
Di-n-Butylphthalate	510	BQL
Di-n-octylphthalate	510	BQL
Dibenzo[a,h]anthracene	510	BQL
Dibenzofuran	510	BQL
1,2-Dichlorobenzene	510	BQL
1,3-Dichlorobenzene	510	BQL
1,4-Dichlorobenzene	510	BQL
3,3'-Dichlorobenzidine	1000	BQL
2,4-Dichlorophenol	510	BQL
Diethylphthalate	510	BQL
2,4-Dimethylphenol	510	BQL
Dimethylphthalate	510	BQL
4,6-Dinitro-2-methylphenol	2600	BQL
2,4-Dinitrophenol	2600	BQL
2,4-Dinitrotoluene	510	BQL
2,6-Dinitrotoluene	510	BQL
Fluoranthene	510	BQL
Fluorene	510	BQL
Hexachlorobenzene	510	BQL
Hexachlorobutadiene	510	BQL
Hexachlorocyclopentadiene	1000	BQL
Hexachloroethane	510	BQL
Indeno(1,2,3-c,d)pyrene	510	BQL
Isophorone	510	BQL

Results for Semivolatiles
by GCMS 8270

Client Sample ID: DP 323-0.1
Client Project ID: Kuhlman Electric
Lab Sample ID: 94427
Lab Project ID: G185-81
Matrix: Soil

Date Collected: 8/31/00
Date Received: 9/1/00
Date Analyzed: 9/8/00
Analyzed By: MRC
Dilution: 1

%Solids: 80.4

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
2-Methylnaphthalene	510	BQL
2-Methylphenol	510	BQL
3- & 4-Methylphenol	510	BQL
N-Nitrosodi-n-propylamine	510	BQL
N-Nitrosodiphenylamine	510	BQL
Naphthalene	510	BQL
2-Nitroaniline	510	BQL
3-Nitroaniline	510	BQL
4-Nitroaniline	510	BQL
Nitrobenzene	510	BQL
2-Nitrophenol	510	BQL
4-Nitrophenol	2600	BQL
Pentachlorobenzene	510	BQL
Pentachlorophenol	2600	BQL
Phenanthrene	510	BQL
Phenol	510	BQL
Pyrene	510	BQL
1,2,3,4-Tetrachlorobenzene	510	BQL
1,2,3,5- & 1,2,4,5-Tetrachlorobenzene	510	BQL
1,2,3-Trichlorobenzene	510	BQL
1,2,4-Trichlorobenzene	510	BQL
1,3,5-Trichlorobenzene	510	BQL
2,4,5-Trichlorophenol	510	BQL
2,4,6-Trichlorophenol	510	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	10.4	104
2-Fluorophenol	10	8.7	87
Nitrobenzene-d5	10	10.2	102
Phenol-d6	10	9.9	99
2,4,6-Tribromophenol	10	7.3	73
4-Terphenyl-d14	10	12.2	122

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARAM ANALYTICAL LABORATORIES INC.
Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: DP 323-0.1
Client Project ID: Kuhlman Electric
Lab Sample ID: 94427
Lab Project ID: G185-81

Date Collected: 8/31/00
Date Received: 9/1/00
Date Analyzed: 9/8/00
Analyzed By: MRC
Dilution: 1

Matrix: Soil %SOLIDS 80.4

Num.	Compound	CAS#	Match Probability	Result (ug/KG)
1	Alkane, Unknown			5400
2	Alkane, Unknown			4500
3	Alkane, Unknown			2100
4	Alkane, Unknown			1200
5	Unknown			1000
6	Unknown			730
7	Unknown			610
8	Aromatic, Unknown			570
9	Unknown			540
10	Unknown			460

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARAMETRIX ANALYTICAL LABORATORIES, INC.

Results for PCBs
by EPA 8082

Client Sample ID: DP 324-0.1
Client Project ID: Kuhlman Electric
Lab Sample ID: 94428
Lab Project ID: G185-81
Matrix: Soil

Date Collected: 8/31/00
Date Received: 9/1/00
Date Analyzed: 9/11/00
Analyzed By: CLP
Dilution: 1

%SOLIDS: 82.1

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
Arochlor-1016	300	BQL
Arochlor-1221	300	BQL
Arochlor-1232	300	BQL
Arochlor-1242	300	BQL
Arochlor-1248	300	BQL
Arochlor-1254	300	BQL
Arochlor-1260	300	420
Arochlor-1262	300	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
DBC	100	95	95

*Sample was quantitated as Aroclor 1260, but appears to contain a mixture of Aroclor 1260 and Aroclor 1262.

Comments:

BQL = Below Quantitation Limit

NA = Not applicable, surrogate diluted out.

Reviewed By: 

Results for Semivolatiles
by GCMS 8270

Client Sample ID: DP 324-0.1

Client Project ID: Kuhlman Electric

Lab Sample ID: 94428

Lab Project ID: G185-81

Matrix: Soil

Date Collected: 8/31/00

Date Received: 9/1/00

Date Analyzed: 9/8/00

Analyzed By: MRC

Dilution: 1

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
Acenaphthene	360	BQL
Acenaphthylene	360	BQL
Anthracene	360	BQL
Benzo[a]anthracene	360	BQL
Benzo[a]pyrene	360	BQL
Benzo[b]fluoranthene	360	BQL
Benzo[g,h,i]perylene	360	BQL
Benzo[k]fluoranthene	360	BQL
Benzoic Acid	720	BQL
Bis(2-chloroethoxy)methane	360	BQL
Bis(2-chloroethyl)ether	360	BQL
Bis(2-chloroisopropyl)ether	360	BQL
Bis(2-ethylhexyl)phthalate	360	BQL
4-bromophenyl phenyl ether	360	BQL
Butylbenzylphthalate	360	BQL
4-Chloroaniline	360	BQL
4-Chloro-3-methylphenol	360	BQL
2-Chloronaphthalene	360	BQL
2-Chlorophenol	360	BQL
4-Chlorophenyl phenyl ether	360	BQL
Chrysene	360	BQL
Di-n-Butylphthalate	360	BQL
Di-n-octylphthalate	360	BQL
Dibenzo[a,h]anthracene	360	BQL
Dibenzofuran	360	BQL
1,2-Dichlorobenzene	360	BQL
1,3-Dichlorobenzene	360	BQL
1,4-Dichlorobenzene	360	BQL
3,3'-Dichlorobenzidine	720	BQL
2,4-Dichlorophenol	360	BQL
Diethylphthalate	360	BQL
2,4-Dimethylphenol	360	BQL
Dimethylphthalate	360	BQL
4,6-Dinitro-2-methylphenol	1800	BQL
2,4-Dinitrophenol	1800	BQL
2,4-Dinitrotoluene	360	BQL
2,6-Dinitrotoluene	360	BQL
Fluoranthene	360	BQL
Fluorene	360	BQL
Hexachlorobenzene	360	BQL
Hexachlorobutadiene	360	BQL
Hexachlorocyclopentadiene	720	BQL
Hexachloroethane	360	BQL
Indeno(1,2,3-c,d)pyrene	360	BQL
Isophorone	360	BQL

Results for Semivolatiles
by GCMS 8270

Client Sample ID: DP 324-0.1
Client Project ID: Kuhlman Electric
Lab Sample ID: 94428
Lab Project ID: G185-81
Matrix: Soil

Date Collected: 8/31/00
Date Received: 9/1/00
Date Analyzed: 9/8/00
Analyzed By: MRC
Dilution: 1

%Solids: 82.1

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
2-Methylnaphthalene	360	BQL
2-Methylphenol	360	BQL
3- & 4-Methylphenol	360	BQL
N-Nitrosodi-n-propylamine	360	BQL
N-Nitrosodiphenylamine	360	BQL
Naphthalene	360	BQL
2-Nitroaniline	360	BQL
3-Nitroaniline	360	BQL
4-Nitroaniline	360	BQL
Nitrobenzene	360	BQL
2-Nitrophenol	360	BQL
4-Nitrophenol	1800	BQL
Pentachlorobenzene	360	BQL
Pentachlorophenol	1800	BQL
Phenanthrene	360	BQL
Phenol	360	BQL
Pyrene	360	BQL
1,2,3,4-Tetrachlorobenzene	360	BQL
1,2,3,5- & 1,2,4,5-Tetrachlorobenzene	360	BQL
1,2,3-Trichlorobenzene	360	BQL
1,2,4-Trichlorobenzene	360	BQL
1,3,5-Trichlorobenzene	360	BQL
2,4,5-Trichlorophenol	360	BQL
2,4,6-Trichlorophenol	360	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	10.4	104
2-Fluorophenol	10	9.4	95
Nitrobenzene-d5	10	10.4	104
Phenol-d6	10	10.4	104
2,4,6-Tribromophenol	10	9.8	98
4-Terphenyl-d14	10	12.6	126

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

Results of Library Search for Semivolatile Compounds
by GCMS


Client Sample ID: DP 324-0.1	Date Collected: 8/31/00
Client Project ID: Kuhlman Electric	Date Received: 9/1/00
Lab Sample ID: 94428	Date Analyzed: 9/8/00
Lab Project ID: G185-81	Analyzed By: MRC
Matrix: Soil	Dilution: 1
%SOLIDS: 82.1	

Num.	Compound	CAS#	Match Probability	Result (ug/KG)
1	Alkane, Unknown			4200
2	Alkane, Unknown			3900
3	Alkane, Unknown			1500
4	Alkane, Unknown			890
5	Unknown			750
6	Unknown			680
7	Unknown			660
8	Unknown			590
9	Unknown			430
10	Unknown			380

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARAMIGM ANALYTICAL LABORATORIES, INC.

Results for PCBs
by EPA 8082

Client Sample ID: DP324 - 0.5'
Client Project ID: Kuhlman Electric
Lab Sample ID: 93685
Lab Project ID: G185-78
Matrix: Soil

%SOLIDS: 93.5

Date Collected: 8/16/00
Date Received: 8/18/00
Date Analyzed: 8/30/00
Analyzed By: CLP
Dilution: 1

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
Arochlor-1016	190	BQL
Arochlor-1221	190	BQL
Arochlor-1232	190	BQL
Arochlor-1242	190	BQL
Arochlor-1248	190	BQL
Arochlor-1254	190	BQL
Arochlor-1260	190	260
Arochlor-1262	190	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
TCMX	100	101	101

*Sample was quantitated as Aroclor 1260, but appears to contain a mixture of Aroclor 1260 and Aroclor 1262.

Comments:

BQL = Below Quantitation Limit

NA = Not applicable, surrogate diluted out.

Reviewed By: 

Results for Semivolatiles

by GCMS 8270

Client Sample ID: DP324 - 0.5'

Client Project ID: Kuhlman Electric

Lab Sample ID: 93685

Lab Project ID: G185-78

Matrix: Soil

%Solids: 93.5

Date Collected: 8/16/00

Date Received: 8/18/00

Date Analyzed: 8/31/00

Analyzed By: MRC

Dilution: 1

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
Acenaphthene	330	BQL
Acenaphthylene	330	BQL
Anthracene	330	BQL
Benzo[a]anthracene	330	BQL
Benzo[a]pyrene	330	BQL
Benzo[b]fluoranthene	330	BQL
Benzo[g,h,i]perylene	330	BQL
Benzo[k]fluoranthene	330	BQL
Benzoic Acid	660	BQL
Bis(2-chloroethoxy)methane	330	BQL
Bis(2-chloroethyl)ether	330	BQL
Bis(2-chloroisopropyl)ether	330	BQL
Bis(2-ethylhexyl)phthalate	330	BQL
4-bromophenyl phenyl ether	330	BQL
Butylbenzylphthalate	330	BQL
4-Chloroaniline	330	BQL
4-Chloro-3-methylphenol	330	BQL
2-Chloronaphthalene	330	BQL
2-Chlorophenol	330	BQL
4-Chlorophenyl phenyl ether	330	BQL
Chrysene	330	BQL
Di-n-Butylphthalate	330	BQL
Di-n-octylphthalate	330	BQL
Dibenzo[a,h]anthracene	330	BQL
Dibenzofuran	330	BQL
1,2-Dichlorobenzene	330	BQL
1,3-Dichlorobenzene	330	BQL
1,4-Dichlorobenzene	330	BQL
3,3'-Dichlorobenzidine	660	BQL
2,4-Dichlorophenol	330	BQL
Diethylphthalate	330	BQL
2,4-Dimethylphenol	330	BQL
Dimethylphthalate	330	BQL
4,6-Dinitro-2-methylphenol	1700	BQL
2,4-Dinitrophenol	1700	BQL
2,4-Dinitrotoluene	330	BQL
2,6-Dinitrotoluene	330	BQL
Fluoranthene	330	BQL
Fluorene	330	BQL
Hexachlorobenzene	330	BQL
Hexachlorobutadiene	330	BQL
Hexachlorocyclopentadiene	660	BQL
Hexachloroethane	330	BQL
Indeno(1,2,3-c,d)pyrene	330	BQL
Isophorone	330	BQL

PARAMGM ANALYTICAL LABORATORIES, INC.

**Results for Semivolatiles
by GCMS 8270**

Client Sample ID: DP324 - 0.5'
 Client Project ID: Kuhlman Electric
 Lab Sample ID: 93685
 Lab Project ID: G185-78
 Matrix: Soil

Date Collected: 8/16/00
 Date Received: 8/18/00
 Date Analyzed: 8/31/00
 Analyzed By: MRC
 Dilution: 1

%Solids: 93.5

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
2-Methylnaphthalene	330	BQL
2-Methylphenol	330	BQL
3- & 4-Methylphenol	330	BQL
N-Nitrosodi-n-propylamine	330	BQL
N-Nitrosodiphenylamine	330	BQL
Naphthalene	330	BQL
2-Nitroaniline	330	BQL
3-Nitroaniline	330	BQL
4-Nitroaniline	330	BQL
Nitrobenzene	330	BQL
2-Nitrophenol	330	BQL
4-Nitrophenol	1700	BQL
Pentachlorobenzene	330	BQL
Pentachlorophenol	1700	BQL
Phenanthrene	330	BQL
Phenol	330	BQL
Pyrene	330	BQL
1,2,3,4-Tetrachlorobenzene	330	BQL
1,2,3,5- & 1,2,4,5-Tetrachlorobenzene	330	BQL
1,2,3-Trichlorobenzene	330	BQL
1,2,4-Trichlorobenzene	330	BQL
1,3,5-Trichlorobenzene	330	BQL
2,4,5-Trichlorophenol	330	BQL
2,4,6-Trichlorophenol	330	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	10	100
2-Fluorophenol	10	8	80
Nitrobenzene-d5	10	9.7	97
Phenol-d6	10	9.3	93
2,4,6-Tribromophenol	10	8.4	84
4-Terphenyl-d14	10	10.3	103

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: DP324 - 0.5'
Client Project ID: Kuhlman Electric
Lab Sample ID: 93685
Lab Project ID: G185-78

Date Collected: 8/16/00
Date Received: 8/18/00
Date Analyzed: 8/31/00
Analyzed By: MRC
Dilution: 1

Matrix: Soil %SOLIDS 93.5

Num.	Compound	CAS#	Match Probability	Result (ug/KG)
1	Alkane, Unknown			1200
2	Alkane, Unknown			810
3	Alkane, Unknown			520
4	Alkane, Unknown			410
5	Unknown			320
6	Unknown			210
7	Unknown			160
8	Unknown			150
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

Results for PCBs
by EPA 8082

Client Sample ID: DP 370-0.1
 Client Project ID: Kuhlman Electric
 Lab Sample ID: 94429
 Lab Project ID: G185-81
 Matrix: Soil

%SOLIDS: 71.8

Date Collected: 8/31/00
 Date Received: 9/1/00
 Date Analyzed: 9/11/00
 Analyzed By: CLP
 Dilution: 1

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
Arochlor-1016	430	BQL
Arochlor-1221	430	BQL
Arochlor-1232	430	BQL
Arochlor-1242	430	BQL
Arochlor-1248	430	BQL
Arochlor-1254	430	BQL
Arochlor-1260	430	BQL
Arochlor-1262	430	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
TCMX	100	91	91

Comments:

BQL = Below Quantitation Limit
 NA = Not applicable, surrogate diluted out.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 8270

Client Sample ID: DP 370-0.1
Client Project ID: Kuhlman Electric
Lab Sample ID: 94429
Lab Project ID: G185-81
Matrix: Soil

Date Collected: 8/31/00
Date Received: 9/1/00
Date Analyzed: 9/8/00
Analyzed By: MRC
Dilution: 1

%Solids: 71.8

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
Acenaphthene	1300	BQL
Acenaphthylene	1300	BQL
Anthracene	1300	BQL
Benzo[a]anthracene	1300	BQL
Benzo[a]pyrene	1300	BQL
Benzo[b]fluoranthene	1300	BQL
Benzo[g,h,i]perylene	1300	BQL
Benzo[k]fluoranthene	1300	BQL
Benzoic Acid	2700	BQL
Bis(2-chloroethoxy)methane	1300	BQL
Bis(2-chloroethyl)ether	1300	BQL
Bis(2-chloroisopropyl)ether	1300	BQL
Bis(2-ethylhexyl)phthalate	1300	BQL
4-bromophenyl phenyl ether	1300	BQL
Butylbenzylphthalate	1300	BQL
4-Chloroaniline	1300	BQL
4-Chloro-3-methylphenol	1300	BQL
2-Chloronaphthalene	1300	BQL
2-Chlorophenol	1300	BQL
4-Chlorophenyl phenyl ether	1300	BQL
Chrysene	1300	BQL
Di-n-Butylphthalate	1300	BQL
Di-n-octylphthalate	1300	BQL
Dibenzo[a,h]anthracene	1300	BQL
Dibenzofuran	1300	BQL
1,2-Dichlorobenzene	1300	BQL
1,3-Dichlorobenzene	1300	BQL
1,4-Dichlorobenzene	1300	BQL
3,3'-Dichlorobenzidine	2700	BQL
2,4-Dichlorophenol	1300	BQL
Diethylphthalate	1300	BQL
2,4-Dimethylphenol	1300	BQL
Dimethylphthalate	1300	BQL
4,6-Dinitro-2-methylphenol	6700	BQL
2,4-Dinitrophenol	6700	BQL
2,4-Dinitrotoluene	1300	BQL
2,6-Dinitrotoluene	1300	BQL
Fluoranthene	1300	BQL
Fluorene	1300	BQL
Hexachlorobenzene	1300	BQL
Hexachlorobutadiene	1300	BQL
Hexachlorocyclopentadiene	2700	BQL
Hexachloroethane	1300	BQL
Indeno(1,2,3-c,d)pyrene	1300	BQL
Isophorone	1300	BQL

PARAM ANALYTICAL LABORATORIES INC.

Results for Semivolatiles
by GCMS 8270

Client Sample ID: DP 370-0.1
Client Project ID: Kuhlman Electric
Lab Sample ID: 94429
Lab Project ID: G185-81
Matrix: Soil

Date Collected: 8/31/00
Date Received: 9/1/00
Date Analyzed: 9/8/00
Analyzed By: MRC
Dilution: .1

%Solids: 71.8

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
2-Methylnaphthalene	1300	BQL
2-Methylphenol	1300	BQL
3- & 4-Methylphenol	1300	BQL
N-Nitrosodi-n-propylamine	1300	BQL
N-Nitrosodiphenylamine	1300	BQL
Naphthalene	1300	BQL
2-Nitroaniline	1300	BQL
3-Nitroaniline	1300	BQL
4-Nitroaniline	1300	BQL
Nitrobenzene	1300	BQL
2-Nitrophenol	1300	BQL
4-Nitrophenol	6700	BQL
Pentachlorobenzene	1300	BQL
Pentachlorophenol	6700	BQL
Phenanthrene	1300	BQL
Phenol	1300	BQL
Pyrene	1300	BQL
1,2,3,4-Tetrachlorobenzene	1300	BQL
1,2,3,5- & 1,2,4,5-Tetrachlorobenzene	1300	BQL
1,2,3-Trichlorobenzene	1300	BQL
1,2,4-Trichlorobenzene	1300	BQL
1,3,5-Trichlorobenzene	1300	BQL
2,4,5-Trichlorophenol	1300	BQL
2,4,6-Trichlorophenol	1300	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	9.4	94
2-Fluorophenol	10	8.8	88
Nitrobenzene-d5	10	9.2	92
Phenol-d6	10	9.7	97
2,4,6-Tribromophenol	10	9.4	94
4-Terphenyl-d14	10	10.2	102

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADISE ANALYTICAL LABORATORIES, S.C.
Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: DP 370-0.1

Client Project ID: Kuhlman Electric

Lab Sample ID: 94429

Lab Project ID: G185-81

Matrix: Soil %SOLIDS 71.8

Date Collected: 8/31/00

Date Received: 9/1/00

Date Analyzed: 9/8/00

Analyzed By: MRC

Dilution: 1

Num.	Compound	CAS#	Match Probability	Result (ug/KG)
1	Alkane, Unknown			33000
2	Alkane, Unknown			27000
3	Alkane, Unknown			18000
4	Unknown			14000
5	Unknown			7700
6	Unknown			6000
7	Unknown			5600
8	Unknown			5100
9	Unknown			4400
10	Unknown			4200

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: _____

Results for PCBs
by EPA 8082

Client Sample ID: DP 371-0.1
 Client Project ID: Kuhiman Electric
 Lab Sample ID: 94430
 Lab Project ID: G185-81
 Matrix: Soil

%SOLIDS: 78.2

Date Collected: 8/31/00
 Date Received: 9/1/00
 Date Analyzed: 9/11/00
 Analyzed By: CLP
 Dilution: 1

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
Arochlor-1016	290	BQL
Arochlor-1221	290	BQL
Arochlor-1232	290	BQL
Arochlor-1242	290	BQL
Arochlor-1248	290	BQL
Arochlor-1254	290	BQL
Arochlor-1260	290	BQL
Arochlor-1262	290	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
TCMX	100	82	82

Comments:

BQL = Below Quantitation Limit

NA = Not applicable, surrogate diluted out.

Reviewed By: 

Results for Semivolatiles
by GCMS 8270

Client Sample ID: DP 371-0.1

Client Project ID: Kuhlman Electric

Lab Sample ID: 94430

Lab Project ID: G185-81

Matrix: Soil

Date Collected: 8/31/00

Date Received: 9/1/00

Date Analyzed: 9/8/00

Analyzed By: MRC

Dilution: 1

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
Acenaphthene	620	BQL
Acenaphthylene	620	BQL
Anthracene	620	BQL
Benzo[a]anthracene	620	BQL
Benzo[a]pyrene	620	BQL
Benzo[b]fluoranthene	620	BQL
Benzo[g,h,i]perylene	620	BQL
Benzo[k]fluoranthene	620	BQL
Benzoic Acid	1200	BQL
Bis(2-chloroethoxy)methane	620	BQL
Bis(2-chloroethyl)ether	620	BQL
Bis(2-chloroisopropyl)ether	620	BQL
Bis(2-ethylhexyl)phthalate	620	BQL
4-bromophenyl phenyl ether	620	BQL
Butylbenzylphthalate	620	BQL
4-Chloroaniline	620	BQL
4-Chloro-3-methylphenol	620	BQL
2-Chloronaphthalene	620	BQL
2-Chlorophenol	620	BQL
4-Chlorophenyl phenyl ether	620	BQL
Chrysene	620	BQL
Di-n-Butylphthalate	620	BQL
Di-n-octylphthalate	620	BQL
Dibenzo[a,h]anthracene	620	BQL
Dibenzofuran	620	BQL
1,2-Dichlorobenzene	620	BQL
1,3-Dichlorobenzene	620	BQL
1,4-Dichlorobenzene	620	BQL
3,3'-Dichlorobenzidine	1200	BQL
2,4-Dichlorophenol	620	BQL
Diethylphthalate	620	BQL
2,4-Dimethylphenol	620	BQL
Dimethylphthalate	620	BQL
4,6-Dinitro-2-methylphenol	3100	BQL
2,4-Dinitrophenol	3100	BQL
2,4-Dinitrotoluene	620	BQL
2,6-Dinitrotoluene	620	BQL
Fluoranthene	620	BQL
Fluorene	620	BQL
Hexachlorobenzene	620	BQL
Hexachlorobutadiene	620	BQL
Hexachlorocyclopentadiene	1200	BQL
Hexachloroethane	620	BQL
Indeno(1,2,3-c,d)pyrene	620	BQL
Isophorone	620	BQL

Results for Semivolatiles
by GCMS 8270

Client Sample ID: DP 371-0.1

Client Project ID: Kuhlman Electric

Lab Sample ID: 94430

Lab Project ID: G185-81

Matrix: Soil

%Solids: 78.2

Date Collected: 8/31/00

Date Received: 9/1/00

Date Analyzed: 9/8/00

Analyzed By: MRC

Dilution: 1

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
2-Methylnaphthalene	620	BQL
2-Methylphenol	620	BQL
3- & 4-Methylphenol	620	BQL
N-Nitrosodi-n-propylamine	620	BQL
N-Nitrosodiphenylamine	620	BQL
Naphthalene	620	BQL
2-Nitroaniline	620	BQL
3-Nitroaniline	620	BQL
4-Nitroaniline	620	BQL
Nitrobenzene	620	BQL
2-Nitrophenol	620	BQL
4-Nitrophenol	3100	BQL
Pentachlorobenzene	620	BQL
Pentachlorophenol	3100	BQL
Phenanthrene	620	BQL
Phenol	620	BQL
Pyrene	620	BQL
1,2,3,4-Tetrachlorobenzene	620	BQL
1,2,3,5- & 1,2,4,5-Tetrachlorobenzene	620	BQL
1,2,3-Trichlorobenzene	620	BQL
1,2,4-Trichlorobenzene	620	BQL
1,3,5-Trichlorobenzene	620	BQL
2,4,5-Trichlorophenol	620	BQL
2,4,6-Trichlorophenol	620	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	10	100
2-Fluorophenol	10	7.5	75
Nitrobenzene-d5	10	9.9	99
Phenol-d6	10	9.2	92
2,4,6-Tribromophenol	10	5	50
4-Terphenyl-d14	10	12.7	127

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARAM ANALYTICAL LABORATORIES, INC.
Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: DP 371-0.1

Date Collected: 8/31/00

Client Project ID: Kuhlman Electric

Date Received: 9/1/00

Lab Sample ID: 94430

Date Analyzed: 9/8/00

Lab Project ID: G185-81

Analyzed By: MRC

Matrix: Soil %SOLIDS 78.2

Dilution: 1

Num.	Compound	CAS#	Match Probabililty	Result (ug/KG)
1	Alkane, Unknown			2900
2	Unknown			2400
3	Unknown			1700
4	Unknown			960
5	Unknown			760
6	Unknown			660
7	Unknown			570
8	Unknown			540
9	Unknown			530
10	Vanillan	000121-33-5	90	480

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

Results for PCBs
by EPA 8082

Client Sample ID: DP 372-0.1
Client Project ID: Kuhlman Electric
Lab Sample ID: 94431
Lab Project ID: G185-81
Matrix: Soil

%SOLIDS: 68.5

Date Collected: 8/31/00
Date Received: 9/1/00
Date Analyzed: 9/11/00
Analyzed By: CLP
Dilution: 1

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
Arochlor-1016	360	BQL
Arochlor-1221	360	BQL
Arochlor-1232	360	BQL
Arochlor-1242	360	BQL
Arochlor-1248	360	BQL
Arochlor-1254	360	BQL
Arochlor-1260	360	420
Arochlor-1262	360	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
TCMX	100	73	73

*Sample was quantitated as Aroclor 1260, but appears to contain a mixture of Aroclor 1260 and Aroclor 1262.

Comments:

BQL = Below Quantitation Limit

NA = Not applicable, surrogate diluted out.

Reviewed By: 

PARADISE ANALYTICAL LABORATORIES INC.

Results for Semivolatiles
by GCMS 8270

Client Sample ID: DP 372-0.1
Client Project ID: Kuhlman Electric
Lab Sample ID: 94431
Lab Project ID: G185-81
Matrix: Soil

Date Collected: 8/31/00
Date Received: 9/1/00
Date Analyzed: 9/8/00
Analyzed By: MRC
Dilution: 1

%Solids: 68.5

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
Acenaphthene	720	BQL
Acenaphthylene	720	BQL
Anthracene	720	BQL
Benzo[a]anthracene	720	BQL
Benzo[a]pyrene	720	770
Benzo[b]fluoranthene	720	1500
Benzo[g,h,i]perylene	720	BQL
Benzo[k]fluoranthene	720	1000
Benzoic Acid	1400	BQL
Bis(2-chloroethoxy)methane	720	BQL
Bis(2-chloroethyl)ether	720	BQL
Bis(2-chloroisopropyl)ether	720	BQL
Bis(2-ethylhexyl)phthalate	720	BQL
4-bromophenyl phenyl ether	720	BQL
Butylbenzylphthalate	720	BQL
4-Chloroaniline	720	BQL
4-Chloro-3-methylphenol	720	BQL
2-Chloronaphthalene	720	BQL
2-Chlorophenol	720	BQL
4-Chlorophenyl phenyl ether	720	BQL
Chrysene	720	940
Di-n-Butylphthalate	720	BQL
Di-n-octylphthalate	720	BQL
Dibenzo[a,h]anthracene	720	BQL
Dibenzofuran	720	BQL
1,2-Dichlorobenzene	720	BQL
1,3-Dichlorobenzene	720	BQL
1,4-Dichlorobenzene	720	BQL
3,3'-Dichlorobenzidine	1400	BQL
2,4-Dichlorophenol	720	BQL
Diethylphthalate	720	BQL
2,4-Dimethylphenol	720	BQL
Dimethylphthalate	720	BQL
4,6-Dinitro-2-methylphenol	3600	BQL
2,4-Dinitrophenol	3600	BQL
2,4-Dinitrotoluene	720	BQL
2,6-Dinitrotoluene	720	BQL
Fluoranthene	720	1100
Fluorene	720	BQL
Hexachlorobenzene	720	BQL
Hexachlorobutadiene	720	BQL
Hexachlorocyclopentadiene	1400	BQL
Hexachloroethane	720	BQL
Indeno(1,2,3-c,d)pyrene	720	BQL
Isophorone	720	BQL

PARADISE ANALYTICAL LABORATORIES, C.

Results for Semivolatiles

by GCMS 8270

Client Sample ID: DP 372-0.1

Client Project ID: Kuhlman Electric

Lab Sample ID: 94431

Lab Project ID: G185-81

Matrix: Soil

Date Collected: 8/31/00

Date Received: 9/1/00

Date Analyzed: 9/8/00

Analyzed By: MRC

Dilution: 1

%Solids: 68.5

Compound	Quantitation Limit (ug/KG)	Result (ug/KG)
2-Methylnaphthalene	720	BQL
2-Methylphenol	720	BQL
3- & 4-Methylphenol	720	BQL
N-Nitrosodi-n-propylamine	720	BQL
N-Nitrosodiphenylamine	720	BQL
Naphthalene	720	BQL
2-Nitroaniline	720	BQL
3-Nitroaniline	720	BQL
4-Nitroaniline	720	BQL
Nitrobenzene	720	BQL
2-Nitrophenol	720	BQL
4-Nitrophenol	3600	BQL
Pentachlorobenzene	720	BQL
Pentachlorophenol	3600	BQL
Phenanthrene	720	BQL
Phenol	720	BQL
Pyrene	720	1400
1,2,3,4-Tetrachlorobenzene	720	BQL
1,2,3,5- & 1,2,4,5-Tetrachlorobenzene	720	BQL
1,2,3-Trichlorobenzene	720	BQL
1,2,4-Trichlorobenzene	720	BQL
1,3,5-Trichlorobenzene	720	BQL
2,4,5-Trichlorophenol	720	BQL
2,4,6-Trichlorophenol	720	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	9.7	97
2-Fluorophenol	10	7.1	71
Nitrobenzene-d5	10	9.6	96
Phenol-d6	10	8.6	86
2,4,6-Tribromophenol	10	6	60
4-Terphenyl-d14	10	12.1	121

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARAJIM ANALYTICAL LABORATORIES, INC.
Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: DP 372-0.1

Client Project ID: Kuhlman Electric

Lab Sample ID: 94431

Lab Project ID: G185-81

Matrix: Soil %SOLIDS 68.5

Date Collected: 8/31/00

Date Received: 9/1/00

Date Analyzed: 9/8/00

Analyzed By: MRC

Dilution: 1

Num.	Compound	CAS#	Match Probability	Result (ug/KG)
1	Alkane, Unknown			11000
2	Alkane, Unknown			6700
3	Alkane, Unknown			4800
4	Unknown			3700
5	Unknown			3500
6	Unknown			1800
7	Unknown			1400
8	Unknown			1300
9	Unknown			1200
10	Unknown			980

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

Mississippi Department of Environmental Quality
Office of Pollution Control Laboratory
1542 Old Whitfield Road
Pearl, MS 39208

PCB's in Soil/Fish

Sample Name: 6065
Misc Info: Kulhman Electric (Dave Vinson)
Date Acquired: 09-11-00
Operator: DS

Name	Amount	ML
Arochlor 1016	Not Detected	36.0
Arochlor 1221	Not Detected	670
Arochlor 1232	Not Detected	34.0
Arochlor 1242	Not Detected	34.0
Arochlor 1248	Not Detected	34.0
Arochlor 1254	Not Detected	67.0
Arochlor 1260	233 ppb	134.0

Surrogates	% Recovery	Limits
TCMX	103	(38-134)
DCB	107	(31-132)

Comments: _____

AH-00-1638

VIA UPS NEXT DAY AIR

December 20, 2000

Ms. Gretchen Zmitrovich
Mississippi Department of Environmental Quality
Office of Pollution Control
101 West Capitol Street
Jackson, Mississippi 39201

Anastasia Hamel
Director, Environmental Programs
BorgWarner Inc.
11955 East Nine Mile Road
Warren, Michigan 48089

Re: **Progress Report of Assessment and Remediation Activities
Kuhlman Electric Corporation and Residential Properties
Crystal Springs, Mississippi**

FILE COPY

Dear Ms. Zmitrovich:

This is a progress report to summarize the assessment and remediation activities related to PCB contamination at Crystal Springs, Mississippi. BorgWarner's last update was October 31, 2000. As you are aware, pursuant to the indemnity agreement between Kuhlman Electric Corporation (KEC) and BorgWarner Inc., BorgWarner has continued the assessment at the KEC plant and began the assessment of residential properties along a drainage channel downgradient of the plant. BorgWarner has also been actively remediating those properties adjacent to the KEC plant for which access was previously granted and sampling was complete.

BorgWarner, as it stated in its October 31, 2000 letter to the Mississippi Department of Environmental Quality (MDEQ), remains committed to working closely with MDEQ, USEPA, local government and KEC in a cooperative manner to accomplish the tasks necessary for the protection of human health and the environment, to the extent that the circumstances are covered by its contractual indemnity to KEC. BorgWarner will continue to seek MDEQ's guidance and direction in its current and future intended activities and to promptly share information.

ACTIONS TAKEN AND PLANNED

1. Delineation of Residential Properties along Jackson and Lee Avenues

BorgWarner promptly and voluntarily began sampling and delineation activities at the residential and commercial properties, adjoining the KEC plant that appeared to or reportedly have been affected by runoff or by the removal of soil from the KEC plant prior to October 6, 1999.

Under MDEQ's supervision, BorgWarner conducted delineation activities of these properties during the month of August, 2000. A total of eighteen (18) properties were investigated, which were:

1. Perry Smith, 219 North Jackson Street
2. Stringer Funeral Home, 301 North Jackson Street
3. Stringer Rental Property, 303 North Jackson Street
4. Harold and Suzanne Warren, 403 North Jackson Street
5. Elnor Wright, 401 North Jackson Street
6. Sonny Reeves, 405 North Jackson Street
7. Brent Property, 403 Lee Avenue
8. Louie Lang/David Vinson, 407 North Jackson Street
9. Jerry Youngblood, 100 Lamar St.
10. Medical Clinic, Lee Avenue
11. Edwards Property, 406 Lee Avenue
12. Garment Shop, 414 Lee Avenue
13. Frazier Property, 405 Lee Avenue
14. Duplex Property, 408/410 Lee Avenue
15. Kellum Property, 412 Lee Avenue
16. Dabney/Smith Property, 215 North Jackson
17. Cooper Property, 409 North Jackson
18. Larry and Carol Wright, 305 North Jackson

BorgWarner acted under the continuous guidance and direction of the MDEQ with respect to delineation activities at the residential and commercial properties adjoining the KEC plant. Split samples were analyzed and QA/QC procedures were implemented by two laboratories experienced with polychlorinated biphenyl analysis. Samples were frequently split with on-site MDEQ representatives for MDEQ's independent analysis, which to our knowledge consistently correlated with BorgWarner's on-site and off-site laboratory analytical results.

The delineation activities were conducted utilizing the "US EPA, Region IV Environmental Investigations Standard Operating Procedures and Quality Assurance Manual," May 1996 (EISOPQAM), sampling and analytical protocols. A copy of the work plan with procedures used in the field and applicable sections of the EISOPQAM are attached to this report for reference purposes.

Upon completing the delineation activities, BorgWarner compiled and submitted the analytical results on October 2, 2000 to MDEQ and US EPA, Region IV. Subsequently, BorgWarner began to schedule the remediation of residential and commercial properties adjacent to the KEC plant and along Jackson and Lee Avenues for which access was granted with the assistance of MDEQ and City of Crystal Springs Mayor Webb and where an attorney and/or an independent consultant were not involved in performing conflicting sampling activities.

2. Remediation of Residential Properties

On October 16, 2000 BorgWarner initiated remediation activities at the Medical Center and the Dabney/Smith properties, which are adjacent to the KEC plant. Remediation of the Newman Duplex, on Lee Avenue, began on November 30, 2000. Remediation of these properties involved excavation and disposal of all soil containing 1.0 part per million (ppm) or greater of PCBs in accordance with MDEQ's established clean-up criteria for residential properties. All soils containing greater than 1 ppm PCBs but less than 50 ppm PCBs were profiled and disposed of at the BFI's "Little Dixie" Subtitle D Landfill in Madison County, Mississippi after MDEQ and US EPA, Region IV approvals were obtained.

Following excavation, all excavated areas were sampled to confirm that impacted soil had been removed. In correspondence regarding disposal requirements, Craig Brown of US EPA, Region IV, stated that the excavated soils did not meet the definition of "PCB remediation waste." Under this definition, the remediation activities fell under the management criteria and guidelines set by MDEQ. As a result, the remediation and confirmation of clean-up standards established by MDEQ guidance were adopted and implemented in all of BorgWarner's residential remediation activities. A grid with ten-foot (10) sampling point centers was used to confirm that impacted soils had been removed at each site.

The remediation of the Dabney/Smith, the Medical Center and the Newman duplex property resulted in the removal of 1400 tons of soil, which was disposed of at the BFI "Little Dixie" Subtitle D Landfill and replaced with 1500 tons of certified clean soil. During the remediation activities, the on-site laboratory analyzed 324 soil samples in the month of November and the fixed-base laboratory analyzed 32 quality control samples.

Vegetation, such as live oak trees, was treated with specialty equipment for maximum protection and to minimize damage to the root systems. Soil surrounding the live oak tree roots was removed using an "Air Shovel"[™], a unique technology adopted specifically for this purpose. The Air Shovel[™] uses a pressure spray to dislodge soil from around the roots while a vacuum system removes the soil and water by vacuuming into a tank. This method of soil removal has performed effectively with minimal damage to the tree's root system as was confirmed by the landscaping contractor and arborist. However, this process, regardless of its effectiveness, is very tedious and as a result only the tree on the Dabney/Smith property was completed during the second half of November. One other live oak tree, located on the Medical Center property, remains to be treated in a similar fashion and is scheduled for January 2001.

Landscaping and replacement of structures (sheds, car ports, etc.) on both the Medical Center and the Dabney/Smith properties are continuing and will most likely be completed by the end of December 2000. Both properties have been surveyed and the fence between the Dabney/Smith and Medical Center properties is currently being re-installed. Landscaping has been completed on the Newman duplex property.

Third party independent sampling activities commissioned by the Nutt & Associates Law Firm have interfered with planned remediation activities along Lee Avenue, specifically at the Frazier's, Edward's, and Kellum's properties. The Garment Shop is a more complicated matter for two reasons. First, the impacted soil at the Garment Shop is located at the property line between it and the Kellum residence and second, the Kellum elm tree roots extend to the Garment Shop property itself. BorgWarner has filed a Freedom of Information Act request to MDEQ in an effort to obtain a copy of the recently submitted report generated by these independent parties.

BorgWarner, after its evaluation of the sampling results and data contained within the third party report, will begin discussions with the attorney(s) representing each resident (mentioned above) along Lee Avenue in an attempt to resolve the matter, including confirmation that all sampling results have been disclosed, and whether further sampling is necessary, and confirm access to then remediate those properties. BorgWarner also plans to keep MDEQ apprised of any developments and any progress or if no progress is being made with the attorney(s) involved.

BorgWarner will schedule delineation activities for the Gas Station, which is at the corner of Lee Avenue next to the Garment Shop, Mayor Webb's residence and the drainage pathway to the south. BorgWarner will inform MDEQ of the timing for those activities.

3. Drainage Channel Properties

Beginning on October 30th through the end of November, BorgWarner collected and analyzed soil samples from nine properties situated along the drainage channel leading from the north side of KEC's plant site to Lake Chautauqua. The properties were:

1. Sojourner Property, 111 M^sPherson Street
2. Weathersby Property, 101 Forest Street
3. Robert Williams Property (Lonnie Williams' residence), 103 Forest Street
4. Flossie M^sMurray Property (Ralph Williams residence), 104 Forest Street
5. Ralph Williams Rental Property, 107 Forest Street
6. Richard Williams Property, 102 Forest Street
7. Roberta Fitzgerald Estate Property, (R.P Edwards point of contact) 108 Tucker Street
Property currently is being rented to the Kendrick family.
8. Welch Property, 501 Camp Street
9. Orister Harris Property, 311 West Railroad Avenue

A total of 650 soil samples was collected from these properties and analyzed by the on-site laboratory. The fixed-base laboratory analyzed an additional 65 samples for confirmation and quality control purposes. These preliminary assessment activities were conducted in the same manner as the Kuhlman plant preliminary site assessment and the KEC plant adjacent residential properties; and utilizing the "EPA, Region IV Environmental Investigations Standard Operating

Procedures and Quality Assurance Manual", May 1996 (EISOPQAM), sampling and analytical protocols.

Preliminary results available at this time indicate that six of the nine properties that were sampled will require certain remediation. Four properties, including the Sojourner, Williams' rental, Harris and Welch properties, will require remediation under the MDEQ guidelines since the highest concentrations detected are less than 50 ppm. Two properties, including the M^eMurray and R. P. Edwards properties, have soil with PCB concentrations greater than 50 ppm and therefore will require remediation under the TSCA rules. The following is a list of properties where concentrations greater than 1.0 ppm PCB were detected as well as the highest detected concentration on each property:

<u>Property</u>	<u>Highest Detected Concentration</u>
Sojourner	2.6 ppm
Williams rental	30.0 ppm
Harris	1.2 ppm
Welch	8.4 ppm
M ^e Murray	70.0 ppm
R. P. Edwards	51.0 ppm

Data from this sampling event are being evaluated and once quality control measures are completed the data will be tabulated. Site-specific reports containing collected data, maps of sampling locations, and work plans for remediation, if required, for each individual site are also being prepared and will be submitted to MDEQ and US EPA, Region IV by January 12, 2001.

It is anticipated that additional sampling will be required along the drainage channel. Several undeveloped properties, either abutting the drainage channel or through which the drainage channel runs, will be sampled to delineate the extent of possibly impacted soil and determine the potential for future runoff to Lake Chautauqua. The Department will be kept apprised as to the timing for this additional investigation and sampling activity.

4. KEC Plant

After an initial phase of sampling in the areas identified by KEC's construction activities and the related equipment decontamination zone, BorgWarner conducted further, substantial sampling activities in the south and north parking lot areas as well as the former above ground storage tank area. These delineation activities, other than any possible data gaps, have been completed. The results are currently being tabulated and compared for correlation purposes between the on-site and off-site laboratories, prior to being issued to MDEQ. Should any data gaps exist, BorgWarner will conduct further sampling activities.

This additional data will be incorporated as an addendum to the *Preliminary Site Assessment Report*, submitted to MDEQ in July 2000. Comments to the *Preliminary Site Assessment Report* made by MDEQ will also be addressed and included in the addendum submittal. It is anticipated that the addendum report will be submitted to MDEQ by February 12, 2001.

5. Lake Chautauqua

BorgWarner intends to consider delineation of the sediments at Lake Chautauqua, ecological assessment, and surface water sampling, to the extent appropriate after receipt of the pending "Task Force" report. These activities will not begin on any great scale until the Task Force report is evaluated.

6. Groundwater Delineation

BorgWarner intends to delineate the nature and extent of any groundwater contamination relative to the KEC plant. Groundwater delineation will take place at the time that remediation at the KEC plant commences. It is critical that the protective cover at the KEC plant site is not disturbed for the time being and that the groundwater investigation is addressed when BorgWarner is actively remediating on the KEC plant property. This approach will ensure that sediments from the KEC Plant do not travel to the drainage channel and Lake Chautauqua.

BorgWarner remains dedicated to continuing its open communication with MDEQ and US EPA, Region IV and looks forward to the meeting with MDEQ and City of Crystal Springs Mayor Webb and other Crystal Springs representatives on January 17, 2001 (at 8:30 a.m.) to further discuss any of the above and share its plans for future activities.

Should you have any questions or comments, please contact me directly at (810) 497-4503 at your earliest convenience.

Very truly yours,



Anastasia Hamel
Director, Environmental Programs
BorgWarner Inc.

Ms. Gretchen Zmitrovich MDEQ

December 20, 2000

Page 7 of 7

Attachments:

1. Work Plan – Preliminary Assessment and Remediation
2. Craig Brown, US EPA, Region IV letter to BFI

cc: J. Banks, MDEQ
T. Russell, MDEQ
K. Dowell, Esq., MDEQ
C. Brown, US EPA Region IV
H. Webb, Mayor Crystal Springs
Laurene H. Horiszny, Esq.
Robert Martin, MSGA
Thomas D. Lupo, Esq.
Scott E. Schang, Esq.
Mickey Crockett, KEC
Al Thomas, KEC

**WORKPLAN FOR THE PRELIMINARY
ASSESSMENT AND REMEDIATION OF PCB CONTAMINATION IN SOIL
KUHLMAN ELECTRIC CORPORATION FACILITY
AND RESIDENTIAL COMMERCIAL PROPERTIES
IN CRYSTAL SPRINGS, MISSISSIPPI**

As established by the Mississippi Department of Environmental Quality (MDEQ) guidelines in connection with this project, all work related to the preliminary assessment of the extent of contamination at the Kuhlman Electric Corporation (KEC) facility and work related to the preliminary assessment and confirmation of remedial actions at KEC adjacent residential/commercial properties and residential properties along the drainage channel (leading from the north side of KEC's facility to Lake Chautauqua) has been performed in accordance with the *Environmental Protection Agency (EPA), Region IV "Environmental Investigations, Standard Operating Procedures and Quality Assurance Manual", May 1996 (EISOPQAM)*.

Copies of relevant and applicable portions of the EISOPQAM are maintained on site during all field activities and all field personnel are trained in its implementation. Remedial action confirmation sampling grids were established using *MDEQ Guidance Document, Verification of Soil Remediation, Environmental Response Division, Waste Management Division, April 1994, Revision 1*. Specifically, sampling grids were based on Part 2-Medium and Large Site Soil Cleanup Verification, "Establishing Grid Interval."

Field operations were performed under the site-specific Health and Safety Plan guidelines. Modified Level "D" Personal Protective Equipment (PPE) was utilized by all personnel working within the investigative area.

Sampling Objectives

The soil-sampling objective is to establish the vertical and horizontal extent of contamination resulting from historical facility operations. In the KEC facility case, the soil-sampling objective included historical use of polychlorinated biphenyl (PCB). All sampling procedures were conducted in accordance with the US EPA, Region IV EISOPQAM. Sampling procedures included the collection of soil samples on a twenty foot triangular grid, where possible, at discreet depth intervals. Surface and subsurface soil samples were collected using GeoProbe® MacroProbe™ direct push sampling equipment. The GeoProbe® system uses a hydraulically driven hammer to advance a hollow, split-barrel sampler to the desired depth. The sampler contains an acetate liner in which a sample of the cored soil is retained. The MacroProbe™ corer retains a 1.25-inch diameter continuous 4 feet in length core sample. Once sampling is completed, the direct-push boring holes are backfilled with bentonite chips in unpaved areas, and with grout in parking lots and other paved areas.

Throughout the delineation activities each direct-push boring was sampled at 0.5-3.0 feet below ground surface (bgs) and at 3.0-6.0 feet bgs. Selected borings were completed to depths varying from 8-12 feet bgs and sampled in these deeper intervals to evaluate the vertical distribution of contaminants.

Additional sampling of dust, stream and drainage ditch sediments, surface water and ground water were collected, as warranted, in accordance with applicable EISOPQAM guidelines.

Analytical Methods

Samples that were collected were analyzed for PCBs by the on-site mobile laboratory, Environmental Chemistry Consulting Services (ECCS) of Madison, Wisconsin. Initially soil samples were also analyzed for chlorinated benzenes until data confirmed that chlorinated benzene contamination is not at issue in samples with low concentrations of PCBs (generally <20 ppm). At least 10% of all samples were split and sent to a fixed-base laboratory, Paradigm Analytical Laboratories, Inc. (PAL) of Wilmington, North Carolina for analysis of the same parameters as for the on-site mobile laboratory to corroborate the results of laboratory analyses for quality control and quality assurance measures. Both the on-site and fixed-base laboratories used the same standard EPA approved analytical methods. PCBs were analyzed by Modified Environmental Protection Agency (EPA) Method 8080/81 and chlorinated benzene compounds were analyzed by EPA Method 8270. Volatile organic compounds (VOCs) were analyzed by EPA Method 8260 for samples suspected of being impacted by other industrial processes solvents unrelated to PCBs. Select soil samples were also analyzed for silver, by EPA Method 6010B, and cyanide, by EPA Method 9012A.

Surface water samples were analyzed by PAL for PCBs using EPA Method 8080/81. Semivolatile organic compounds (SVOCs) were analyzed by EPA Method 8270, Volatile Organic Compounds (VOCs) were analyzed by EPA Method 8260, silver by EPA Method 6010B, and cyanide using Standard Method 4500 Cn-E. Perched ground water was analyzed for PCBs, SVOCs, and VOCs by the same methods as indicated above for surface water.

Quality Control

The following is the list of key personnel dedicated to this project:

Project Manager: Mr. Robert Martin, Martin & Slagle GeoEnvironmental Associates, LLC
Duties: Responsible for management of project including all field coordination efforts.

Field Sample Custodian: Mr. Robert Martin, Christine Slagle, Martin & Slagle GeoEnvironmental Associates, LLC
Duties: Maintaining custody of samples, completing sample labels, Chain-of-Custody record.

Field Team Leader: Mr. Robert Martin, Martin & Slagle GeoEnvironmental Associates, LLC
Duties: Responsible for all activities related to the collection of samples.

Samplers: Tim Fitzpatrick, Christine Slagle, Robert Martin
Duties: Individuals responsible for the actual collection of samples.

Laboratory Sample Custodian: Mr. Michael Linskens, ECCS
Mr. Nicolas Schertz, ECCS
Ms. Erin Staagard, PAL
Duties: Individuals responsible for accepting custody of samples from the field sample custodian.

Quality Assurance Objectives for Data

Data for this project is being generated by two separate entities. The on-site data is generated by ECCS in their mobile laboratory. The fixed-base laboratory, PAL in **Wilmington**, North Carolina, generates the analytical results for the split samples.

The data quality objectives are pre-defined for the ECCS data in that **Mississippi** considers all mobile lab data screening level data. ECCS uses the same equipment and methodology as the fixed-base laboratories with the exception of the mini-extraction modification. Mobile laboratory data is validated by comparison of a minimum of 10% split samples with PAL. Following this procedure, the data qualifies as screening data with definitive confirmation under US EPA, Region IV EISOPQAM guidelines.

All samples sent to PAL were collected as follows: The sample was transferred from the GeoProbe® clean, unused, acetate sample liner into the labeled 4 ounce (oz) amber glass soil jar. The sample jar was then transferred to the mobile lab where ECCS personnel homogenized the sample prior to taking an aliquot for analysis. Due to the limited sample volume required by the ECCS mini-extraction and the low volatility of the chemicals of concern, the initial sampling jar was resealed (after ECCS personnel removed the amount of sample needed for their analysis), refrigerated and then sent to PAL; meaning PAL analyzed the sample from the exact same sample jar as ECCS.

Equipment rinsate samples were collected for evaluation of cross-contamination potential from ineffective decontamination procedures. These were prepared by pouring distilled water over the sampling equipment after decontamination and collecting and preserving the rinsate that was generated. Equipment rinseate samples were collected in accordance with the EPA, Region IV EISOPQAM guidelines.

Field blank samples were collected by filling sampling containers that were kept in the transition zone with distilled water. Field blanks determine the presence of ambient contaminants that may not be directly related to concentrations of contaminants in the sample media.

Blind duplicate soil samples were collected for analysis and sent to both laboratories. Blind duplicates were collected by homogenizing an aliquot of sample in a disposable plastic container and splitting the homogenized sample into two containers. After ECCS took their aliquot of these samples, the remainder of the sample was sent to PAL for analysis.

SAMPLE CONTROL AND FIELD RECORDS

Sample Identification

All samples sent to PAL for analysis conform to the labeling requirements under section 3.2.1 of the EISOPQAM.

8.3.1 Chain of Custody Procedures

Samples were logged as they were collected from the geoprobe liners. Date, time and sample lithology were recorded on each log. Samples were then transferred to 4 oz amber glass jars and the jars transferred to a small sample cooler, which was taken to the mobile lab by field personnel in charge of sample handling. Sample identification (ID), date and time sampling occurred were recorded in the field logbook before transferring the samples to the mobile lab. Upon arrival at the mobile lab, the samples were transferred to the ECCS sample custodian who logged each sample on ECCS chain of custody forms. Each sample was assigned a unique ECCS internal ID number for tracking purposes. After analysis, the samples were transferred to either a sample refrigerator in the mobile lab or stored in coolers with ice until they were either shipped to PAL for confirmation analysis or readied for disposal. For samples sent to PAL, a new chain of custody form was completed by field personnel in charge of sample handling.

8.3.2 Field Records

Field records were kept in accordance with procedures and guidelines specified in section 3.5 of EISOPQAM.

8.4 Analytical Procedures

For analysis of samples in the field, ECCS used EPA Method 8082m, **modified for quantitation** of chlorinated benzenes and the mini extraction procedure.

PAL used EPA Method 8082 for quantitation of PCBs. For chlorinated **benzenes**, it used EPA Method 8270. While Method 8270 does not cover all the chlorinated **benzenes**, it provides confirmation of the ones it does detect and has the added benefit of supplying an analysis of a broad range of other semivolatile organic compounds.

For the analysis of cyanide EPA Method 9012A was employed and for silver EPA Method 6010B.

Selected samples were analyzed by EPA Method 8260, primarily to confirm that **volatile organic** compounds were not present in the samples or part of the site contaminants.

8.5 Laboratory Quality Assurance/Quality Control (QA/QC)

QA/QC procedures for both labs were found to be virtually identical. Summaries of each laboratory procedures follow.

ECCS:

- ◆ Continuous calibration standards analyzed every ten samples or less and at the end of a run.
- ◆ Blank samples and laboratory control samples (LCS) analyzed every twenty samples or less with a minimum of one per day.
- ◆ Matrix Spike/Matrix Spike Duplicate (MS/MSD) samples analyzed every twenty samples or less with a minimum of one per day.

PAL:


- ◆ Continuous calibration standards analyzed at least once every 12 hour shift plus a minimum of every 20 samples gas chromatography/mass spectroscopy (GC/MS) criteria follows method specific tuning requirements per EPA Method 8270.
- ◆ Blank and LCS samples analyzed every 20 samples or less with a minimum of one per day.
- ◆ MS/MSD samples analyzed every 20 samples or less with a minimum of one per day.

8.6 Data Validation and Reporting

As discussed in section 8.2, the primary validation of the ECCS data was accomplished through comparison with the data from PAL.

Since Hexachlorobenzene and 1,2,4-Trichlorobenzene are the only chlorinated benzenes on the standard Method 8270 list, these two compounds and total PCBs were the parameters tracked for the data validation procedure.

Overall, the correlation to this point of the investigation and remediation activities has been excellent with the majority of sample splits showing Relative Percent Differences (RPDs) of less than 100. Considering the inherent variability of soil as a matrix, achieving 93% acceptable split data spanning several orders of magnitude of concentration serves to justify the use of the on-site data as definitive quality.



October 2, 2000

Ms. Gretchen Zmitrovich
Office of Pollution Control
Mississippi Department of
Environmental Quality
P.O. Box 10385
Jackson, Mississippi 39289-0385

FILE COPY

**SUBJECT: Transmittal of Analytical Data for Residences
Kuhlman Electric Corporation
Crystal Springs, Mississippi**

Dear Ms. Zmitrovich:

Attached are site plans and spreadsheets showing sampling locations and analytical results from sampling of soils by Ogden Environmental and Energy Services. The soil samples were collected from residential properties surrounding Kuhlman Electric Corporation. Samples were collected from various depths ranging from ground surface to 4 feet below grade and analyzed by an on-site laboratory. Split samples were sent to Paradigm Analytical Laboratories for confirmation of on-site lab results.

The following properties have concentrations of PCB 1260 less than 1 mg/kg.

1. Perry Smith Property at 219 North Jackson Street
2. Stringer Funeral Home at 301 North Jackson Street
3. Stringer Rental Property at 303 North Jackson Street
4. Harold and Suzanne Warren Property at 403 North Jackson Street
5. Elnor Wright Property at 401 North Jackson Street
6. Sonny Reeves Property at 405 North Jackson Street

October 2, 2000

Page 2

7. Brent Property at 403 Lee Avenue
8. Louie Lang / David Vinson at 407 North Jackson
9. Jerry Youngblood at 100 Lamar Street

Please contact me at 828-669-3929 if you have any questions or **comments concerning** these results.


Sincerely,

Martin and Slagle GeoEnvironmental Associates, LLC



Robert L. Martin, P.G.
Project Manager

Cc: Anastasia Hamel, BorgWarner Inc.



LEGEND

- ◆ SAMPLE POINT
- DP 992 SAMPLE POINT NUMBER



- 1) ALL DISTANCES ARE ESTIMATED
- 2) THIS MAP WAS PREPARED FROM RECORD MAPS
- 3) THIS MAP HAS BEEN PREPARED FOR PRESENTATION PURPOSES ONLY

**SAMPLE LOCATIONS FOR
LOUIE LANG/ DAVID VINSON
407 NORTH JACKSON**

SCALE: AS SHOWN	DR MDI	CHK TF	REV BPS
PREPARED BY:			
OGDEN ENVIRONMENTAL AND ENGINEERING SERVICES			
■■■■■			
200 SOUTH OLD STATEVILLE ROAD • HUNTERSVILLE, NC 28078 • 704-875-3370			
PROJ: 073350000	DATE: 09/24/00	SHEET 1 OF 1	

Soil and Wipe Sample Results
 Louie Lang / David Vinson Property
 407 North Jackson
 Crystal Springs, Mississippi

SOIL SAMPLES (MG/KG)		DP-321	DP-321	DP-321	DP-321	DP-322	DP-322	DP-322	DP-322	DP-323
Target Analyte	Sample #	Depth	Lab #	Collection Date	Collection Time	Injection Date	DP-321	DP-321	DP-321	DP-321
PCB as 1260		0.1	0.5	2	4	0.1	0.5	4	0.1	0.1
		769	46	47	48	770	48	49	771	771
		<0.10	0.23	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
	8/31/00	8/16/00	8/16/00	8/16/00	8/16/00	8/16/00	8/16/00	8/16/00	8/16/00	8/31/00
	9:29	17:02	17:05	17:05	9:33	17:08	17:08	17:09	17:09	9:35
	8/31/00	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00	8/31/00

WIPE SAMPLES (TOTAL UG)		DVW1	DVW2	DVW3	DVW4	DVW5	DVW6	DVW7
Target Analyte	Sample #	Depth	Lab #	Collection Date	Collection Time	Injection Date	DVW1	DVW1
PCB as 1260		777	778	779	780	781	782	783
		<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00
	9:54	9:57	10:00	10:05	10:10	10:15	10:20	10:20
	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00

- LOCATIONS:
- DVW1: Steel mesh patio table, rear patio.
 - DVW2: Cooktop on grill.
 - DVW3: Rear screendoor, below knob.
 - DVW4: Honda Harmony HRM215 lawnmower, right side, between wheels on cutting deck.
 - DVW5: Honda Harmony HRM215 lawnmower, discharge chute guard.
 - DVW6: Scotts green plastic garden cart, inside rear wall.
 - DVW7: Front inside of grey metal wheelbarrow.


Soil and Wipe Sample Results
 Louie Lang / David Vinson Property
 407 North Jackson
 Crystal Springs, Mississippi

SOIL SAMPLES (MG/KG)		DP-323	DP-323	DP-324	DP-324	DP-324	DP-324	DP-370	DP-370	DP-370
Target Analyte	Sample #	0.5	4	0.1	0.1	0.5	4	0.1	0.5	4
	Depth	51	52	772	772	53	54	773	161	162
	Lab #									
PCB as 1260		<0.10	<0.10	<0.10	<0.10	0.25	<0.10	<0.10	<0.10	NA
	Collection Date	8/16/00	8/16/00	8/31/00	8/31/00	8/16/00	8/16/00	8/31/00	8/18/00	8/18/00
	Collection Time	17:10	17:12	9:40	9:40	17:15	17:16	9:37	15:08	15:09
	Injection Date	8/17/00	8/17/00	8/31/00	8/31/00	8/17/00	8/17/00	8/31/00	8/19/00	NA

SOIL SAMPLES (MG/KG)		DP-371	DP-371	DP-371	DP-372	DP-372	DP-372	DP-372	DP-372
Target Analyte	Sample #	0.1	0.5	4	0.1	0.1	0.5	4	4
	Depth	774	163	164	775	775	165	166	166
	Lab #								
PCB as 1260		<0.10	<0.10	NA	<0.10	<0.10	<0.10	NA	NA
	Collection Date	8/31/00	8/18/00	8/18/00	8/31/00	8/31/00	8/18/00	8/18/00	8/18/00
	Collection Time	9:46	15:17	15:19	9:48	9:48	15:21	15:22	15:22
	Injection Date	8/31/00	8/19/00	NA	8/31/00	8/31/00	8/19/00	8/19/00	NA

October 5, 2000

Ms. Gretchen Zmitrovich
Office of Pollution Control
Mississippi Department of
Environmental Quality
Office of Pollution Control
P.O. Box 10385
Jackson, Mississippi 39289-0385



**SUBJECT: Transmittal of Revised Analytical Data Tables for Residences
Kuhlman Electric Corporation
Crystal Springs, Mississippi**

Dear Ms. Zmitrovich:

Attached is one complete set of revised spreadsheets showing analytical results from sampling of soils by Ogden Environmental and Energy Services. The tables were revised based on your review and comments. Results for split samples are being prepared into tables and will be forwarded to you by Monday at the latest.

Please contact me at 828-669-3929 if you have any questions or comments concerning these results.

Sincerely,

Martin and Slagle GeoEnvironmental Associates, LLC

A handwritten signature in cursive script that reads "Robert L. Martin".

Robert L. Martin, P.G.
Project Manager

Cc: Anastasia Hamel, BorgWarner Inc.

Soil and Wipe Sample Results
 Louie Lang / David Vinson Property
 407 North Jackson
 Crystal Springs, Mississippi

SOIL SAMPLES (MG/KG)											
Target Analyte	Sample #	DP-321	DP-321	DP-321	DP-321	DP-321	DP-321	DP-321	DP-322	DP-322	DP-323
	Depth (ft)	0.1	0.5	2	4	4	0.1	0.5	4	0.1	
	Lab #	769	46	47	48	48	770	48	49	771	
PCB as 1260		<0.10	0.23	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	
	Collection Date	8/31/00	8/16/00	8/16/00	8/16/00	8/16/00	8/31/00	8/16/00	8/16/00	8/16/00	8/31/00
	Collection Time	9:29	17:02	17:05	17:05	17:05	9:33	17:08	17:09	17:09	9:35
	Injection Date	8/31/00	8/17/00	8/17/00	8/17/00	8/17/00	8/31/00	8/17/00	8/17/00	8/17/00	8/31/00

WIPE SAMPLES (TOTAL UG)										
Target Analyte	Sample #	DWW1	DWW2	DWW3	DWW4	DWW5	DWW6	DWW7	DWW7	DWW7
	Depth	777	778	779	780	781	782	783	783	783
	Lab #									
PCB as 1260		<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
	Collection Date	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00
	Collection Time	9:54	9:57	10:00	10:05	10:10	10:15	10:20	10:20	10:20
	Injection Date	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00	8/31/00

LOCATIONS:

- DWW1: Steel mesh patio table, rear patio.
- DWW2: Cooktop on grill.
- DWW3: Rear screendoor, below knob.
- DWW4: Honda Harmony HRM215 lawnmower, right side, between wheels on cutting deck.
- DWW5: Honda Harmony HRM215 lawnmower, discharge chute guard.
- DWW6: Scotts green plastic garden cart, inside rear wall.
- DWW7: Front inside of grey metal wheelbarrow.

Soil and Wipe Sample Results
 Louie Lang / David Vinson Property
 407 North Jackson
 Crystal Springs, Mississippi

SOIL SAMPLES (MG/KG)										
Target Analyte	DP-323	DP-323	DP-324	DP-324	DP-324	DP-370	DP-370	DP-370	DP-370	DP-370
	0.5	4	0.1	0.5	4	0.1	0.1	0.5	0.5	4
	51	52	772	53	54	773	773	161	161	162
	<0.10	<0.10	<0.10	0.25	<0.10	<0.10	<0.10	<0.10	<0.10	NA
	8/16/00	8/16/00	8/31/00	8/16/00	8/16/00	8/31/00	8/31/00	8/18/00	8/18/00	8/18/00
	17:10	17:12	9:40	17:15	17:16	9:37	9:37	15:08	15:08	15:09
	8/17/00	8/17/00	8/31/00	8/17/00	8/17/00	8/31/00	8/31/00	8/19/00	8/19/00	NA

Notes:

NA indicates sample not analyzed

SOIL SAMPLES (MG/KG)										
Target Analyte	DP-371	DP-371	DP-371	DP-372	DP-372	DP-372	DP-372	DP-372	DP-372	DP-372
	0.1	0.5	4	0.1	0.5	0.5	0.5	4	4	4
	774	163	164	775	165	165	166	166	166	166
	<0.10	<0.10	NA	<0.10	<0.10	<0.10	<0.10	NA	NA	NA
	8/31/00	8/18/00	8/18/00	8/31/00	8/18/00	8/18/00	8/18/00	8/18/00	8/18/00	8/18/00
	9:46	15:17	15:19	9:48	15:21	15:21	15:22	15:22	15:22	15:22
	8/31/00	8/19/00	NA	8/31/00	8/19/00	8/19/00	8/19/00	8/19/00	8/19/00	NA

Notes:

NA indicates sample not analyzed

FILE COPY

19 pages w/cover

To:
Gretchen Zmitrovich
MDEQ

From:
Tim Fitzpatrick
Ogden Environmental

Gretchen: Following are my field maps - I hope
you can read them! Data will follow shortly.

Please call after you receive this fax.

Thanks,

Tim



Job Name: Crystal Springs-

Job Number:

Title: Sony Reeves backyard 405 Jackson

Computed by:


Checked by:

Date: 2/16/2000

Sheet: 1 Of: 11

N ↑


1 block = 4'






401 280
200
7

Job Name: Crystal Springs
Job Number:
Title: Stringer Funeral Home
Computed by: Checked by:
Date: 8-16-2000 Sheet: 42 of 11





Job Name: Crystal Springs
Job Number:
Title: 407 N. Jackson Louis Lang
Computed by:
Date: 8-16-00
Checked by:
Sheet 4 of 11





Job Name:

Crystal Springs

Job Number:

Title:

303 N. Jackson (stringer)

Computed by:

Checked by:

Date:


8-17-00

Show:

16.00.11

NT ↑


1 block = 5'





Job Name: Crystal Springs
Job Number: _____
Title: 219 N-Jackson - Perry Smith
Computed by: TJF Checked by: _____
Date: 8-17-00 Sheet: 7 Of: 11

1 block = 5'



Funeral Home

gravel parking area

planter

Kuhlman

0.31

DP 407

DP 345

DP 406

0.12

DP 344

DP 343

DP 342

DP 404

DP 341

DP 403

DP 340


DP 402

BP 339

Kuhlman



Job Name: Crystal Springs
Job Number:
Title: 409 N. Jackson (Amir Cooper)
Computed by: RF
Date: 8-17-00
Checked by:
Sheet: 2 of 11





Job Name: Crystal Springs

Job Number:

Title: Dabney Home


Computed by: TJF

Checked by:

Date: 8-17-00


Sheet: 9 of 11

1 block = 5'





Job Name: Crystal Springs
Job Number:
Title: Wright House
Computed by:
Date: 8-18-00
Checked by:
Sheet: 1079/11



NT

1 block = 4'

KUHLMAN

Crystal Springs?

17

10/12/00

#8

#9

#10

#11
11/0
11/2

#16


#5
ND

#4
ND

Stringer Rental Property




Job Name: Crystal Springs
Job Number:
Title: Harold & Suzanne Warren
Computed by: TBF
Date: 8-18-00
Checked by:
Sheet: 11 of 16





Job Name:
 Job Number:
 Title: Dabney yard - south side
 Computed by: _____ Checked by: _____
 Date: 8/23/00 Sheet 12 of 21


1 block = 5'





Job Name:
Job Number:
Title: *Fulgham Ave*
Computed by:
Date:

Checked by:
Sheet: **13** Of:





Job Name:

Job Number:


Title: *Edwards property*

Computed by: *TJF*

Checked by:


Date: *8/24/00*

Sheet: *15/20*



OGDEN

Job Name: _____
 Job Number: _____
 Title: 408/410 Lee St.
 Computed by: TDF Checked by: _____
 Date: 8/24/00 Sheet: 15 Of: _____





Job Name:

Job Number:

Title: Brent Property, Lee St


Computed by: T J F

Checked by:

Date: 8/24/00

Sheet 16 of

1 block = 2'





Job Name:

Job Number:

Title: Frazier Property

Computed by: TJF

Checked by:

Date: 8/25/00

Sheet: 17 Of:

1 block = 10'

NT

Kuhlman Lot

Barat Home

DP 976

DP 975

DP 971

DP 973

DP 577

DP 571

DP 570

DP 569

DP 568

DP 567

DP 564

power pole

DP 505

DP 545

DP 544

DP 506

100

50

DP 496

DP 497

DP 498

DP 499

DP 500

DP 501

DP 502

DP 503

DP 504

DP 505

DP 506

DP 507

DP 508

DP 509

DP 510

DP 511

DP 512

DP 513

DP 514

DP 515

DP 516

DP 517

DP 518

DP 555 (0.36)

DP 527 0.17

DP 503 0.43

DP 504 0.37

DP 505 0.41

DP 506 0.36

DP 507 0.37

DP 508 0.38

DP 509 0.39

DP 510 0.40

DP 511 0.41

DP 512 0.42

DP 513 0.43

DP 514 0.44

DP 515 0.45

DP 516 0.46

DP 517 0.47

DP 518 0.48

DP 519 0.49


DP 520 0.50

DP 521 0.51

DP 522 0.52

DP 523 0.53

DP 524 0.54





Job Name:

Job Number:


Title: *Kuhlman South Parking Lot*

Computed by:

Checked by:

Date: *8/26/2000*


Sheet: *11R/0*





Job Name: _____
Job Number: _____
Title: 414 Lee St (Garment shop)
Computed by: JPF Checked by: _____
Date: 8/26/2000 Sheet: 19 of: _____

1 block = 5' NT





FILE COPY

Job Name:

Job Number:

Title:

Computed by:

Date

Checked by:

Sheet

Of:

To: Gretchin Zmitrovich

From Tim Fitzpatrick

RE: Crystal Springs

31 pages total

Ms. Zmitrovich:

Following ~~is~~^{are} data & maps from our investigation. We are complete at this time. Please forward the data to Mr. Robert Martin & Ms. Anastasia Hanel as well. Thank you

Tim Fitzpatrick

709 236 3496 (cell)

Sample Tracking Form

Page 2 of 3

Date: Aug 16, 2000

08310

Target Analyte	MSD #	MS #	LCS #	Sample Description															
				Blank #	319	319	318	318	317	317	314	314	315	315	316	316	317	317	
1,3,5-TrCB	30	30	30																
1,2,4-TrCB	100	100																	
1,2,3-TrCB	101	101																	
1,2,3,5&1,2,4,5	106	106																	
1,2,3,4-TeCB	103	103																	
Penta-CB	106	106																	
Hexa-CB	108	108																	
PCB as 1260	112	112																	
Surrogate Perylene	107	107																	
DCBP	107	107																	
	109	109																	
	109	109																	
	109	109																	
INS Data	107	107																	

AUG057

J = Estimated
E = Exceeds calibration range

Page 1 of 5
 Date: August 17, 2000

PHIL
 1-5

Sample Tracking Form

Target Analyte	ACID			ACID			ACID			ACID			ACID			ACID			ACID		
	325	326	327	328	329	330	330	330	331	332	332	333	333	333	334	334	334	Blank #5	LCS #5	MS #6	MSC #6
1,3,5-TrCB	0.79	0.43	0.45	4.0	0.69	0.34	0.52	0.10	0.51	0.34	0.10	0.1	0.10	0.10	0.10	0.10	0.10	0.01	0.8	149	152
1,2,4-TrCB																					
1,2,3-TrCB																					
1,2,3,5,8,1,2,4,5																					
1,2,3,4-TeCB																					
Penta-CB																					
Hexa-CB																					
PCB as 1260	0.79	0.43	0.45	4.0	0.69	0.34	0.52	0.10	0.51	0.34	0.10	0.1	0.10	0.10	0.10	0.10	0.10	0.01	0.8	149	152
Surrogate TCMS	143	109	109	145	103	107	122	108	104	123	104	137	103	104	105	104	103	103	974	147	143
DCEP	132-103	107	113	156	103	105	124	110	134	140	110	127	113	110	114	116	122	122	128	152	132
101, 102	17	17	17	17	17	17	17	17	17	17	18	18	18	18	18	18	18	18	18	18	17

J = Estimated
 E = Exceeds calibration range

Date: 17 AUG 00

Sample Tracking Form

Target Analyte	Sample Description		Sample	349	348	347	346	345	344	343	342	341	340	339	Blank	LCS	MS #	MSD #
	349	348																
1,3,5-TrCB	0.5	95	100	101	102	103	104	105	106	107	108	109	110	111	101	982	96	
1,2,4-TrCB	0.5	96	100	101	102	103	104	105	106	107	108	109	110	111	101	982	96	
1,2,3-TrCB	0.5	97	100	101	102	103	104	105	106	107	108	109	110	111	101	982	96	
1,2,3,5,8,1,2,4,5	0.5	98	100	101	102	103	104	105	106	107	108	109	110	111	101	982	96	
1,2,3,4-TeCB	0.5	99	100	101	102	103	104	105	106	107	108	109	110	111	101	982	96	
Penta-CB	0.5	100	100	101	102	103	104	105	106	107	108	109	110	111	101	982	96	
Hexa-CB	0.5	101	100	101	102	103	104	105	106	107	108	109	110	111	101	982	96	
PCB as 1260	0.5	102	100	101	102	103	104	105	106	107	108	109	110	111	101	982	96	
Surrogate TCM	0.5	103	100	101	102	103	104	105	106	107	108	109	110	111	101	982	96	
DCBP	0.5	104	100	101	102	103	104	105	106	107	108	109	110	111	101	982	96	
TRACE	0.5	105	100	101	102	103	104	105	106	107	108	109	110	111	101	982	96	
VEG	0.5	106	100	101	102	103	104	105	106	107	108	109	110	111	101	982	96	
	0.5	107	100	101	102	103	104	105	106	107	108	109	110	111	101	982	96	
	0.5	108	100	101	102	103	104	105	106	107	108	109	110	111	101	982	96	
	0.5	109	100	101	102	103	104	105	106	107	108	109	110	111	101	982	96	
	0.5	110	100	101	102	103	104	105	106	107	108	109	110	111	101	982	96	
	0.5	111	100	101	102	103	104	105	106	107	108	109	110	111	101	982	96	

18 18 18 18 18 18 18 18 18 18 18 18 18 18 18 18 18 18 18 18

J = Estimated
E = Exceeds calibration range

AUGUST 00

Date: 18 Aug 00

Sample Tracking Form

Acid

Acid

Acid

Acid

Target Analyte	Sample Description																																
	350 0.5	350 4	351 4	351 0.5	352 4	352 0.5	352 113	353 4	353 0.5	354 4	354 0.5	MA-1 4	1	2	2	4	3	3	0.5	121	122	123	124	125	5	5	25	Blank # 8	LCS # 8	MS # 107	MSC # 107		
1,3,5-TrCB	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	
1,2,4-TrCB																																	
1,2,3-TrCB																																	
1,2,3,5,8,1,2,4,5																																	
1,2,3,4-TeCB																																	
penta-CB																																	
Hexe-CB																																	
PCB as 1260	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	
Surrogate PCB	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	
Surrogate PCB	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	

J = Estimated
E = Exceeds calibration range

Date: 18 Aug 00

Sample Tracking Form

Target Analyte	ACID														MSD #	MS #	LCS #	Blank #	362	362		
	HA-6 0.5	7 0.5	7 1.5	355 A 0.5	355 A 0.5	356 0.5	357 4 0.5	358 4 0.5	358 4 0.5	359 4 0.5	360 4 0.5	361 4 0.5	361 4 0.5	362 4 0.5								
1,3,5-TrCB	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	88	78
1,2,4-TrCB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	83.6	78
1,2,3-TrCB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	83.2	78
1,2,3,5,8,1,2,4,5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1104	78
1,2,3,4-TeCB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	13.5	71.6
Penta-CB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	166.3	63.8
Hexa-CB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	77.4	67.8
FCB as 1260	0.10	0.10	0.11	0.16	0.33	0.40	0.20	0.40	0.17	0.10	0.10	0.10	0.10	0.10	0.22	0.22	0.10	0.11	0.10	0.10	77.1	73.7
Sumigate TMY	67	753	103	962	130	141.3	120	62.5	96.1	65.4	169	122	292	60.5	93	96	103	123	94.6	94.6	71.0	71.0
DURP	129	977	130	123	73.8	199	281	1000	130	96.6	94.4	97.8	107	92.6	101	108	136	135	96.1	96.1	94.7	96.2
																					71.1	
																					78.4	
18	19	19	19	19	19	19	19	19	19	19	19	19	19	19	18	18	18	19	19	19	19	19

J = Estimated
E = Exceeds calibration range

Sample Tracking Form

Date: 18 Aug 00

Target Analyte	Acid										Acid				Acid						
	Acid	Acid	Acid	Acid	Acid	Acid	Acid	Acid	Acid	Acid	Sample Description	Acid	Acid	Acid	Acid	Blank	LCS	MIS	MSD		
1,3,5-TrCB	303 0.5	303 4	303 148 4	304 149 4	305 150 4	305 152 4	306 153 0.5	306 154 4	307 156 4	308 157 0.5	308 158 4	309 159 0.5	309 160 4	310 161 0.5	310 162 4	311 163 0.5	311 164 4	311 165 0.5	312 166 4	312 167 0.5	
1,2,4-TrCB																					
1,2,3-TrCB																					
1,2,3,5,1,2,4,5																					
1,2,3,4-TeCB																					
Penta-CB																					
Hexa-CB																					
PCB as 1280	0.12	0.12	0.31	0.31	0.10	0.08	0.10	0.08	0.08	0.07	0.10	0.45	0.10	0.08	0.08	0.08	0.08	0.08	0.24	0.08	0.24
Surrogate TCM	112 92.6	119 89.1	120 91.0																		
XBP	129 99.9	129 99.9	179 99.9																		

J = Estimated
E = Exceeds calibration range

Date: 18 Aug 00

Sample Tracking Form

Target Analyte	373	374	375	376	377	378	379	380	381	Blank #	LCS #	MS #	MSD #
1,3,5-TrICB	107 40.01	169 40.01	171 40.01	173 40.01	174 40.01	175 40.01	176 40.01	181 40.01	182 40.01	40.01	91	87	88
1,2,4-TrICB											90	86	86
1,2,3-TrICB											89	86	86
1,2,3,5,8,1,2,4,5											196	188	188
1,2,3,4-TeCB											88	80	80
Penta-CB											79	76	76
Hexa-CB											79	77	77
PCB as 1260	0.05 40.01	0.05 40.01	0.05 40.01	0.05 40.01	0.05 40.01	0.05 40.01	0.05 40.01	0.05 40.01	0.05 40.01	40.01	85.7	84	88
Surrogate TML	82 40.01	82 40.01	82 40.01	82 40.01	82 40.01	82 40.01	82 40.01	82 40.01	82 40.01	40.01	82	79	80
DOP	99 40.01	99 40.01	99 40.01	99 40.01	99 40.01	99 40.01	99 40.01	99 40.01	99 40.01	40.01	101	97	93

J = Estimated
E = Exceeds calibration range

Sample Tracking Form

Date: 19AUG08

Target Analyte	Peak		Peak		Peak		Peak		Peak		Peak		Peak		Peak		Peak		Peak		Peak	
	Area	Time	Area	Time	Area	Time	Area	Time	Area	Time	Area	Time	Area	Time	Area	Time	Area	Time	Area	Time	Area	Time
1,3,5-TrCB	382	0.5	382	0.5	382	0.5	382	0.5	382	0.5	382	0.5	382	0.5	382	0.5	382	0.5	382	0.5	382	0.5
1,2,4-TrCB	383	0.5	383	0.5	383	0.5	383	0.5	383	0.5	383	0.5	383	0.5	383	0.5	383	0.5	383	0.5	383	0.5
1,2,3-TrCB	384	0.5	384	0.5	384	0.5	384	0.5	384	0.5	384	0.5	384	0.5	384	0.5	384	0.5	384	0.5	384	0.5
1,2,3,5&1,2,4,5	385	0.5	385	0.5	385	0.5	385	0.5	385	0.5	385	0.5	385	0.5	385	0.5	385	0.5	385	0.5	385	0.5
1,2,3,4-TeCB	386	0.5	386	0.5	386	0.5	386	0.5	386	0.5	386	0.5	386	0.5	386	0.5	386	0.5	386	0.5	386	0.5
Penta-CB	387	0.5	387	0.5	387	0.5	387	0.5	387	0.5	387	0.5	387	0.5	387	0.5	387	0.5	387	0.5	387	0.5
Hexa-CB	388	0.5	388	0.5	388	0.5	388	0.5	388	0.5	388	0.5	388	0.5	388	0.5	388	0.5	388	0.5	388	0.5
PCB as 1260	389	0.5	389	0.5	389	0.5	389	0.5	389	0.5	389	0.5	389	0.5	389	0.5	389	0.5	389	0.5	389	0.5
Surrogate 1,2,4,5	390	0.5	390	0.5	390	0.5	390	0.5	390	0.5	390	0.5	390	0.5	390	0.5	390	0.5	390	0.5	390	0.5
Surrogate 1,2,3,4	391	0.5	391	0.5	391	0.5	391	0.5	391	0.5	391	0.5	391	0.5	391	0.5	391	0.5	391	0.5	391	0.5
DI	392	0.5	392	0.5	392	0.5	392	0.5	392	0.5	392	0.5	392	0.5	392	0.5	392	0.5	392	0.5	392	0.5
PEAKS	393	0.5	393	0.5	393	0.5	393	0.5	393	0.5	393	0.5	393	0.5	393	0.5	393	0.5	393	0.5	393	0.5
START OF	394	0.5	394	0.5	394	0.5	394	0.5	394	0.5	394	0.5	394	0.5	394	0.5	394	0.5	394	0.5	394	0.5
TRACE	395	0.5	395	0.5	395	0.5	395	0.5	395	0.5	395	0.5	395	0.5	395	0.5	395	0.5	395	0.5	395	0.5
DI	396	0.5	396	0.5	396	0.5	396	0.5	396	0.5	396	0.5	396	0.5	396	0.5	396	0.5	396	0.5	396	0.5
DI	397	0.5	397	0.5	397	0.5	397	0.5	397	0.5	397	0.5	397	0.5	397	0.5	397	0.5	397	0.5	397	0.5
DI	398	0.5	398	0.5	398	0.5	398	0.5	398	0.5	398	0.5	398	0.5	398	0.5	398	0.5	398	0.5	398	0.5
DI	399	0.5	399	0.5	399	0.5	399	0.5	399	0.5	399	0.5	399	0.5	399	0.5	399	0.5	399	0.5	399	0.5
DI	400	0.5	400	0.5	400	0.5	400	0.5	400	0.5	400	0.5	400	0.5	400	0.5	400	0.5	400	0.5	400	0.5

J = Estimated
E = Exceeds calibration range

Sample Tracking Form

Date: 19A-000

SENT BY: KUHLMAN ELECTRIC CORPORATION

601 8926496

601 8926496;

AUG-20 10:14AM;

PAGE 14/31

Target Analyte	Sample Description	Blank	LCS #	MS #	MSD #
1,3,5-TrNCB	392 205 0.5 40.01	40.01	#B	205	205
1,2,4-TrNCB	393 208 A 40.01				
1,2,3-TrNCB	394 210 4 40.01				
1,2,3,5,8,1,2,4,5	395 211 0.5 40.01				
1,2,3,4-TeCB	396 214 4 40.01				
Penta-CB	397 215 0.5 40.01				
Hexa-CB	398 217 0.5 40.01				
PCB as 1260	399 219 0.5 40.01				
Surrogate PCB	400 222 4 40.01				
PCBP	401 224 4 40.01				
	402 226 4 40.01				
	403 228 4 40.01				
	404 230 4 40.01				
	405 232 4 40.01				
	406 234 4 40.01				
	407 236 4 40.01				
	408 238 4 40.01				
	409 240 4 40.01				
	410 242 4 40.01				
	411 244 4 40.01				
	412 246 4 40.01				
	413 248 4 40.01				
	414 250 4 40.01				
	415 252 4 40.01				
	416 254 4 40.01				
	417 256 4 40.01				
	418 258 4 40.01				
	419 260 4 40.01				
	420 262 4 40.01				
	421 264 4 40.01				
	422 266 4 40.01				
	423 268 4 40.01				
	424 270 4 40.01				
	425 272 4 40.01				
	426 274 4 40.01				
	427 276 4 40.01				
	428 278 4 40.01				
	429 280 4 40.01				
	430 282 4 40.01				
	431 284 4 40.01				
	432 286 4 40.01				
	433 288 4 40.01				
	434 290 4 40.01				
	435 292 4 40.01				
	436 294 4 40.01				
	437 296 4 40.01				
	438 298 4 40.01				
	439 300 4 40.01				
	440 302 4 40.01				
	441 304 4 40.01				
	442 306 4 40.01				
	443 308 4 40.01				
	444 310 4 40.01				
	445 312 4 40.01				
	446 314 4 40.01				
	447 316 4 40.01				
	448 318 4 40.01				
	449 320 4 40.01				
	450 322 4 40.01				
	451 324 4 40.01				
	452 326 4 40.01				
	453 328 4 40.01				
	454 330 4 40.01				
	455 332 4 40.01				
	456 334 4 40.01				
	457 336 4 40.01				
	458 338 4 40.01				
	459 340 4 40.01				
	460 342 4 40.01				
	461 344 4 40.01				
	462 346 4 40.01				
	463 348 4 40.01				
	464 350 4 40.01				
	465 352 4 40.01				
	466 354 4 40.01				
	467 356 4 40.01				
	468 358 4 40.01				
	469 360 4 40.01				
	470 362 4 40.01				
	471 364 4 40.01				
	472 366 4 40.01				
	473 368 4 40.01				
	474 370 4 40.01				
	475 372 4 40.01				
	476 374 4 40.01				
	477 376 4 40.01				
	478 378 4 40.01				
	479 380 4 40.01				
	480 382 4 40.01				
	481 384 4 40.01				
	482 386 4 40.01				
	483 388 4 40.01				
	484 390 4 40.01				
	485 392 4 40.01				
	486 394 4 40.01				
	487 396 4 40.01				
	488 398 4 40.01				
	489 400 4 40.01				
	490 402 4 40.01				
	491 404 4 40.01				
	492 406 4 40.01				
	493 408 4 40.01				
	494 410 4 40.01				
	495 412 4 40.01				
	496 414 4 40.01				
	497 416 4 40.01				
	498 418 4 40.01				
	499 420 4 40.01				
	500 422 4 40.01				

J = Estimated
E = Exceeds calibration range

Sample Tracking Form

Date: 19 Aug 20

Target Analyte	402 0.5	402 225	402 276	403 0.5	403 227	403 778	404 0.5	404 229	404 230	405 0.5	405 231	405 232	405 233	406 0.5	406 234	406 235	407 0.5	407 286	408 0.5	408 237	408 238	409 0.5	409 239	409 240	410 0.5	410 241	410 242	410 243	411 0.5	411 244	411 245	Blank #	LCS #	MS #	MSC #						
1,3,5-TrICB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
1,2,4-TrICB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
1,2,3-TrICB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
1,2,3,5,8,1,2,4,5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
1,2,3,4-TeCB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Penta-CB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Hexa-CB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
PCB as 1260	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Surrogate ICP	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
DGP	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
INT Data	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19

J = Estimated
E = Exceeds calibration range

Sample Tracking Form

Date: 19 Aug 00

Target Analyte	MSD #	IMS #	LCS #	Blank #	Sample Description																	
					421	420	420	419	419	418	418	417	417	416	416	415	415	414	414	413	413	412
1,3,5-TrICB	249	249	15	15	4.0	263	262	260	259	258	257	256	255	254	253	252	251	250	249	248	247	246
1,2,4-TrICB	289	289	891	891	201																	
1,2,3-TrICB	883	883	889	889																		
1,2,3,5,8,1,2,4,5	882	882	880	880																		
1,2,3,4-TeCB	177	177	179	179																		
Penta-CB	888	888	886	886																		
Hexa-CB	884	884	883	883																		
PCB as 1260	955	955	864	864	0.10	0.55	0.10	0.92	0.10	0.10	1.1	0.10	0.10	0.10	0.10	0.10	0.14	0.14	0.14	0.14	0.14	0.14
Sunogate TCMY	819	819	899	899	270	855	855	833	834	823	826	846	946	924	924	785	782	874	874	914	914	914
DCEP	832	832	857	857	864	855	855	951	851	818	107	815	918	899	899	864	864	864	864	864	864	864
1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20																						

J = Estimated
E = Exceeds calibration range

Sample Tracking Form

Date: 19 Aug 00

ACD

Target Analyte	Sample ID	Sample Description	Blank #	LCS #	MS #	M #
1,3,5-TrCB	422	422	422	422	422	
	0.5	4	4	4	4	
1,2,4-TrCB	423	423	423	423	423	
	0.5	4	4	4	4	
1,2,3-TrCB	424	424	424	424	424	
	0.5	4	4	4	4	
1,2,3,5&1,2,4,5	425	425	425	425	425	
	0.5	4	4	4	4	
1,2,3,4,TeCB	426	426	426	426	426	
	0.5	4	4	4	4	
Penta-CB	427	427	427	427	427	
	0.5	4	4	4	4	
Hexa-CB	428	428	428	428	428	
	0.5	4	4	4	4	
PCB as 1260	429	429	429	429	429	
Surrogate TCNK	430	430	430	430	430	
	0.5	4	4	4	4	
DDEP	431	431	431	431	431	
	0.5	4	4	4	4	

See previous page

J = Estimated
E = Exceeds calibration range

Sample Tracking Form

Date: 20 Aug 00


Target Analyte	445	446	447	447	447	Blank #	LCS #	MS #	MSC #	Sample Description
1,3,5-TrICB	445	446	447	447	447					<p style="text-align: center;">NO LCS/MS/MSD Blank</p>
1,2,4-TrICB	445	446	447	447	447					
1,2,3-TrICB	445	446	447	447	447					
1,2,3,5,8,1,2,4,5	445	446	447	447	447					
1,2,3,4-TeCB	445	446	447	447	447					
Penta-CB	445	446	447	447	447					
Hexa-CB	445	446	447	447	447					
PCB as 1260	445	446	447	447	447					
Surrogate TCMX	445	446	447	447	447					
DCSD	445	446	447	447	447					
MSD	445	446	447	447	447					

J = Estimated
E = Exceeds calibration range



Job Name: Crystal Springs-
 Job Number: _____
 Title: Sony Reeves backyard 405 Jackson
 Computed by: _____ Checked by: _____
 Date: 2/16/2000 Shoot: 1 Of: 11


1/2" = 10' 0"





DP 280
200
7

Job Name: Crystal Springs
 Job Number: _____
 Title: Stringer Funeral Home
 Computed by: _____
 Date: 8-16-2000 Sheet: 2 of 11






Job Name: Crystal Springs
Job Number:
Title: 401 N. Jackson Elnor Wright
Computed by: _____ Checked by:
Date: 8-16-2000 Sheet: 3 of: 11


1 block = 4'

N ↑






Job Name: Crystal Springs
Job Number: _____
Title: 407 N. Jackson Louis Lang
Computed by: _____ Checked by: _____
Date: 8-16-00 Sheet 4 of 11





Job Name: Crystal Springs
Job Number: _____
Title: Lee St. Medical
Computed by: _____ Checked by: _____
Date: 8/17/00 Sheet: 5 of 11



Lee St



Job Name: Crystal Springs

Job Number: _____


Title: 303 N. Jackson (stringer)

Computed by: _____ Checked by: _____

Date: 8-17-00 Sheet: 6 of: 11

NT

1 block = 5'






Job Name: Crystal Springs
 Job Number: _____
 Title: 219 N. Jackson - Perry Smith
 Computed by: TJF Checked by: _____
 Date: 8-17-00 Sheet: 7 Of: 11

1 block = 5'

②






Job Name: Crystal Springs

Job Number: _____

Title: 409 N. Jackson (Amy Cooper)

Computed by: RF Checked by: _____


Date: 8-17-00 Sheet 8 of 11





Job Name: Crystal Springs
 Job Number: _____
 Title: Dabney Home
 Computed by: TJF Checked by: _____
 Date: 8-17-00 Sheet: 9 Of: 11

1 block = 5'






Job Name: Crystal Springs
 Job Number: _____
 Title: Wright House
 Computed by: _____ Checked by: _____
 Date: 8-18-00 Sheet: 10 of 11

NT


1 block = 4'





Job Name: Crystal Springs
 Job Number: _____
 Title: Harold & Suzanne Warren
 Computed by: TJF Checked by: _____
 Date: 8-18-00 Sheet: 11 Of: 16

NT 1 block = 4'





Job Name
Job Number:
Title:
Computed by:
Date:

FILE COPY
COPY

Checked by:
Sheet 10 of

Fax Coversheet

To: Gretchin Zmitrovich
MDECR

From: Tim Fitzpatrick
Ogden Environmental

Re: Crystal Springs Data Summary

19 pages
total

Ms. Zmitrovich:

Following is all the data available as of 5:30 PM on Friday Aug 18. The mobile lab had autosampler malfunctions the previous two nights and are thus still somewhat behind.

We will be working through the weekend and you can reach me on my cell at 704-236-3496 if you like.

Best Regards,

Tim Fitzpatrick

Sample Tracking Form

Target Analyte	AcID					AcID					AcID					AcID					Blank	LCS	MS #	MSD #											
	DP200 05	DP200 4	DP201 05	DP201 4	DP201 05	DP202 05	DP202 4	DP203 05	DP203 4	DP203 05	DP204 05	DP204 4	DP205 05	DP205 4	DP205 05	DP206 05	DP206 4	DP207 05	DP207 4	DP208 05					DP208 4	DP209 05	DP209 4	DP209 05	DP209 4						
1,3,5-TrCB	✓																										99	145	8	8					
1,2,4-TrCB																											99	141	8	8					
1,2,3-TrCB																											102	141	8	8					
1,2,3,4-TeCB																											102	139	8	8					
Penta-CB																											106	138	8	8					
Hexa-CB																											107	135	8	8					
PCB as 1260																																			
Suncoale 744K	99.6	105	12.9	107	135	106	137	111	102	85.1	31	97.0	104	91.8	139	118	137	108	137	107	132	104	111	104	135										
DCBP	81.5	100	96.9	101	125	115	130	109	87.9	83.9	129	97.4	101	95.0	140	116	133	107	132			103	111	107	130										

J = Estimated
E = Exceeds calibration range

1260
1260

Sample Tracking Form

Target Analyte	Sample Description																			Blank	LCS	MS #	MSD #		
	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23						
1,3,5-TrCB	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	#3	#8	#30	#30	
1,2,4-TrCB																									
1,2,3-TrCB																									
1,2,3,5,8,1,2,4,5																									
1,2,3,4-TeCB																									
Penta-CB																									
Hexa-CB																									
PCB as 1260	0.22	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.16	0.10	0.12	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.13	0.10					
Surrogate TCM	101	838	96	74	111	93	110	107	112	99	134	107	127	98.0	107	103	109	102	106	112	104	100	103	107	
DCBP	115	102	91	79	103	106	109	114	112	105	128	112	129	101	106	107	106	111	108	120	112	107	109	107	
			TRACE												TRACE										
			1260												07										

J = Estimated
E = Exceeds calibration range

Sample Tracking Form

Target Analyte	ACID		ACID		ACID		ACID		ACID		ACID		ACID		Blank #	LCS #	MS #	MSD #
	320	320	321	321	321	321	322	322	323	323	324	324	324	324				
1,3,5-TrCB	44	45	46	47	48	49	50	51	52	53	54							
1,2,4-TrCB																		
1,2,3-TrCB																		
1,2,3,5,8,1,2,4,5																		
1,2,3,4-TeCB																		
Penta-CB																		
Hexa-CB																		
PCB as 1260	928	928	928	928	928	928	928	928	928	928	928	928	928	928	928	928	928	928
Surrogate TCMX	141	112	134	107	937	103	105	106	104	99.6	107				111	101	139	133
DiBP	155	117	137	111	105	110	116	109	113	104	107				122	104	147	149

J = Estimated
E = Exceeds calibration range

[Handwritten notes and signatures in the top right corner, including "Target Analyte" and "Concentration" with various numbers.]

Sample Tracking Form

PHWT 1-2
PKL 1-5

Page 1 of 5

Date: August 17, 2000

Target Analyte	ACID		Sample Description								ACID		ACID			ACID				
	325	4	325	108	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122
1,3,5-THCB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1,2,4-THCB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1,2,3-THCB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1,2,3,5&1,2,4,5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1,2,3,4-TeCB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Penta-CB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Hexa-CB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PCB as 1260	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Surrogate TEHKL	143	103	108	104	109	109	145	104	103	108	107	107	132	104	133	108	137	103	104	105
DCP	132	103	107	117	113	115	156	107	103	110	105	110	134	110	140	108	127	113	110	114
					01															
		TEHKL							02											
		1260							PKL											
									AT											
									7789											

J = Est

J = Estimate
 AUGUST 60

Target Analyte	Sample Description	ACID												Blank #	LCS #	MS #	MSD #							
		305	345	346	346	347	347	348	348	349	349	349	349											
1,3,5-TrCB	2001	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117
1,2,3-TrCB	2001	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117
1,2,3,5,6,1,2,4,5	2001	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117
1,2,3,4-TeCB	2001	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117
Penta-CB	2001	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117
Hexa-CB	2001	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117
PCB as 1260	2010	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117
Surrogate TCMX	108	919	919	913	987	987	986	985	954	122	9010	918	114	983	949	918								
DCAP	108	100	112	107	111	104	107	137	106			113	128	114	103	909								
THX	108																							
WAD	108																							
UT	108																							
PENT	108																							
AFRL	108																							
MSUAL	108																							
18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18

Sample Tracking Form

Page 2 of 5
 Date: 17-AUG-08

17

Sample Tracking Form

ACID

ACID

ACID

ACID

ACID

Date: 18 Aug 00

Page 11 of

Sample Description


Target Analyte	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	Blank #	LCS #	MS #	MSD #
1,3,5-TrCB	350	350	351	351	352	352	353	353	354	354	NA-1	1	2	2	3	3	4	4	5	5	8	8	107	107
1,2,4-TrCB	0.5	4	0.5	4	0.5	4	0.5	4	0.5	4	0.5	4	0.5	4	0.5	1.5	0.5	2.5	0.5	2.5			140	137
1,2,3-TrCB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			135	135
1,2,3,5,6,1,2,4,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			133	131
1,2,3,4-TeCB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			126	124
Penta-CB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			124	121
Hexa-CB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			124	122
PCB as 1260	1.8	2.0	0.33	2.0	0.55	2.0																	121	119
Surrogate TCMY	104	100	96.1	96.4	101	90.0																	124	117
DCBP	116	114	108	116	114	105																	138	129

J = Estin

18 18



Job Name: Crystal Springs-
Job Number: _____
Title: Sony Reeves backyard 405 Jackson
Computed by: _____ Checked by: _____
Date: 2/16/2000 Sheet: 1 of: 11





200
200
7

Job Name: Crystal Springs

Job Number:


Title: Stringer Funeral Home

Computed by:

Checked by:

Date:


Sheet: 2 Of: 11






Job Name: Crystal Springs
Job Number: _____
Title: 401 N. Jackson Elnor Wright
Computed by: _____
Date: 8-16-2000
Checked by: _____
Sheet: 3 Of: 11

1 block = 4'





Job Name: Crystal Springs
 Job Number: _____
 Title: 407 N. Jackson Louie Lang
 Computed by: _____ Checked by: _____
 Date: 8-16-00 Sheet: 4 Of: 11






Job Name: Crystal Springs

Job Number: _____

Title: Lee St. Medical

Computed by: _____ Checked by: _____

Date: 8/17/00 Sheet 5 of 16





Job Name: Crystal Springs

Job Number:


Title: 303 N. Jackson (stringer)

Computed by: Checked by:

Date: 8-17-00 Sheet: 6 of 11

NT


1 block = 5'





Job Name: Crystal Springs
 Job Number: _____
 Title: 219 N. Jackson - Percy Smith
 Computed by: TJF Checked by: _____
 Date: 8-17-00 Sheet: 7 Of: 11

1 block = 5'



Kuhlman



Job Name: Crystal Springs

Job Number: _____


Title: 409 N. Jackson (Army Cooper)

Computed by: DF

Checked by: _____

Date: 8-17-00

Sheet: 8 of: 11





Job Name: Crystal Springs


Job Number: _____

Title: Dabney Home

Computed by: TJE Checked by: _____

Date: 8-17-00 Sheet 9 of 11

1 block = 5'






Job Name: Crystal Springs
 Job Number: _____
 Title: Wright House
 Computed by: _____ Checked by: _____
 Date: 8-18-00 Sheet: 10 of: 11

N ↑

1 block = 4'

Kuhlman




Storage Rental Property



Job Name: Crystal Springs
 Job Number: _____
 Title: Harold f. Suzanne Wimer
 Computed by: TJF Checked by: _____
 Date: 8-18-00 Sheets: 10 Of: 11

NT 1 block = 4'



8-17-00



Job Name: _____
 Job Number: _____
 Title: _____
 Computed by: _____
 Date: _____

FILE COPY

Checked by: _____
 Sheet: _____ Of: _____

FAX COVER SHEET

To: Anastasia Hamel / Gretchen Zmitrovich

From: Tim Fitzpatrick (704-236-3496)

Total pages including cover sheet: 10

Ms. Hamel & Ms. Zmitrovich:

Following is all data available at this point w/ location maps. As stated, the mobile lab experienced troubles w/ their auto sampler last night and as a result they are somewhat behind, but should be able to catch up by tomorrow AM. - Please call me on my cell phone if I can help any further (number listed above).

Best Regards;

Tim Fitzpatrick

Sr. Environmental Chemist

Sample Tracking Form

Sample Description

Page 2 of 3
Date: Aug 16 2000


Target Analyte	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	Blank	LCS	MS	MSD
1,3,5-TrCB	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	974	100	107
1,2,4-TrCB	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	974	101	105
1,2,3-TrCB	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	974	100	105
1,2,3,5,8,1,2,4,5	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	974	103	107
1,2,3,4-TeCB	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	974	103	107
Penta-CB	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	101	106	108
Hexa-CB	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	103	108	109
PCB as 1260	621	621	621	621	621	621	621	621	621	621	621	621	621	621	621	621	621	621	621	621	621	100	112	107
Surrogate TeM	101	96	74	111	93	110	107	112	99	134	107	127									104	100	103	107
DeBP	115	91	79	103	106	109	114	112	105	128	112	129									113	107	109	107
		DAE	1260	THA	1040																			

J = Estim
E = Error
affiliation name



280
200
7

Job Name: Crystal Springs
Job Number: _____
Title: Stringer Funeral Home
Computed by: _____ Checked by: _____
Date: _____ Sheet: 2 of _____



1/5
38



Job Name: Crystal Spring S

Job Number: _____


Title: 303 N. Jackson (stringer)

Computed by: _____ Checked by: _____

Date: 8-17-00 Sheet: 6 Of: _____

NT


1 block = 5'






Job Name: Crystal Springs
Job Number: _____
Title: 401 N. Jackson Elnor Wright
Computed by: _____ Checked by: _____
Date: 8-16-2000 Sheet: 3 Of: _____

1 block = 4'






Job Name: Crystal Springs
Job Number: _____
Title: 407 N. Jackson Louie Lang
Computed by: _____ Checked by: _____
Date: 8-16-06 Sheet 4 of _____





Job Name: Crystal Springs
 Job Number: _____
 Title: Lee St. Medical
 Computed by: _____ Checked by: _____
 Date: 8/12/00 Sheet: 5 Of: _____






Job Name: Crystal Springs
Job Number: _____
Title: 219 N. Jackson - Perry Smith
Computed by: TJF Checked by: _____
Date: 8-17-00 Sheet: 7 Of: _____

1 block = 5'

2



Kuhlman



Job Name: Crystal Springs
Job Number: _____
Title: Sony Reeves backyard 405 Jackson
Computed by: _____ Checked by: _____
Date: 2/16/2000 Sheet: 1 Of: _____

