

Installation of Six Monitoring Wells

at

Hercules, Inc.
613 West 7th Street
Hattiesburg, Ms

presented to:

Charles Jordan, Environmental Supervisor
Hercules, Inc.
Hattiesburg, MS

July 31, 1997

by



Michael S. Bonner, Ph.D.
BONNER ANALYTICAL TESTING COMPANY

TABLE OF CONTENTS

	Page
1.0 Monitoring Well Installation.....	1-4
2.0 Well Development.....	4
3.0 Purging.....	4-5
4.0 Sampling.....	5
5.0 Analytical Protocol.....	6
6.0 QA/QC.....	6
6.1 Trip Blank (Volatile).....	6
6.2 Equipment Blank (Rinsate Blank).....	6-7
7.0 Sample Archival.....	7
8.0 Decontamination.....	7-8
9.0 Health and Safety.....	8
10.0 Personnel.....	8
11.0 Well Abandonment.....	9

INTRODUCTION

At the request of the Mississippi Department of Environmental Quality (MDEQ), Hercules, Inc. of Hattiesburg, MS will install, develop, purge and sample six permanent monitoring wells in the following locations shown on the attached B&V - Figure 2.

The MDEQ will be notified 2 weeks prior to commencement of work.

1.0 MONITORING WELL INSTALLATION

Six two inch by twenty foot PVC monitoring wells shall be installed utilizing hollow stem drilling technology. Well depths shall be advanced deeper within the shallow saturated zone if groundwater is not encountered within the first twenty feet.

A screened interval of ten feet having a 0.01" slot shall be used. The screened interval shall extend a minimum of three feet above the groundwater interface. Casing shall be flush thread design.

Filter pack meeting the following specifications shall be tremied into the annulus to a depth of two feet above the screened interval:

Particle Size in Inches	Allowable
>0.039"	35% Max.
<0.039 - \geq 0.01	50% Min.
<0.01	0.5% Max.

Following the filter pack, a two foot layer of fine sand (mason) shall be applied via tremie. If the zone is saturated, two feet of 10% hydrated bentonite shall be tremied, followed by 90/10 grout to the surface. An elevation data marker shall be placed in the grout at the surface as a reference point. If the zone is unsaturated, the bentonite seal will be omitted. Hydration time for bentonite shall be a minimum of 8 hours or the manufacturer's recommended hydration time—whichever is greater. Grout shall be allowed to cure for a minimum of 24 hours prior to installation of the surface pad and protective riser equipped with security locks.

Each well shall be equipped with four 3" pipes installed to a depth of 30" at the corners of each pad and grouted in place. Protective pipes shall be filled with grout and painted as specified.

The well casing will be allowed to extend a minimum of 18" above ground surface and shall be equipped with a locking cap, protective casing and a 2'x2'x4" concrete pad. The wells shall be surveyed with longitude and latitude reported along with elevation above sea level (± 0.01 ft.).

The following boring/well construction log information will be included where applicable:

- Well identification #
- Date/time of well construction
- Borehole diameter and well casing diameter
- Well depth ± 0.01 ft.
- Casing length

- Casing materials
- Casing and screen joint type
- Screened interval(s)
- Screen materials
- Screen slot size/design
- Filter pack material and size
- Calculated and actual filter pack volume
- Filter pack placement method
- Annular sealant composition
- Annular sealant placement method
- Calculated and actual annular sealant volume
- Surface sealant composition
- Surface seal placement method
- Calculated and actual surface sealant volume
- Surface seal design
- Well development procedure
- Turbidity measurement
- Type/design of protective casing
- Well cap and lock
- Ground surface elevation (± 0.01 ft.)

- Survey reference point elevation on well casing (± 0.01 ft.)
- Top of monitoring well casing elevation (± 0.01)
- Top of protective steel casing elevation (± 0.01 ft.)

2.0 WELL DEVELOPMENT

Completed wells will be allowed to cure a minimum of 24 hours prior to development. Prior to well development, water depth will be determined to ± 0.01 ft. Following completion, each well shall be developed by pumping and/or bailing, as deemed most appropriate utilizing the surge block technique. The well will be developed until a turbidity of < 5 NTU's is achieved. As a minimum, the well will be allowed to completely recharge prior to purging.

3.0 PURGING

The object of purging shall be to remove five well volumes at a rate similar to the recharge rate in order that turbidity effects are minimized. The following steps shall be used:

1. Establish the water depth and well depth to ± 0.01 ft.
2. Remove liquid from the surface and bottom hole to determine whether organic phases exist.
3. Determine pH, temperature, conductivity and turbidity prior to purging the well.
4. Remove five well volumes at a rate of 0.2 to 0.3 liter/min. utilizing a peristaltic pump if groundwater is within 28 feet of surface. Alternately, if groundwater is deeper, purging may be accomplished by means of centrifuged pump, bladder pump or bailer. (Purging by bailer must be done with caution so as not to disturb the well filter pack).

5. After removing 5 well volumes pH, temperature, conductivity and turbidity must be determined twice within 20 minutes. These data points should be $\pm 10\%$ and further, the turbidity must be < 5 NTU's. If turbidity is not < 5 NTU's, remove additional well volumes as necessary.

In the event the well is purged dry, the following protocol should be followed:

1. Allow the well to recover.
2. If the well has not fully recovered within two hours but has sufficient water for testing then:
 - a. Test the well for pH, temperature, conductivity and turbidity.
 - b. Test the well again within 20 minutes for the same parameters.
 - c. Collect samples as outlined in the sample collection process.
3. If pH, temperature and conductivity are not $\pm 10\%$ and/or turbidity is > 5 NTU and if data reflect elevated levels of any pollutant of concern, consider repurging and sampling the well.

4.0 SAMPLING

Sampling should commence as soon as the well recovers but no later than two hours after purging is completed. Samples shall be collected utilizing disposable Teflon bailers. Analytical parameters shall include the attached Compound List of volatile organics (Method 8260).

VOA samples shall be collected in duplicate in 40 ml vials preserved with hydrochloric acid to a pH of < 2 . VOA samples must contain no air bubbles. Three replicates of samples shall be collected at one designated well for QA/QC analysis.

5.0 ANALYTICAL PROTOCOL

All analyses will conform to the methodologies outlined in EPA/SW846 current edition.

6.0 QA/QC

One equipment blank, one matrix spike (MS) and one matrix spike duplicate (MSD) shall be analyzed for each event. One trip blank for VOA only shall be analyzed for each sampling event.

6.1 TRIP BLANK (VOLATILE)

Trip blank (volatile) duplicate samples shall be prepared in the laboratory utilizing deionized water and bottles from the batches to be used in the field collection and decontamination procedures. The trip blank will be taken in the field and returned to the laboratory in the same environment as the samples.

6.2 EQUIPMENT BLANK (RINSATE BLANK)

Following decontamination of the drilling equipment, carefully transfer about two liters of analyte-free deionized water to a new disposable Teflon bailer. Allow the contents of the bailer to

drain over a piece of the decontaminated hollow stem into an analyte-free stainless steel bowl. Transfer the rinsate water to appropriate sample containers. Label and archive the rinsate blank as outlined.

7.0 SAMPLE ARCHIVAL

Following sample collection, affix a completed label to each container. Cover the label with clear tape to protect from moisture. Place the sample bottle in a zip-lock bag and wrap the container in bubble wrap. Write the sample ID number on the outside of the bubble wrap with a permanent marker, then secure the bubble-wrapped container with clear tape.

8.0 DECONTAMINATION AND RESIDUALS MANAGEMENT

Borehole cuttings will be left in place at the well site unless VOA readings indicate gross contamination (>50ppm FID readings). In the event gross contamination is encountered, cuttings will be drummed on site and analyzed for disposal.

Well development, purge and decontamination water will be placed in the Hercules treatment facility for disposal, provided levels do not exceed toxicity characteristics.

The hollow stem, drill rod, and associated tools will be decontaminated before each well is advanced. The procedure shall be as follows:

1. Pressure wash with steam and potable water
2. Brush with phosphate-free detergent to remove any additional debris
3. Pressure wash with steam and potable water
4. Rinse with analyte-free water

9.0 HEALTH AND SAFETY

1. All personnel shall have received 40 hours of OSHA training and shall have current update training.
2. Hercules, Inc. shall provide any additional safety briefings deemed appropriate for the scope of this project.
3. During boring, developing and purging operations, FID readings shall be recorded to ensure that a safe environment is maintained.
4. Elevated (>50 ppm) FID readings shall mandate respiratory protection, cease and desist operations, and re-evaluation by project director, project supervisor, project health and safety officers, and Hercules personnel.
5. Any injuries or potentially unsafe conditions shall be reported immediately to the health and safety officer and then to the project supervisor and project director.

10.0 PERSONNEL

Project Director - Michael S. Bonner, Ph.D.


Project Supervisor - David Carter

Health and Safety Officer - Christopher M. Bonner

Hercules, Inc. Contact - Charles Jordan, Environmental Supervisor

11.0 WELL ABANDONMENT

Assuming that the wells are found to be free of analytes of concern, Hercules will have the option of abandoning the wells by then cutting the risers off at ground level and filling the casing with 90/10 grout to surface. Calculated and actual grout used will be recorded to ensure that the wells are properly sealed.



Monitoring Well Sampling Event

at

**Hercules, Inc.
613 West 7th Street
Hattiesburg, Ms**

presented to:

**Charles Jordan, Environmental Supervisor
Hercules, Inc.
Hattiesburg, MS**

**June 20 - 25, 1998
1st Quarterly Sampling
of 1998**

by

A handwritten signature in black ink, appearing to read "M. S. Bonner".

**Michael S. Bonner, Ph.D.
BONNER ANALYTICAL TESTING COMPANY**

TABLE OF CONTENTS

1.0 INTRODUCTION

2.0 PURGING

3.0 SAMPLING & ANALYSIS

4.0 RESULTS

5.0 DISCUSSION

APPENDIX I—DATA REPORTS

APPENDIX II—CHAIN OF CUSTODY

APPENDIX III—DEC. 97 REPORT

1.0 INTRODUCTION

At the request of Mr. Charlie Jordan, Environmental Supervisor with Hercules Inc. of Hattiesburg, MS, Bonner Analytical Testing Company sampled six monitoring wells which were previously installed at the site during December, 1997. This sampling event, which took place on June 24 – 25, 1998, was the second of four quarterly events directed by the Mississippi Department of Environmental Quality (MDEQ).

2.0 PURGING

Prior to purging, each well was gauged from north side top of casing (TOC) to assess depth to water and well depth. After well gauging was completed, a dedicated bailer was placed in the well and three to five well volumes were removed. pH, temperature, conductivity, and turbidity were recorded after each well volume. When two successive measurements of temperature and conductivity were found to be stable within 10%, purging was terminated and samples were collected.

Monitoring Well 1 (MW1) bailed dry after two well volumes (4.0 gallons). MW2 and MW3 required four well volumes to stabilize, while MW4, MW5, and MW6 required five well volumes. After five well volumes, field turbidity measurements of 421 and 448 NTU were reported for MW4 and MW5. Elevated turbidity was reported in these wells during the initial sample collection in December, 1997. Turbidity reading of 18.3 to 59 NTU were reported for the remaining wells.

3.0 SAMPLING & ANALYSIS

Samples were collected immediately following the purging process utilizing disposable Teflon bailers. MW1, MW2, MW3, and MW6 were tested for eight RCRA metals. MW4 and MW5 were tested for metals, volatiles,

and semivolatiles as directed by MDEQ. Analytical protocols were EPA 200 series and SW846-8260/8270 as outlined in the work plan. Additionally, one trip blank and one equipment blank was analyzed for each parameter as part of the QA/QC protocol.

Volatile and semivolatile organics were quantitated using the standard compound list. Those remaining compounds in the 8260/8270 comprehensive list were screened as Tentatively Identified Compounds (TIC). There was no attempt to address any other TICs. Two compounds, Acetophenone (51.6 ppb) and Dioxation (113.3 ppb) were tentatively identified. Due to the tentative nature of this identification, a generic identification was used to describe these analytes, as suggested by Hercules data review consultants. The Acetophenone TIC was identified as Aromatic Hydrocarbon compound and the Dioxation TIC was identified as an Organophosphorous compound.

4.0 RESULTS

There were no significant hits for the eight listed RCRA metals. Barium was detected at levels ranging from 0.044 ppm to 0.363 ppm. No SW846/8260 volatile compounds were found. One aromatic hydrocarbon SW846/8270 compound was tentatively identified at 51.6 ppb. One Organophosphorous compound was tentatively identified at 113.3 ppb.

5.0 DISCUSSION

Groundwater flow direction has not been determined at this time due to survey problems. Upon completion of surveys, groundwater flow direction will be completed.

APPENDIX I

BONNER ANALYTICAL TESTING COMPANY

2703 OAK GROVE ROAD
 HATTIESBURG, MS 39402
 PH. (601) 264-2854

268-7084

Client: HERCULES, INC.

File Number: BT46083-46084

Sample Date/Time: See Below

Collected By: Client

Date/Time Rec'd: 06-25-98 @ 0900

 2ND QUARTER, 1998

Analyte/Method	MW-1 06-25-98	MW-2 06-24-98	MDL	Date/Time/Analyst
Arsenic/200.15	ND	ND	0.003	07-13-98/1043/JMR
Barium/200.15	0.165	0.081	0.00005	07-13-98/1730/JMR
Cadmium/200.15	ND	ND	0.0003	07-13-98/1730/JMR
Chromium/200.15	ND	ND	0.0003	07-13-98/1730/JMR
Lead/200.15	ND	ND	0.003	07-13-98/1730/JMR
Mercury/245.1	ND	ND	0.0002	07-14-98/1535/JMR
Selenium/200.15	ND	ND	0.001	08-11-98/1005/GMR
Silver/272.1	ND	ND	0.002	07-21-98/1121/JMR

 Data reported in mg/L unless otherwise noted. All analyses performed in accordance with 40 CFR 136 and amendments.

MDL = Method Detection Limit

Certified by: _____



Michael S. Bonner, Ph.D.
 BONNER ANALYTICAL TESTING COMPANY

BONNER ANALYTICAL TESTING COMPANY

2703 OAK GROVE ROAD
HATTIESBURG, MS 39402
PH. (601) 264-2854

Client: HERCULES, INC.

File Number: BT46085-46086
Collected By: Client

Sample Date/Time: See Below
Date/Time Rec'd: 06-25-98 @ 0900

2ND QUARTER, 1998

Analyte/Method	MW-3 06-24-98	MW-4 06-24-98	MDL	Date/Time/Analyst
-----	-----	-----	-----	-----
Arsenic/200.15	ND	ND	0.003	07-13-98/1043/JMR
Barium/200.15	0.044	0.230	0.00005	07-13-98/1730/JMR
Cadmium/200.15	ND	ND	0.0003	07-13-98/1730/JMR
Chromium/200.15	ND	ND	0.0003	07-13-98/1730/JMR
Lead/200.15	ND	ND	0.003	07-13-98/1730/JMR
Mercury/245.1	ND	ND	0.0002	07-14-98/1535/JMR
Selenium/200.15	ND	ND	0.001	08-11-98/1005/GMR
Silver/272.1	ND	ND	0.002	07-21-98/1121/JMR

Data reported in mg/L unless otherwise noted. All analyses performed in accordance with 40 CFR 136 and amendments.

MDL = Method Detection Limit

Certified by: _____



Michael S. Bonner, Ph.D.
BONNER ANALYTICAL TESTING COMPANY

BONNER ANALYTICAL TESTING COMPANY

2703 OAK GROVE ROAD

HATTIESBURG, MS 39402

PH. (601) 264-2854

Client: HERCULES, INC.

File Number: BT46087-46088

Sample Date/Time: See Below

Collected By: Client


Date/Time Rec'd: 06-25-98 @ 0900

2ND QUARTER, 1998

Analyte/Method	MW-5 06-24-98	MW-6 06-24-98	MDL	Date/Time/Analyst
-----	-----	-----	-----	-----
Arsenic/200.15	0.011	ND	0.003	07-13-98/1043/JMR
Barium/200.15	0.363	0.120	0.00005	07-13-98/1730/JMR
Cadmium/200.15	ND	ND	0.0003	07-13-98/1730/JMR
Chromium/200.15	ND	ND	0.0003	07-13-98/1730/JMR
Lead/200.15	ND	ND	0.003	07-13-98/1730/JMR
Mercury/245.1	ND	ND	0.0002	07-14-98/1535/JMR
Selenium/200.15	ND	ND	0.001	08-11-98/1005/GMR
Silver/272.1	ND	ND	0.002	07-21-98/1121/JMR

Data reported in mg/L unless otherwise noted. All analyses performed in accordance with 40 CFR 136 and amendments.

MDL = Method Detection Limit

Certified by: 

Michael S. Bonner, Ph.D.

BONNER ANALYTICAL TESTING COMPANY

BONNER ANALYTICAL TESTING COMPANY

2703 OAK GROVE ROAD
HATTIESBURG, MS 39402
PH. (601) 264-2854

Client: HERCULES, INC.

File Number: BT46089-46090
Collected By: Client

Sample Date/Time: See Below
Date/Time Rec'd: 06-25-98 @ 0900

2ND QUARTER, 1998

Analyte/Method	Trip Blank 06-24-98	Equipment Blank 06-25-98	MDL	Date/Time/Analyst
-----	-----	-----	-----	-----
Arsenic/200.15	ND	ND	0.003	07-13-98/1043/JMR
Barium/200.15	ND	ND	0.00005	07-13-98/1730/JMR
Cadmium/200.15	ND	ND	0.0003	07-13-98/1730/JMR
Chromium/200.15	ND	ND	0.0003	07-13-98/1730/JMR
Lead/200.15	ND	ND	0.003	07-13-98/1730/JMR
Mercury/245.1	ND	ND	0.0002	07-14-98/1535/JMR
Selenium/200.15	ND	ND	0.001	08-11-98/1005/GMR
Silver/272.1	ND	ND	0.002	07-21-98/1121/JMR

Data reported in mg/L unless otherwise noted. All analyses performed in accordance with 40 CFR 136 and amendments.

MDL = Method Detection Limit

Certified by:



Michael S. Bonner, Ph.D.

BONNER ANALYTICAL TESTING COMPANY

BONNER ANALYTICAL TESTING COMPANY

2703 Oak Grove Road, Hattiesburg, MS 39402

Phone: (601) 268-7084 Fax: (601) 268-7084

CLIENT: HERCULES

DATE: 06-24-98

LOCATION: HATTIESBURG, MS

Monitoring Well 5	Time	pH - S.U.	Temp °C	Cond. umhos/cm	Turbidity NTU	Remarks
Total Depth TOC 18.3'	1015	6.24	24.8	1100	221	Foamy, yellow water
Depth to Water TOC 10.45'	1030	6.41	23.4	1100	659	
Well Depth BLS N/A	1045	6.45	22.8	1100	647	
Quantity per Volume 1.7 Gal.	1100	6.42	22.9	1100	521	
LNAPL - No DNAPL - No	1115	6.47	22.8	1050	448	

Monitoring Well 4	Time	pH - S.U.	Temp °C	Cond. umhos/cm	Turbidity NTU	Remarks
Total Depth TOC 18.95'	1145	6.04	25.4	600	335	Chalky, white colored water
Depth to Water TOC 10.9'	1200	6.10	25.4	300	110	
Well Depth BLS N/A	1215	6.05	24.4	550	330	
Quantity per Volume 1.36 Gal	1230	6.11	24.7	550	299	
LNAPL - No DNAPL - No	1245	6.21	24.8	550	421	

Monitoring Well 2	Time	pH - S.U.	Temp °C	Cond. umhos/cm	Turbidity NTU	Remarks
Total Depth TOC 20.45'	1300	5.62	24.4	138	9.2	Readings were consistent
Depth to Water TOC 7.98'	1315	5.91	22.5	126	78	so only needed 4 well volumes
Well Depth BLS N/A	1330	5.97	23.8	123	62.5	
Quantity per Volume 2.12	1345	6.13	22.1	130	59	
LNAPL - No DNAPL - No						

* Turbidity exceeds 5 NTU; Remove 5 additional well volumes
 Well Volume = 0.17 x Water column in Feet
 LNAPL - Light Non Aqueous Phase Liquid
 DNAPL - Dense Non Aqueous Phase Liquid
 TOC - Top o Casing (North Side)
 BLS - Below Land Surface

BONNER ANALYTICAL TESTING COMPANY

2703 Oak Grove Road, Hattiesburg, MS 39402

Phone: (601) 268-7084 Fax: (601) 268-7084

CLIENT: HERCULES

DATE: 06-24-98

LOCATION: HATTIESBURG, MS

Monitoring Well 3	Time	pH - S.U.	Temp °C	Cond. umhos/cm	Turbidity NTU	Remarks
Total Depth TOC 18.95'	1400	5.90	24.4	100	27.7	Readings were consistent so we only needed 4 well volumes
Depth to Water TOC 8.55'	1415	5.55	24.4	80	37.6	
Well Depth BLS N/A	1430	5.51	24.4	50	26.6	
Quantity per Volume 1.77 Gal.	1445	5.46	24.4	90	18.3	
LNAPL - No DNAPL - No						

Monitoring Well 6	Time	pH - S.U.	Temp °C	Cond. umhos/cm	Turbidity NTU	Remarks
Total Depth TOC 23.65'	1500	6.54	27.4	120	7.6	
Depth to Water TOC 9.90'	1515	6.24	26.5	190	102.5	
Well Depth BLS N/A	1530	6.22	26.6	195	75.9	
Quantity per Volume 2.34 Gal	1545	6.18	26.6	190	46.9	
LNAPL - No DNAPL - No	1600	6.31	26.6	190	24.0	

Monitoring Well 1	Time	pH - S.U.	Temp °C	Cond. umhos/cm	Turbidity NTU	Remarks
Total Depth TOC	1615	6.17	24.6	120	606	Chalky white water
Depth to Water TOC	1630	6.09	23.3	132	536	Bailed well dry at 4 gallons
Well Depth BLS N/A	1645					
Quantity per Volume						
LNAPL - DNAPL -						

* Turbidity exceeds 5 NTU; Remove 5 additional well volumes
 Well Volume = 0.17 x Water column in Feet
 LNAPL - Light Non Aqueous Phase Liquid
 DNAPL - Dense Non Aqueous Phase Liquid
 TOC - Top o Casing (North Side)
 BLS - Below Land Surface

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Harcules
 Location: MW-4
 File #: BT48086

Collected: 6/24/98 12:15 BATCO
 Extracted: 6/25/98 8:30 JMR
 Analyzed: 6/28/98 14:04 JMR
 Date Time Analyst

Sample Type: Water
 Extraction Method: 351.0b
 Analysis Method: 8270


Compound Name	CAS Number	MDL ug/L (ppb)	BT48086				BLANK				Matrix Spike				Matrix Spike Duplicate			
			Detected Amount ug/L (ppb)	Spike		Detected Amount ug/L (ppb)	Spike		Detected Amount ng/L in the extract	Spike		Detected Amount ng/L in the extract	Spike		Detected Amount ug	Spike		
				Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery				
Phenol	108-95-2	5.2	ND			ND												
Bis(2-chloroethyl)ether	111-44-4	6.9	ND			ND				122.13	150.00	81.42	127.81	150.00	85.21			
2-Chlorophenol	95-57-8	5.7	ND			ND				ND								
1,3-Dichlorobenzene	541-73-1	8.3	ND			ND				109.75	150.00	73.17	119.32	150.00	79.55			
1,4-Dichlorobenzene	106-48-7	6.1	ND			ND				66.56	100.00	66.56	73.80	100.00	73.80			
Benzyl Alcohol	100-51-6	14.8	ND			ND				ND								
1,2-Dichlorobenzene	95-50-1	6.0	ND			ND				ND								
2-Methylphenol	95-48-7	5.6	ND			ND				ND								
Bis(2-chloroisopropyl)ether	108-60-1	8.8	ND			ND				ND								
4-Methylphenol	106-44-5	8.7	ND			ND				ND								
Hexachloroethane	87-72-1	8.0	ND			ND				ND								
N-Nitroso-di-N-propylamine	621-64-7	9.7	ND			ND				93.77	100.00	93.77	100.73	100.00	100.73			
Nitrobenzene	98-95-3	8.2	ND			ND				ND								
Isophorone	78-59-1	9.2	ND			ND				ND								
2,4-Dimethylphenol	105-67-9	6.0	ND			ND				ND								
2-Nitrophenol	88-75-5	9.1	ND			ND				ND								
Benzoic Acid	65-85-0	22.3	ND			ND				ND								
Bis(2-chloroethoxy)methane	111-91-1	8.8	ND			ND				ND								
2,4-Dichlorophenol	120-83-2	5.2	ND			ND				ND								
1,2,4-Trichlorobenzene	120-82-1	9.4	ND			ND				82.02	100.00	82.02	86.80	100.00	86.80			
Naphthalene	91-20-3	8.5	ND			ND				ND								
4-Chloroaniline	106-47-8	8.5	ND			ND				ND								
Hexachlorobutadiene	87-68-3	9.4	ND			ND				ND								
4-Chloro-3-methylphenol	59-50-7	7.7	ND			ND				ND								
2-Methylnaphthalene	91-57-6	7.5	ND			ND				170.70	150.00	113.80	170.82	150.00	113.88			
Hexachlorocyclopentadiene	77-47-4	8.6	ND			ND				ND								
2,4,5-Trichlorophenol	88-06-2	9.1	ND			ND				ND								
2-Chloronaphthalene	95-95-4	7.1	ND			ND				ND								
2-Nitroaniline	91-58-7	5.7	ND			ND				ND								
Dimethylphthalate	88-74-4	12.0	ND			ND				ND								
Acenaphthylene	131-11-3	8.2	ND			ND				ND								
2,6-Dinitrotoluene	208-96-8	9.0	ND			ND				ND								
3-Nitroaniline	606-20-2	9.2	ND			ND				ND								
Acenaphthene	83-32-9	8.3	ND			ND				ND								
2,4-Dinitrophenol	51-28-5	14.2	ND			ND				111.47	100.00	111.47	114.86	100.00	114.86			
4-Nitrophenol	100-02-7	8.6	ND			ND				ND								
Dibenzofuran	132-64-9	8.3	ND			ND				224.77	150.00	149.85	227.43	150.00	151.62			
2,4-Dinitrotoluene	121-14-2	8.4	ND			ND				ND								
Diethylphthalate	84-66-2	9.9	ND			ND				115.75	100.00	115.75	118.16	100.00	118.16			
Fluorene	86-73-7	8.8	ND			ND				ND								
4-Chlorophenyl-phenylether	7005-72-3	8.3	ND			ND				ND								
4-Nitroaniline	100-01-6	8.7	ND			ND				ND								
4,6-Dinitro-2-methylphenol	534-52-1	12.2	ND			ND				ND								

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules Location: MW-4 Collection: 6/24/98 12:15 BATCO Sample Type: Water
 File #: BT46088 Extraction: 6/25/98 8:30 JMR Analysis Method: 3510b
 Analysis: 6/28/98 14:04 JMR Date: Time: Analyst: Analysis Method: 8270

Compound Name	CAS Number	MDL ug/L (ppb)	BT46088			BLANK			Matrix Spike			Matrix Spike Duplicate		
			Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ng/L in the extract	Spiked Amount ug	% Recovery	Detected Amount ng/L in the extract	Spiked Amount ug	% Recovery
N-Nitrosodiphenylamine	86-30-6	7.5	ND			ND			ND			ND		
4-Bromophenylphenylether	101-55-3	7.0	ND			ND			ND			ND		
Hexachlorobenzene	118-74-1	8.0	ND			ND			ND			ND		
Pentachlorophenol	87-86-5	12.5	ND			ND			186.46	150.00	124.31	193.70	150.00	129.13
Phenanthrene	85-01-8	7.1	ND			ND			ND			ND		
Anthracene	120-12-7	8.0	ND			ND			ND			ND		
Di-n-butylphthalate	84-74-2	7.8	ND			ND			ND			ND		
Fluoranthene	206-44-0	5.7	ND			ND			ND			ND		
Pyrene	129-00-0	7.9	ND			ND			101.73	100.00	101.73	100.60	100.00	100.60
Butylbenzylphthalate	85-68-7	9.9	ND			ND			ND			ND		
Benzofluoranthene	58-55-3	7.7	ND			ND			ND			ND		
3,3-Dichlorobenzidene	91-94-1	16.5	ND			ND			ND			ND		
Chrysene	218-01-9	7.8	ND			ND			ND			ND		
Bis(2-ethylhexyl)phthalate	117-81-7	9.1	ND			ND			ND			ND		
Di-n-octylphthalate	117-84-0	9.4	ND			ND			ND			ND		
Benzofluoranthene	205-98-2	6.8	ND			ND			ND			ND		
Benzofluoranthene	207-08-9	4.9	ND			ND			ND			ND		
Benzofluoranthene	50-32-8	5.9	ND			ND			ND			ND		
Indenol(1,2,3-c,d)pyrene	193-39-5	7.8	ND			ND			ND			ND		
Dibenzofluoranthene	53-70-3	9.0	ND			ND			ND			ND		
Benzofluoranthene	191-24-2	10.0	ND			ND			ND			ND		
Surrogate Compounds														
2-Fluorophenol			Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ng/L in the extract	Spiked Amount ug	% Recovery	Detected Amount ng/L in the extract	Spiked Amount ug	% Recovery
Phenol-d5			141.62	200.00	70.81	72.10	200.00	36.05	74.88	200.00	37.44	78.15	200.00	39.08
Nitrobenzene-d5			72.49	200.00	36.25	48.58	200.00	24.29	50.36	200.00	25.18	51.24	200.00	25.62
2-Fluorobiphenyl			128.24	100.00	69.95	69.95	100.00	66.90	66.90	100.00	66.90	69.42	100.00	69.42
2,4,6-Tribromophenol			168.20	100.00	168.20	69.13	100.00	67.11	67.11	100.00	67.11	69.83	100.00	69.83
Terphenyl-d14			241.27	200.00	120.64	210.83	200.00	105.42	192.37	200.00	96.19	197.79	200.00	98.90
			193.89	100.00	193.89	103.87	100.00	103.87	76.69	100.00	76.69	77.00	100.00	77.00

* - Results Outside of QA Limits due to matrix interference

Certified by: 
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: MW-5
 File #: BT48087

Collected: 6/24/98 10:30 BATCO
 Extracted: 6/25/98 8:30 JMR
 Analyzed: 6/28/98 14:58 JMR
 Date Analyst

Sample Type: Water
 Extraction Method: 3510b
 Analysis Method: 8270

Compound Name	CAS Number	MDL (ppb)	BT48087			BLANK			Matrix Spike			Matrix Spike Duplicate		
			Detected Amount (ug/L)	Spike Amount (ug)	% Recovery	Detected Amount (ug/L)	Spike Amount (ug)	% Recovery	Detected Amount (ng/L)	Spike Amount (ug)	% Recovery	Detected Amount (ng/L)	Spike Amount (ug)	% Recovery
Phenol	108-95-2	5.2	ND			ND			122.13	150.00	81.42	127.81	150.00	85.21
Bis(2-chloroethyl) ether	111-44-4	6.9	ND			ND			ND	150.00	73.17	119.32	150.00	79.55
2-Chlorophenol	95-57-8	5.7	ND			109.75			ND	100.00	66.56	73.80	100.00	73.80
1,3-Dichlorobenzene	541-73-1	8.3	ND			66.56			ND	100.00	66.56	73.80	100.00	73.80
1,4-Dichlorobenzene	106-46-7	6.1	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
Benzyl Alcohol	100-51-6	14.8	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
1,2-Dichlorobenzene	95-50-1	6.0	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
2-Methylphenol	95-48-7	5.6	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
Bis(2-chloroisopropyl) ether	108-60-1	8.8	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
4-Methylphenol	106-44-5	8.7	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
Hexachloroethane	67-72-1	8.0	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
N-Nitroso-di-N-propylamine	621-64-7	9.7	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
Nitrobenzene	98-95-3	8.2	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
Isophorone	78-59-1	9.2	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
2,4-Dimethylphenol	105-67-9	6.0	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
Benzoic Acid	88-75-5	9.1	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
Bis(2-chloroethoxy)methane	65-85-0	22.3	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
2,4-Dichlorophenol	111-91-1	8.8	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
1,2,4-Trichlorobenzene	120-83-2	5.2	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
Naphthalene	120-82-1	9.4	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
4-Chloroaniline	91-20-3	8.5	ND			82.02			ND	100.00	82.02	86.80	100.00	86.80
Hexachlorobutadiene	106-47-8	8.5	ND			ND			ND	100.00	82.02	86.80	100.00	86.80
4-Chloro-3-methylphenol	87-68-3	9.4	ND			ND			ND	100.00	82.02	86.80	100.00	86.80
2-Methylnaphthalene	59-50-7	7.7	ND			ND			ND	100.00	82.02	86.80	100.00	86.80
Hexachlorocyclopentadiene	91-57-6	7.5	ND			170.70			170.70	150.00	113.80	170.82	150.00	113.88
2,4,5-Trichlorophenol	77-47-4	8.6	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
2-Chloronaphthalene	86-06-2	9.1	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
2-Nitroaniline	95-95-4	7.1	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
Dimethylphthalate	91-58-7	5.7	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
Acenaphthylene	88-74-4	12.0	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
2,6-Dinitrotoluene	131-11-3	8.2	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
Acenaphthene	208-96-8	9.0	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
3-Nitroaniline	608-20-2	9.2	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
2,4-Dinitrophenol	98-09-2	16.0	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
4-Nitrophenol	83-32-9	8.3	ND			111.47			111.47	100.00	111.47	114.86	100.00	114.86
Dibenzofuran	51-28-5	14.2	ND			ND			224.77	150.00	149.85	227.43	150.00	151.62
Diethylphthalate	100-02-7	8.6	ND			ND			ND	150.00	149.85	227.43	150.00	151.62
Fluorene	132-84-9	8.4	ND			115.75			115.75	100.00	115.75	118.16	100.00	118.16
4-Chlorophenyl-phenylether	121-14-2	8.3	ND			ND			ND	100.00	115.75	118.16	100.00	118.16
4-Nitroaniline	86-73-7	9.9	ND			ND			ND	100.00	115.75	118.16	100.00	118.16
4,6-Dinitro-2-methylphenol	7005-72-3	8.3	ND			ND			ND	100.00	115.75	118.16	100.00	118.16
	534-52-1	12.2	ND			ND			ND	100.00	115.75	118.16	100.00	118.16


BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: MW-5
 File #: BT46087

Collection: 6/24/98 10:30 BATCO
 Extraction: 6/25/98 8:30 JMR
 Analysis: 6/28/98 14:58 JMR
 Date Analyst

Sample Type: Water
 Extraction Method: 3510B
 Analysis Method: 8270

Compound Name	CAS Number	MDL ug/L (ppb)	BT46087			BLANK			Matrix Spike			Matrix Spike Duplicate		
			Detected Amount ug/L (ppb)	Spike Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spike Amount ug	% Recovery	Detected Amount ng/L in the extract	Spike Amount ug	% Recovery	Detected Amount ng/L in the extract	Spike Amount ug	% Recovery
N-Nitrosodiphenylamine	86-30-6	7.5	ND			ND			ND			ND		
4-Bromophenyl-phenylether	101-55-3	7.0	ND			ND			ND			ND		
Hexachlorobenzene	118-74-1	8.0	ND			ND			ND			ND		
Pentachlorophenol	87-86-6	12.5	ND			ND			186.46	150.00	124.31	193.70	150.00	129.13
Phenanthrene	85-01-8	7.1	ND			ND			ND			ND		
Anthracene	120-12-7	8.0	ND			ND			ND			ND		
Di-n-butylphthalate	84-74-2	7.8	ND			ND			ND			ND		
Fluoranthene	208-44-0	5.7	ND			ND			ND			ND		
Pyrene	129-00-0	7.9	ND			ND			101.73	100.00	101.73	100.60	100.00	100.60
Butybenzylphthalate	85-68-7	9.9	ND			ND			ND			ND		
Benzofluoranthene	56-55-3	7.7	ND			ND			ND			ND		
3,3'-Dichlorobenzidene	91-84-1	16.5	ND			ND			ND			ND		
Chrysene	218-01-9	7.8	ND			ND			ND			ND		
Bis(2-ethylhexyl)phthalate	117-81-7	9.1	ND			ND			ND			ND		
Di-n-octylphthalate	117-84-0	9.4	ND			ND			ND			ND		
Benzofluoranthene	205-99-2	6.8	ND			ND			ND			ND		
Benzofluoranthene	207-08-9	4.9	ND			ND			ND			ND		
Benzofluoranthene	50-32-8	5.9	ND			ND			ND			ND		
Indeno(1,2,3-cd)pyrene	193-39-5	7.8	ND			ND			ND			ND		
Dibenzofluoranthene	53-70-3	9.0	ND			ND			ND			ND		
Benzofluoranthene	191-24-2	10.0	ND			ND			ND			ND		
Surrogate Compounds														
2-Fluorophenol			Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery
Phenol-d5			182.38	200.00	91.19	72.10	200.00	36.05	74.88	200.00	37.44	78.15	200.00	39.08
Nitrobenzene-d5			89.25	200.00	44.63	48.58	200.00	24.29	50.36	200.00	25.18	51.24	200.00	25.62
2-Fluorobiphenyl			109.88	100.00	109.88	69.95	100.00	69.95	68.90	100.00	66.90	69.42	100.00	69.42
2,4,6-Tribromophenol			87.67	100.00	87.67	69.13	100.00	69.13	67.11	100.00	67.11	69.83	100.00	69.83
Terphenyl-d14			202.15	200.00	101.08	210.83	200.00	105.42	192.37	200.00	96.19	197.79	200.00	98.90
			99.71	100.00	99.71	103.87	100.00	103.87	78.89	100.00	76.69	77.00	100.00	77.00

Certified by: 
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: TRIP BLANK
 File #: BT46089

Collected: 6/24/98 NA
 Extracted: 6/25/98 11:15
 Analyzed: 6/28/98 12:50
 Date Time Analyst

Sample Type: Water
 Extraction Method: 3510b
 Analysis Method: 8270

Compound Name	CAS Number	MDL ug/L (ppb)	BT46089			BLANK			Matrix Spike			Matrix Spike Duplicate		
			Detected Amount ug/L (ppb)	Spike		Detected Amount ug/L (ppb)	Spike		Detected Amount ng/ul in the extract	Spike		Detected Amount ng/ul in the extract	Spike	
				Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery
Phenol	108-95-2	5.2	ND		ND			122.13	150.00	81.42	127.81	150.00	85.21	
Bis(2-chloroethyl)ether	111-44-4	6.9	ND		ND		ND	109.75	150.00	73.17	119.32	150.00	79.55	
2-Chlorophenol	95-57-8	5.7	ND		ND		ND	ND	100.00	68.56	ND	100.00	73.80	
1,3-Dichlorobenzene	541-73-1	8.3	ND		ND		66.56	100.00	68.56	ND	ND	100.00	73.80	
1,4-Dichlorobenzene	108-46-7	6.1	ND		ND		ND	100.00	68.56	ND	ND	100.00	73.80	
Benzyl Alcohol	100-51-6	14.8	ND		ND		ND	100.00	68.56	ND	ND	100.00	73.80	
1,2-Dichlorobenzene	95-50-1	6.0	ND		ND		ND	100.00	68.56	ND	ND	100.00	73.80	
2-Methylphenol	95-48-7	5.6	ND		ND		ND	100.00	68.56	ND	ND	100.00	73.80	
Bis(2-chloroisopropyl)ether	108-60-1	8.8	ND		ND		ND	100.00	68.56	ND	ND	100.00	73.80	
4-Methylphenol	108-44-5	8.7	ND		ND		ND	100.00	68.56	ND	ND	100.00	73.80	
Hexachloroethane	67-72-1	8.0	ND		ND		ND	100.00	68.56	ND	ND	100.00	73.80	
N-Nitroso-di-N-propylamine	621-64-7	9.7	ND		ND		93.77	100.00	93.77	100.73	100.73	100.00	100.73	
Nitrobenzene	98-95-3	8.2	ND		ND		ND	100.00	93.77	100.73	100.73	100.00	100.73	
Isophorone	78-59-1	9.2	ND		ND		ND	100.00	93.77	100.73	100.73	100.00	100.73	
2,4-Dimethylphenol	105-67-9	8.0	ND		ND		ND	100.00	93.77	100.73	100.73	100.00	100.73	
2-Nitrophenol	88-75-5	9.1	ND		ND		ND	100.00	93.77	100.73	100.73	100.00	100.73	
Benzoic Acid	65-85-0	22.3	ND		ND		ND	100.00	93.77	100.73	100.73	100.00	100.73	
Bis(2-chloroethoxy)methane	111-91-1	8.8	ND		ND		ND	100.00	93.77	100.73	100.73	100.00	100.73	
2,4-Dichlorophenol	120-83-2	5.2	ND		ND		82.02	100.00	82.02	86.80	100.00	100.00	86.80	
1,2,4-Trichlorobenzene	120-82-1	9.4	ND		ND		ND	100.00	82.02	86.80	100.00	100.00	86.80	
Naphthalene	91-20-3	8.5	ND		ND		ND	100.00	82.02	86.80	100.00	100.00	86.80	
4-Chloroaniline	108-47-8	8.5	ND		ND		ND	100.00	82.02	86.80	100.00	100.00	86.80	
Hexachlorobutadiene	87-68-3	9.4	ND		ND		ND	100.00	82.02	86.80	100.00	100.00	86.80	
4-Chloro-3-methylphenol	59-50-7	7.7	ND		ND		170.70	150.00	113.80	170.82	150.00	113.88		
2-Methylnaphthalene	91-57-6	7.5	ND		ND		ND	150.00	113.80	170.82	150.00	113.88		
Hexachlorocyclopentadiene	77-47-4	8.6	ND		ND		ND	150.00	113.80	170.82	150.00	113.88		
2,4,8-Trichlorophenol	88-06-2	9.1	ND		ND		ND	150.00	113.80	170.82	150.00	113.88		
2,4,5-Trichlorophenol	95-95-4	7.1	ND		ND		ND	150.00	113.80	170.82	150.00	113.88		
2-Chloronaphthalene	91-58-7	5.7	ND		ND		ND	150.00	113.80	170.82	150.00	113.88		
2-Nitroaniline	88-74-4	12.0	ND		ND		ND	150.00	113.80	170.82	150.00	113.88		
Dimethylphthalate	131-11-3	8.2	ND		ND		ND	150.00	113.80	170.82	150.00	113.88		
Acenaphthylene	208-96-8	9.0	ND		ND		ND	150.00	113.80	170.82	150.00	113.88		
2,6-Dinitrotoluene	608-20-2	9.2	ND		ND		ND	150.00	113.80	170.82	150.00	113.88		
3-Nitroaniline	99-09-2	16.0	ND		ND		ND	150.00	113.80	170.82	150.00	113.88		
Acenaphthene	83-32-9	8.3	ND		ND		111.47	100.00	111.47	114.86	100.00	114.86		
2,4-Dinitrophenol	51-28-5	14.2	ND		ND		ND	100.00	111.47	114.86	100.00	114.86		
4-Nitrophenol	100-02-7	8.6	ND		ND		224.77	150.00	149.85	227.43	150.00	151.62		
Dibenzofuran	132-64-9	8.4	ND		ND		ND	150.00	149.85	227.43	150.00	151.62		
2,4-Dinitrotoluene	121-14-2	8.3	ND		ND		115.75	100.00	115.75	118.16	100.00	118.16		
Diethylphthalate	84-86-2	9.9	ND		ND		ND	100.00	115.75	118.16	100.00	118.16		
Fluorene	86-73-7	9.8	ND		ND		ND	100.00	115.75	118.16	100.00	118.16		
4-Chlorophenyl-phenylether	7005-72-3	8.3	ND		ND		ND	100.00	115.75	118.16	100.00	118.16		
4-Nitroaniline	100-01-6	8.7	ND		ND		ND	100.00	115.75	118.16	100.00	118.16		
4,6-Dinitro-2-methylphenol	534-52-1	12.2	ND		ND		ND	100.00	115.75	118.16	100.00	118.16		


BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: TRIP BLANK
 File #: 8148089

Collection: 6/24/98 NA BATCO
 Extraction: 6/25/98 11:15 JMR
 Analysis: 6/28/98 12:50 JMR
 Date _____ Time _____ Analyst _____

Sample Type: Water
 Extraction Method: 3510b
 Analysis Method: 8270

Compound Name	CAS Number	MDL ug/L (ppb)	8148089			BLANK			Matrix Spike			Matrix Spike Duplicate		
			Detected Amount ug/L (ppb)	Spike Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spike Amount ug	% Recovery	Detected Amount ng/ul in the extract	Spike Amount ug	% Recovery	Detected Amount ng/ul in the extract	Spike Amount ug	% Recovery
N-Nitrosodiphenylamine	86-30-6	7.5	ND			ND			ND			ND		
4-Bromophenyl-phenylether	101-55-3	7.0	ND			ND			ND			ND		
Hexachlorobenzene	118-74-1	8.0	ND			ND			ND			ND		
Pentachlorophenol	87-86-5	12.5	ND			ND			186.46	150.00	124.31	193.70	150.00	129.13
Phenanthrene	85-01-8	7.1	ND			ND			ND			ND		
Anthracene	120-12-7	8.0	ND			ND			ND			ND		
D-n-butylphthalate	84-74-2	7.8	ND			ND			ND			ND		
Fluoranthene	206-44-0	5.7	ND			ND			ND			ND		
Pyrene	129-00-0	7.9	ND			ND			101.73	100.00	101.73	100.60	100.00	100.60
Butybenzylphthalate	85-68-7	9.9	ND			ND			ND			ND		
Benzofluoranthene	56-55-3	7.7	ND			ND			ND			ND		
3,3-Dichlorobenzidene	91-94-1	16.5	ND			ND			ND			ND		
Chrysene	218-01-9	7.8	ND			ND			ND			ND		
Bis(2-ethylhexyl)phthalate	117-81-7	9.1	ND			ND			ND			ND		
D-n-octylphthalate	117-84-0	9.4	ND			ND			ND			ND		
Benzofluoranthene	205-99-2	6.8	ND			ND			ND			ND		
Benzofluoranthene	207-08-9	4.9	ND			ND			ND			ND		
Benzofluoranthene	50-32-8	5.9	ND			ND			ND			ND		
Indenol(1,2,3-c,d)pyrene	193-39-5	7.8	ND			ND			ND			ND		
Dibenzofluoranthene	53-70-3	9.0	ND			ND			ND			ND		
Benzofluoranthene	191-24-2	10.0	ND			ND			ND			ND		
Surrogate Compounds														
2-Fluorophenol			78.12	200.00	39.06	72.10	200.00	36.05	74.88	200.00	37.44	78.15	200.00	39.08
Phenol-d5			54.96	200.00	27.48	48.58	200.00	24.29	50.36	200.00	25.18	51.24	200.00	25.62
Nitrobenzene-d5			50.67	100.00	50.67	69.95	100.00	69.95	66.90	100.00	66.90	69.42	100.00	69.42
2-Fluorobiphenyl			65.57	100.00	65.57	69.13	100.00	69.13	67.11	100.00	67.11	69.83	100.00	69.83
2,4,6-Tribromophenol			172.03	200.00	86.02	210.83	200.00	105.42	192.37	200.00	96.19	197.79	200.00	98.90
Terphenyl-114			98.42	100.00	98.42	103.87	100.00	103.87	76.69	100.00	76.69	77.00	100.00	77.00

Certified by: 
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: EQUIPMENT BLANK
 File #: B146090

Collected: 6/25/98 8:00AM BATCO
 Extracted: 8/25/98 11:15 JMR
 Analyzed: 6/25/98 22:49 JMR
 Date _____ Time _____ Analyst _____

Sample Type: Water
 Extraction Method: 3510b
 Analysis Method: 8270

Compound Name	CAS Number	MDL ug/L (ppb)	B146090			BLANK			Matrix Spike			Matrix Spike Duplicate		
			Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ng/L in the extract	Amount ug	% Recovery	Detected Amount ng/L in the extract	Amount ug	% Recovery
Phenol	108-95-2	5.2	ND			ND			122.13	150.00	81.42	127.81	150.00	85.21
Bis(2-chloroethyl)ether	111-44-4	8.9	ND			ND			ND	150.00	73.17	ND	150.00	79.55
2-Chlorophenol	95-57-8	5.7	ND			109.75			ND	150.00	73.17	119.32	150.00	79.55
1,3-Dichlorobenzene	541-73-1	8.3	ND			ND			66.58	100.00	66.56	73.80	100.00	73.80
1,4-Dichlorobenzene	108-48-7	8.1	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
Benzyl Alcohol	100-51-8	14.8	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
1,2-Dichlorobenzene	95-50-1	6.0	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
2-Methylphenol	95-48-7	5.6	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
Bis(2-chloroisopropyl)ether	108-60-1	8.8	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
4-Methylphenol	106-44-5	8.7	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
Hexachloroethane	87-72-1	8.0	ND			ND			ND	100.00	66.56	73.80	100.00	73.80
N-Nitroso-di-N-propylamine	821-84-7	9.7	ND			ND			93.77	100.00	93.77	100.73	100.00	100.73
Nitrobenzene	98-95-3	8.2	ND			ND			ND	100.00	93.77	100.73	100.00	100.73
Isophorone	78-59-1	9.2	ND			ND			ND	100.00	93.77	100.73	100.00	100.73
2,4-Dimethylphenol	105-67-9	8.0	ND			ND			ND	100.00	93.77	100.73	100.00	100.73
Benzoic Acid	88-75-5	9.1	ND			ND			ND	100.00	93.77	100.73	100.00	100.73
2-Nitrophenol	65-85-0	22.3	ND			ND			ND	100.00	93.77	100.73	100.00	100.73
Bis(2-chloroethoxy)methane	111-91-1	6.8	ND			ND			ND	100.00	93.77	100.73	100.00	100.73
2,4-Dichlorophenol	120-83-2	5.2	ND			ND			82.02	100.00	82.02	88.80	100.00	86.80
1,2,4-Trichlorobenzene	120-82-1	9.4	ND			ND			ND	100.00	82.02	88.80	100.00	86.80
Naphthalene	91-20-3	8.5	ND			ND			ND	100.00	82.02	88.80	100.00	86.80
4-Chloroaniline	108-47-8	8.5	ND			ND			ND	100.00	82.02	88.80	100.00	86.80
Hexachlorobutadiene	87-88-3	9.4	ND			ND			ND	100.00	82.02	88.80	100.00	86.80
4-Chloro-3-methylphenol	59-50-7	7.7	ND			170.70			170.70	150.00	113.80	170.82	150.00	113.88
2-Methylnaphthalene	91-57-8	7.5	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
Hexachlorocyclopentadiene	77-47-4	8.8	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
2,4,8-Trichlorophenol	88-06-2	9.1	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
2,4,5-Trichlorophenol	95-95-4	7.1	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
2-Chloronaphthalene	91-58-7	5.7	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
2-Nitroaniline	88-74-4	12.0	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
Dimethylphthalate	131-11-3	8.2	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
Acenaphthylene	208-96-8	9.0	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
2,8-Dinitrotoluene	606-20-2	9.2	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
3-Nitroaniline	99-09-2	18.0	ND			ND			ND	150.00	113.80	170.82	150.00	113.88
Acenaphthene	83-32-9	8.3	ND			111.47			111.47	100.00	111.47	114.86	100.00	114.86
2,4-Dinitrophenol	51-28-5	14.2	ND			ND			224.77	150.00	149.85	227.43	150.00	151.62
4-Nitrophenol	100-02-7	8.6	ND			ND			ND	150.00	149.85	227.43	150.00	151.62
Dibenzofuran	132-84-9	8.4	ND			ND			115.75	100.00	115.75	118.16	100.00	118.16
2,4-Dinitrotoluene	121-14-2	8.3	ND			ND			ND	100.00	115.75	118.16	100.00	118.16
Diethylphthalate	84-88-2	9.9	ND			ND			ND	100.00	115.75	118.16	100.00	118.16
Fluorene	88-73-7	9.8	ND			ND			ND	100.00	115.75	118.16	100.00	118.16
4-Chlorophenyl-phenylether	7005-72-3	8.3	ND			ND			ND	100.00	115.75	118.16	100.00	118.16
4-Nitroaniline	100-01-6	8.7	ND			ND			ND	100.00	115.75	118.16	100.00	118.16
4,6-Dinitro-2-methylphenol	534-52-1	12.2	ND			ND			ND	100.00	115.75	118.16	100.00	118.16


BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: EQUIPMENT BLANK
 File #: BT48090

Collection: 6/25/98 8:00AM BATCO
 Extraction: 6/25/98 11:15 JMR
 Analysis: 6/28/98 22:49 JMR
 Date Time Analyst

Sample Type: Water
 Extraction Method: 3510b
 Analysis Method: 8270

Compound Name	CAS Number	MDL ug/L (ppb)	BT48090			BLANK			Matrix Spike			Matrix Spike Duplicate		
			Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ng/L in the extract	Spiked Amount ug	% Recovery	Detected Amount ng/L in the extract	Spiked Amount ug	% Recovery
N-Nitrosodiphenylamine	88-30-8	7.5	ND			ND			ND			ND		
4-Bromophenyl-phenylether	101-55-3	7.0	ND			ND			ND			ND		
Hexachlorobenzene	118-74-1	8.0	ND			ND			ND			ND		
Pentachlorophenol	87-86-5	12.5	ND			ND			186.48	150.00	124.31	193.70	150.00	129.13
Phenanthrene	85-01-8	7.1	ND			ND			ND			ND		
Anthracene	120-12-7	8.0	ND			ND			ND			ND		
Di-n-butylphthalate	84-74-2	7.8	ND			ND			ND			ND		
Fluoranthene	208-44-0	5.7	ND			ND			ND			ND		
Pyrene	129-00-0	7.9	ND			ND			101.73	100.00	101.73	100.60	100.00	100.60
Butylbenzylphthalate	85-68-7	9.9	ND			ND			ND			ND		
Benzofluoranthene	58-55-3	7.7	ND			ND			ND			ND		
3,3'-Dichlorobenzidlene	91-94-1	16.5	ND			ND			ND			ND		
Chrysene	218-01-8	7.8	ND			ND			ND			ND		
Bis(2-ethylhexyl)phthalate	117-81-7	9.1	ND			ND			ND			ND		
Di-n-octylphthalate	117-84-0	9.4	ND			ND			ND			ND		
Benzofluoranthene	205-99-2	8.8	ND			ND			ND			ND		
Benzokjfluoranthene	207-08-9	4.9	ND			ND			ND			ND		
Benzofluoranthene	50-32-8	5.9	ND			ND			ND			ND		
Indeno(1,2,3-c,d)pyrene	193-39-5	7.8	ND			ND			ND			ND		
Dibenzofluoranthene	53-70-3	9.0	ND			ND			ND			ND		
Benzofluoranthene	191-24-2	10.0	ND			ND			ND			ND		
Surrogate Compounds			Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery
2-Fluorophenol			51.85	200.00	25.83	72.10	200.00	36.05	74.88	200.00	37.44	78.15	200.00	39.08
Phenol-d5			37.39	200.00	18.70	48.58	200.00	24.29	50.36	200.00	25.18	51.24	200.00	25.62
Nitrobenzene-d5			35.75	100.00	69.95	69.95	100.00	69.95	66.90	100.00	67.11	69.42	100.00	69.42
2-Fluorobiphenyl			44.42	100.00	44.42	69.13	100.00	69.13	67.11	100.00	67.11	69.83	100.00	69.83
2,4,6-Tribromophenol			135.59	200.00	67.80	210.83	200.00	105.42	192.37	200.00	96.19	197.79	200.00	98.90
Terphenyl-d14			112.18	100.00	112.18	103.87	100.00	103.87	76.89	100.00	76.89	77.00	100.00	77.00

Certified by: 
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: MW #4
 File #: BT46086

Collected: 06/24/98 12:15 BATCO
 Received: 06/26/98 8:00 CMB
 Analyzed: 07/02/98 14:35 CRR
 Date Time Analyst

Sample Type: Water
 Analysis Method: 8260

Compound Name	CAS Number	MDL ug/L (ppb)	SAMPLE			BLANK			MATRIX SPIKE (BT46087)			MATRIX SPIKE DUP (BT46087)									
			Detected Amount ug/L (ppb)	Amount ug	Spike % Recovery	Detected Amount ug/L (ppb)	Amount ug	Spike % Recovery	Detected Amount ug/L (ppb)	Amount ng	Spike % Recovery	Detected Amount ug/L (ppb)	Amount ng	Spike % Recovery							
1,1-Dichloroethane	75-35-4	2.00	ND			ND			ND			ND									
Benzene	71-43-2	2.00	ND			ND			ND			ND			40.0	250.0	80.0	39.6	250.0	79.2	
Trichloroethane	79-01-6	2.50	ND			ND			ND			ND			43.9	250.0	87.8	44.2	250.0	88.4	
Toluene	108-88-3	2.50	ND			ND			ND			ND			45.5	250.0	91.0	45.3	250.0	90.6	
Chlorobenzene	108-90-7	2.00	ND			ND			ND			ND			46.2	250.0	92.4	46.8	250.0	93.6	
Bromobenzene	108-86-1	2.50	ND			ND			ND			ND			50.5	250.0	101.0	51.4	250.0	102.8	
Bromochloromethane	74-97-5	2.00	ND			ND			ND			ND			ND			ND		ND	
Bromodichloromethane	75-27-4	2.00	ND			ND			ND			ND			ND			ND		ND	
Bromoform	75-25-2	2.50	ND			ND			ND			ND			ND			ND		ND	
Bromomethane	74-83-9	1.00	ND			ND			ND			ND			ND			ND		ND	
n-Butylbenzene	104-51-8	1.50	ND			ND			ND			ND			ND			ND		ND	
sec-Butylbenzene	135-98-8	2.50	ND			ND			ND			ND			ND			ND		ND	
tert-Butylbenzene	98-06-6	3.00	ND			ND			ND			ND			ND			ND		ND	
Carbon Tetrachloride	56-23-5	2.00	ND			ND			ND			ND			ND			ND		ND	
Chloroethane	75-00-3	3.00	ND			ND			ND			ND			ND			ND		ND	
Chloroform	66-67-3	2.00	ND			ND			ND			ND			ND			ND		ND	
Chloromethane	74-87-3	3.00	ND			ND			ND			ND			ND			ND		ND	
2-Chlorotoluene	95-49-8	3.00	ND			ND			ND			ND			ND			ND		ND	
4-Chlorotoluene	106-43-4	1.50	ND			ND			ND			ND			ND			ND		ND	
Dibromochloromethane	124-48-1	2.00	ND			ND			ND			ND			ND			ND		ND	
1,2-Dibromo-3-chloropropane	96-12-8	4.00	ND			ND			ND			ND			ND			ND		ND	
1,2-Dibromoethane	106-93-4	2.00	ND			ND			ND			ND			ND			ND		ND	
Dibromomethane	74-95-3	2.50	ND			ND			ND			ND			ND			ND		ND	
1,2-Dichlorobenzene	95-50-1	2.50	ND			ND			ND			ND			ND			ND		ND	
1,3-Dichlorobenzene	541-73-1	2.00	ND			ND			ND			ND			ND			ND		ND	
1,4-Dichlorobenzene	106-46-7	2.00	ND			ND			ND			ND			ND			ND		ND	
Dichlorodifluoromethane	75-71-8	2.00	ND			ND			ND			ND			ND			ND		ND	
1,1-Dichloroethane	75-34-3	2.00	ND			ND			ND			ND			ND			ND		ND	
1,2-Dichloroethane	107-06-2	2.00	ND			ND			ND			ND			ND			ND		ND	
cis-1,2-Dichloroethane	156-59-2	2.50	ND			ND			ND			ND			ND			ND		ND	
trans-1,2-Dichloroethane	156-60-5	2.50	ND			ND			ND			ND			ND			ND		ND	
1,2-Dichloropropane	78-87-5	2.50	ND			ND			ND			ND			ND			ND		ND	
1,3-Dichloropropane	142-28-9	2.50	ND			ND			ND			ND			ND			ND		ND	
2,2-Dichloropropane	594-20-7	2.00	ND			ND			ND			ND			ND			ND		ND	
1,1-Dichloropropene	563-58-6	2.00	ND			ND			ND			ND			ND			ND		ND	
c-1,3-Dichloropropene	10061-01-5	2.00	ND			ND			ND			ND			ND			ND		ND	
t-1,3-Dichloropropene	10061-02-6	2.00	ND			ND			ND			ND			ND			ND		ND	
Ethyl benzene	100-41-4	2.50	ND			ND			ND			ND			ND			ND		ND	
Hexachlorobutadiene	87-68-3	2.00	ND			ND			ND			ND			ND			ND		ND	
Isopropylbenzene	98-82-8	2.50	3.05			ND			ND			ND			ND			ND		ND	
p-Isopropyltoluene	99-87-6	2.00	ND			ND			ND			ND			ND			ND		ND	
Methylvine chloride	75-09-2	2.50	ND			ND			ND			ND			ND			ND		ND	
Naphthalene	91-20-3	3.00	ND			ND			ND			ND			ND			ND		ND	
n-Propylbenzene	103-65-1	1.50	ND			ND			ND			ND			ND			ND		ND	


BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: MW #4
 File #: BT45086

Collected: 06/24/98 12:15 BATCO
 Received: 06/26/98 8:00 CMB
 Analysis: 07/02/98 14:35 CRR
 Date Time Analyst

Sample Type: Water
 Analysis Method: 8260

Compound Name	CAS Number	MDL ug/L (ppb)	SAMPLE			BLANK			MATRIX SPIKE			MATRIX SPIKE DUP		
			Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spiked Amount ng	% Recovery	Detected Amount ug/L (ppb)	Spiked Amount ng	% Recovery
Styrene	100-42-5	2.00	ND			ND			ND			ND		
1,1,1,2-Tetrachloroethane	630-20-6	2.50	ND			ND			ND			ND		
1,1,2,2-Tetrachloroethane	79-34-5	2.50	ND			ND			ND			ND		
Tetrachloroethene	127-18-4	2.00	ND			ND			ND			ND		
1,2,3-Trichlorobenzene	87-61-6	2.00	ND			ND			ND			ND		
1,2,4-Trichlorobenzene	120-82-1	2.50	ND			ND			ND			ND		
1,1,1-Trichloroethane	71-55-6	2.00	ND			ND			ND			ND		
1,1,2-Trichloroethane	79-00-5	2.50	ND			ND			ND			ND		
Trichlorofluoromethane	75-69-4	2.00	ND			ND			ND			ND		
1,2,3-Trichloropropane	96-18-4	1.50	ND			ND			ND			ND		
1,2,4-Trichlorobenzene	95-63-6	2.00	ND			ND			ND			ND		
1,3,5-Trimethylbenzene	108-67-8	3.00	ND			ND			ND			ND		
Vinyl chloride	75-01-4	2.50	ND			ND			ND			ND		
Xylenes (total)	1330-20-7	4.00	ND			ND			ND			ND		
Surrogate Compounds														
Dibromofluoromethane	1868-53-7		47.4	250.0	94.8	49.6	250.0	99.2	45.9	250.0	91.8	47.8	250.0	95.6
Toluene-d8	2037-26-5		49.0	250.0	98.0	51.0	250.0	102.0	48.7	250.0	97.4	48.9	250.0	97.8
4-Bromofluorobenzene	460-00-4		47.8	250.0	95.6	48.0	250.0	96.0	49.0	250.0	98.0	47.2	250.0	94.4

Certified by: 
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY

VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Client : Hercules

File # : BT46086

Sample Matrix : Water

Lab Sample ID : MW-4

Sample Collection Date : 06/24/98

Sample Analysis Date : 07/02/98

GC Column Length : 105 M

Dilution Factor : 1

GC Column ID : 0.53 mm

Sample Weight/ Volume : 5.0 (g/mL) mL

Method Code: 8260

Number TICs Found : 0*

Concentration Units : ug / L (PPB)

CAS NUMBER	COMPOUND NAME	RT	EST. CONCENTRATION

* Only SW 846 Method 8260 analytes listed as TICs.

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: MW #5
 File #: BT46087

Collected: 06/24/98 10:30 BATCO
 Received: 06/26/98 8:00 CMB
 Analyzed: 07/02/98 17:05 CRR
 Date Time Analyst

Sample Type: Water
 Analysis Method: 8260

Compound Name	CAS Number	MDL ug/L (ppb)	SAMPLE			BLANK			MATRIX SPIKE (BT46087)			MATRIX SPIKE DUP (BT46087)		
			Detected Amount ug/L (ppb)	Amount ug	Spike % Recovery	Detected Amount ug/L (ppb)	Amount ug	Spike % Recovery	Detected Amount ug/L (ppb)	Amount ng	Spike % Recovery	Detected Amount ug/L (ppb)	Amount ng	Spike % Recovery
1,1-Dichloroethane	75-35-4	2.00	ND			ND			40.0	250.0	80.0	39.6	250.0	79.2
Benzene	71-43-2	2.00	ND			ND			43.9	250.0	87.8	44.2	250.0	88.4
Trichloroethane	79-01-6	2.50	ND			ND			45.5	250.0	91.0	45.3	250.0	90.6
Toluene	108-88-3	2.50	ND			ND			46.2	250.0	92.4	46.8	250.0	93.6
Chlorobenzene	108-90-7	2.00	ND			ND			50.5	250.0	101.0	51.4	250.0	102.8
Bromobenzene	108-86-1	2.50	ND			ND			ND			ND		
Bromochloromethane	74-97-5	2.00	ND			ND			ND			ND		
Bromodichloromethane	75-27-4	2.00	ND			ND			ND			ND		
Bromoform	75-25-2	2.50	ND			ND			ND			ND		
Bromomethane	74-83-9	1.00	ND			ND			ND			ND		
n-Butylbenzene	104-51-8	1.50	ND			ND			ND			ND		
sec-Butylbenzene	135-98-8	2.50	ND			ND			ND			ND		
tert-Butylbenzene	98-06-6	3.00	ND			ND			ND			ND		
Carbon Tetrachloride	56-23-5	2.00	ND			ND			ND			ND		
Chloroethane	75-00-3	3.00	ND			ND			ND			ND		
Chloroform	66-67-3	2.00	ND			ND			ND			ND		
Chloromethane	74-87-3	3.00	ND			ND			ND			ND		
2-Chlorotoluene	95-49-8	3.00	ND			ND			ND			ND		
4-Chlorotoluene	106-43-4	1.50	ND			ND			ND			ND		
Dibromochloromethane	124-48-1	2.00	ND			ND			ND			ND		
1,2-Dibromo-3-chloropropane	96-12-8	4.00	ND			ND			ND			ND		
1,2-Dibromoethane	106-93-4	2.00	ND			ND			ND			ND		
Dibromomethane	74-95-3	2.50	ND			ND			ND			ND		
1,2-Dichlorobenzene	95-50-1	2.50	ND			ND			ND			ND		
1,3-Dichlorobenzene	541-73-1	2.00	ND			ND			ND			ND		
1,4-Dichlorobenzene	106-46-7	2.00	ND			ND			ND			ND		
Dichlorodifluoromethane	75-71-8	2.00	ND			ND			ND			ND		
1,1-Dichloroethane	75-34-3	2.00	ND			ND			ND			ND		
1,2-Dichloroethane	107-06-2	2.00	ND			ND			ND			ND		
cis-1,2-Dichloroethane	156-59-2	2.50	ND			ND			ND			ND		
trans-1,2-Dichloroethane	156-60-5	2.50	ND			ND			ND			ND		
1,2-Dichloropropane	78-87-5	2.50	ND			ND			ND			ND		
1,3-Dichloropropane	142-28-9	2.50	ND			ND			ND			ND		
2,2-Dichloropropane	594-20-7	2.00	ND			ND			ND			ND		
1,1-Dichloropropane	563-58-6	2.00	ND			ND			ND			ND		
c-1,3-Dichloropropene	10061-01-5	2.00	ND			ND			ND			ND		
t-1,3-Dichloropropene	10061-02-6	2.00	ND			ND			ND			ND		
Ethyl benzene	100-41-4	2.50	ND			ND			ND			ND		
Hexachlorobutadiene	87-68-3	2.00	ND			ND			ND			ND		
Isopropylbenzene	98-82-8	2.50	ND			ND			ND			ND		
p-Isopropyltoluene	99-87-6	2.00	ND			ND			ND			ND		
Methylene chloride	75-09-2	2.50	ND			ND			ND			ND		
Naphthalene	91-20-3	3.00	ND			ND			ND			ND		
n-Propylbenzene	103-65-1	1.50	ND			ND			ND			ND		

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: MWV #5
 File #: BT46087

Collected: 06/24/98 10:30 BATCO
 Received: 06/26/98 8:00 CMB
 Analysis: 07/02/98 17:05 CRR
 Date Time Analyst

Sample Type: Water
 Analysis Method: 8260

Compound Name	CAS Number	MDL (ug/L (ppb))	SAMPLE			BLANK			MATRIX SPIKE			MATRIX SPIKE DUP		
			Detected Amount (ug/L (ppb))	Spike Amount (ug)	Recovery %	Detected Amount (ug/L (ppb))	Spike Amount (ug)	Recovery %	Detected Amount (ug/L (ppb))	Spike Amount (ng)	Recovery %	Detected Amount (ug/L (ppb))	Spike Amount (ng)	Recovery %
Styrene	100-42-5	2.00	ND			ND			ND			ND		
1,1,1,2-Tetrachloroethane	630-20-6	2.50	ND			ND			ND			ND		
1,1,2,2-Tetrachloroethane	79-34-5	2.50	ND			ND			ND			ND		
Tetrachloroethene	127-18-4	2.00	ND			ND			ND			ND		
1,2,3-Trichlorobenzene	87-61-6	2.00	ND			ND			ND			ND		
1,2,4-Trichlorobenzene	120-82-1	2.50	ND			ND			ND			ND		
1,1,1-Trichloroethane	71-55-6	2.00	ND			ND			ND			ND		
1,1,2-Trichloroethane	79-00-5	2.50	ND			ND			ND			ND		
Trichlorofluoromethane	75-69-4	2.00	ND			ND			ND			ND		
1,2,3-Trichloropropane	96-18-4	1.50	ND			ND			ND			ND		
1,2,4-Trichloropropane	95-63-6	2.00	ND			ND			ND			ND		
1,3,5-Trimethylbenzene	108-67-8	3.00	ND			ND			ND			ND		
Vinyl chloride	75-01-4	2.50	ND			ND			ND			ND		
Xylenes (total)	1330-20-7	4.00	ND			ND			ND			ND		
Surrogate Compounds			Detected Amount	Spike Amount	Recovery %	Detected Amount	Spike Amount	Recovery %	Detected Amount	Spike Amount	Recovery %	Detected Amount	Spike Amount	Recovery %
Dibromofluoromethane	1868-53-7		48.5	250.0	97.0	49.6	250.0	99.2	45.9	250.0	91.8	47.8	250.0	95.6
Toluene-d8	2037-26-5		50.2	250.0	100.4	51.0	250.0	102.0	48.7	250.0	97.4	48.9	250.0	97.8
4-Bromofluorobenzene	460-00-4		46.8	250.0	93.6	48.0	250.0	96.0	49.0	250.0	98.0	47.2	250.0	94.4

Certified by:

Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Client : Hercules

File # : BT46087

Sample Matrix : Water

Lab Sample ID : MW-5

Sample Collection Date : 06/24/98

Sample Analysis Date : 07/02/98

GC Column Length : 105 M

Dilution Factor : 1

GC Column ID : 0.53 mm

Sample Weight/ Volume : 5.0 (g/mL) mL

Method Code: 8260

Number TICs Found : 1*

Concentration Units : ug / L (PPB)

CAS NUMBER	COMPOUND NAME	RT	EST. CONCENTRATION
78-93-3	Acetone	8.83	34.9

* Only SW 846 Method 8260 analytes listed as TICs.

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: Trip Blank
 File #: BT46089

Collected: 06/24/98
 Received: 06/26/98
 Analyzed: 07/03/98
 Date: 8:00
 Time: 18:45
 Analyst: CMB
 CRR

Sample Type: Water
 Analysis Method: 8260

Compound Name	CAS Number	MDL ug/L (ppb)	SAMPLE			BLANK			MATRIX SPIKE (BT46087)			MATRIX SPIKE DUP (BT46087)		
			Detected Amount ug/L (ppb)	Amount ug	Spike % Recovery	Detected Amount ug/L (ppb)	Amount ug	Spike % Recovery	Detected Amount ug/L (ppb)	Amount ng	Spike % Recovery	Detected Amount ug/L (ppb)	Amount ng	Spike % Recovery
1,1-Dichloroethene	75-35-4	2.00	ND			ND			40.0	250.0	80.0	39.6	250.0	79.2
Benzene	71-43-2	2.00	ND			ND			43.9	250.0	87.8	44.2	250.0	88.4
Trichloroethene	79-01-6	2.50	ND			ND			45.5	250.0	91.0	45.3	250.0	90.6
Toluene	108-88-3	2.50	ND			ND			46.2	250.0	92.4	46.8	250.0	93.6
Chlorobenzene	108-90-7	2.00	ND			ND			50.5	250.0	101.0	51.4	250.0	102.8
Bromobenzene	108-86-1	2.50	ND			ND			ND			ND		
Bromochloromethane	74-97-5	2.00	ND			ND			ND			ND		
Bromodichloromethane	75-27-4	2.00	ND			ND			ND			ND		
Bromotrichloromethane	75-25-2	2.50	ND			ND			ND			ND		
Biomethane	74-83-9	1.00	ND			ND			ND			ND		
n-Butylbenzene	104-51-8	1.50	ND			ND			ND			ND		
sec-Butylbenzene	135-98-8	2.50	ND			ND			ND			ND		
tert-Butylbenzene	98-06-6	3.00	ND			ND			ND			ND		
Carbon Tetrachloride	56-23-5	2.00	ND			ND			ND			ND		
Chloroethane	75-00-3	3.00	ND			ND			ND			ND		
Chloroform	66-67-3	2.00	ND			ND			ND			ND		
Chloromethane	74-87-3	3.00	ND			ND			ND			ND		
2-Chlorotoluene	95-49-8	3.00	ND			ND			ND			ND		
4-Chlorotoluene	106-43-4	1.50	ND			ND			ND			ND		
Dibromochloromethane	124-48-1	2.00	ND			ND			ND			ND		
1,2-Dibromo-3-chloropropane	96-12-8	4.00	ND			ND			ND			ND		
1,2-Dibromoethane	106-93-4	2.00	ND			ND			ND			ND		
Dibromomethane	74-95-3	2.50	ND			ND			ND			ND		
1,2-Dichlorobenzene	95-50-1	2.50	ND			ND			ND			ND		
1,3-Dichlorobenzene	541-73-1	2.00	ND			ND			ND			ND		
1,4-Dichlorobenzene	106-46-7	2.00	ND			ND			ND			ND		
Dichlorodifluoromethane	75-71-8	2.00	ND			ND			ND			ND		
1,1-Dichloroethane	75-34-3	2.00	ND			ND			ND			ND		
1,2-Dichloroethane	107-06-2	2.00	ND			ND			ND			ND		
cis-1,2-Dichloroethane	156-59-2	2.50	ND			ND			ND			ND		
trans-1,2-Dichloroethane	156-60-5	2.50	ND			ND			ND			ND		
1,2-Dichloropropane	78-87-5	2.50	ND			ND			ND			ND		
1,3-Dichloropropane	142-28-9	2.50	ND			ND			ND			ND		
2,2-Dichloropropane	594-20-7	2.00	ND			ND			ND			ND		
1,1-Dichloropropene	563-58-6	2.00	ND			ND			ND			ND		
c-1,3-Dichloropropene	10061-01-5	2.00	ND			ND			ND			ND		
t-1,3-Dichloropropene	10061-02-6	2.00	ND			ND			ND			ND		
Ethyl benzene	100-41-4	2.50	ND			ND			ND			ND		
Hexachlorobutadiene	87-68-3	2.00	ND			ND			ND			ND		
Isopropylbenzene	98-82-8	2.50	ND			ND			ND			ND		
p-Isopropyltoluene	99-87-6	2.00	ND			ND			ND			ND		
Methylene chloride	75-09-2	2.50	ND			ND			ND			ND		
Naphthalene	91-20-3	3.00	ND			ND			ND			ND		
n-Propylbenzene	103-65-1	1.50	ND			ND			ND			ND		

**BUNNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
VOLATILE ORGANICS - GC/MS ANALYSIS DATA**

Client: Hercules
 Location: Trip Blank
 File #: BT46089


Collected: 06/24/98
 Received: 06/26/98
 Analysis: 07/03/98

Time: 8:00
 18:45

Analyst: CMB
 CRR

Sample Type: Water
 Analysis Method: 8260

Compound Name	CAS Number	MDL ug/L (ppb)	SAMPLE			BLANK			MATRIX SPIKE			MATRIX SPIKE DUP		
			Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spiked Amount ng	% Recovery	Detected Amount ug/L (ppb)	Spiked Amount ng	% Recovery
Styrene	100-42-5	2.00	ND			ND			ND			ND		
1,1,1,2,2-Tetrachloroethane	630-20-6	2.50	ND			ND			ND			ND		
1,1,2,2-Tetrachloroethane	79-34-5	2.50	ND			ND			ND			ND		
Tetrachloroethane	127-18-4	2.00	ND			ND			ND			ND		
1,2,3-Trichlorobenzene	87-61-6	2.00	ND			ND			ND			ND		
1,2,4-Trichlorobenzene	120-82-1	2.50	ND			ND			ND			ND		
1,1,1-Trichloroethane	71-55-6	2.00	ND			ND			ND			ND		
1,1,2-Trichloroethane	79-00-5	2.50	ND			ND			ND			ND		
Trichlorofluoromethane	75-69-4	2.00	ND			ND			ND			ND		
1,2,3-Trichloropropane	96-18-4	1.50	ND			ND			ND			ND		
1,2,4-Trimethylbenzene	95-63-6	2.00	ND			ND			ND			ND		
1,3,5-Trimethylbenzene	108-67-8	3.00	ND			ND			ND			ND		
Vinyl chloride	75-01-4	2.50	ND			ND			ND			ND		
Xylenes (total)	1330-20-7	4.00	ND			ND			ND			ND		
Surrogate Compounds														
Dibromofluoromethane	1868-53-7		50.2	250.0	100.4	50.3	250.0	100.6	45.9	250.0	91.8	47.8	250.0	95.6
Toluene-d8	2037-26-5		49.6	250.0	99.2	52.4	250.0	104.8	48.7	250.0	97.4	48.9	250.0	97.8
4-Bromofluorobenzene	460-00-4		49.6	250.0	99.2	51.7	250.0	103.4	49.0	250.0	98.0	47.2	250.0	94.4

Certified by: 
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY

VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Client : Hercules

File # : BT46089

Sample Matrix : Water

Lab Sample ID : Trip Blank

Sample Collection Date : 06/24/98

Sample Analysis Date : 07/02/98

GC Column Length : 105 M

Dilution Factor : 1

GC Column ID : 0.53 mm

Sample Weight/ Volume : 5.0 (g/mL) mL

Method Code: 8260

Number TICs Found : 0 *

Concentration Units : ug / L (PPB)

CAS NUMBER	COMPOUND NAME	RT	EST. CONCENTRATION

* Only SW 846 Method 8260 analytes listed as TICs.

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: Field Blank
 File #: BT46090

Collected: 06/25/98 8:00 BATCO
 Received: 06/26/98 8:00 CMB
 Analyzed: 07/02/98 18:06 CRR
 Date Time Analyst

Sample Type: Water
 Analysis Method: 8260

Compound Name	CAS Number	MDL ug/L (ppb)	SAMPLE			BLANK			MATRIX SPIKE (BT46087)			MATRIX SPIKE DUP (BT46087)		
			Detected Amount ug/L (ppb)	Amount ug	Spike % Recovery	Detected Amount ug/L (ppb)	Amount ug	Spike % Recovery	Detected Amount ug/L (ppb)	Amount ng	Spike % Recovery	Detected Amount ug/L (ppb)	Amount ng	Spike % Recovery
1,1-Dichloroethene	75-35-4	2.00	ND			ND			40.0	250.0	80.0	39.6	250.0	79.2
Benzene	71-43-2	2.00	ND			ND			43.9	250.0	87.8	44.2	250.0	88.4
Trichloroethene	79-01-6	2.50	ND			ND			45.5	250.0	91.0	45.3	250.0	90.6
Toluene	108-88-3	2.00	ND			ND			46.2	250.0	92.4	46.8	250.0	93.6
Chlorobenzene	108-90-7	2.00	ND			ND			50.5	250.0	101.0	51.4	250.0	102.8
Bromobenzene	108-86-1	2.50	ND			ND			ND			ND		
Bromochloromethane	74-97-5	2.00	ND			ND			ND			ND		
Bromodichloromethane	75-27-4	2.00	ND			ND			ND			ND		
Bromotrim	75-25-2	2.50	ND			ND			ND			ND		
Bromomethane	74-83-9	1.00	ND			ND			ND			ND		
n-Butylbenzene	104-51-8	1.50	ND			ND			ND			ND		
sec-Butylbenzene	135-98-8	2.50	ND			ND			ND			ND		
tert-Butylbenzene	98-06-6	3.00	ND			ND			ND			ND		
Carbon Tetrachloride	56-23-5	2.00	ND			ND			ND			ND		
Chloroethane	75-00-3	3.00	ND			ND			ND			ND		
Chloroform	68-67-3	2.00	ND			ND			ND			ND		
Chloromethane	74-87-3	3.00	ND			ND			ND			ND		
2-Chlorotoluene	95-49-8	3.00	ND			ND			ND			ND		
4-Chlorotoluene	106-43-4	1.50	ND			ND			ND			ND		
Dibromochloromethane	124-48-1	2.00	ND			ND			ND			ND		
1,2-Dibromo-3-chloropropane	96-12-8	4.00	ND			ND			ND			ND		
1,2-Dibromoethane	106-93-4	2.00	ND			ND			ND			ND		
Dibromomethane	74-95-3	2.50	ND			ND			ND			ND		
1,2-Dichlorobenzene	95-50-1	2.50	ND			ND			ND			ND		
1,3-Dichlorobenzene	541-73-1	2.00	ND			ND			ND			ND		
1,4-Dichlorobenzene	106-46-7	2.00	ND			ND			ND			ND		
Dichlorodifluoromethane	75-71-8	2.00	ND			ND			ND			ND		
1,1-Dichloroethane	75-34-3	2.00	ND			ND			ND			ND		
1,2-Dichloroethane	107-06-2	2.00	ND			ND			ND			ND		
cis-1,2-Dichloroethane	156-59-2	2.50	ND			ND			ND			ND		
trans-1,2-Dichloroethane	156-60-5	2.50	ND			ND			ND			ND		
1,2-Dichloropropane	78-87-5	2.50	ND			ND			ND			ND		
1,3-Dichloropropane	142-28-9	2.50	ND			ND			ND			ND		
2,2-Dichloropropane	594-20-7	2.00	ND			ND			ND			ND		
1,1-Dichloropropene	563-58-6	2.00	ND			ND			ND			ND		
c-1,3-Dichloropropene	10061-01-5	2.00	ND			ND			ND			ND		
t-1,3-Dichloropropene	10061-02-6	2.00	ND			ND			ND			ND		
Ethyl benzene	100-41-4	2.50	ND			ND			ND			ND		
Hexachlorobutadiene	87-68-3	2.00	ND			ND			ND			ND		
Isopropylbenzene	98-82-8	2.50	ND			ND			ND			ND		
p-Isopropyltoluene	99-87-6	2.00	ND			ND			ND			ND		
Methylene chloride	75-09-2	2.50	ND			ND			ND			ND		
Naphthalene	91-20-3	3.00	ND			ND			ND			ND		
n-Propylbenzene	103-65-1	1.50	ND			ND			ND			ND		

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: Field Blank
 File #: BT46090

Collected: 06/25/98 8:00 BATCO
 Received: 06/26/98 8:00 CMB
 Analysis: 07/02/98 18:06 CRR
 Date Time Analyst

Sample Type: Water
 Analysis Method: 8260

Compound Name	CAS Number	MDL ug/L (ppb)	SAMPLE			BLANK			MATRIX SPIKE			MATRIX SPIKE DUP		
			Detected Amount ug/L (ppb)	Spike Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spike Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spike Amount ng	% Recovery	Detected Amount ug/L (ppb)	Spike Amount ng	% Recovery
Styrene	100-42-5	2.00	ND			ND			ND			ND		
1,1,1,2-Tetrachloroethane	630-20-6	2.50	ND			ND			ND			ND		
1,1,2,2-Tetrachloroethane	79-34-5	2.50	ND			ND			ND			ND		
Tetrachloroethene	127-18-4	2.00	ND			ND			ND			ND		
1,2,3-Trichlorobenzene	87-61-6	2.00	ND			ND			ND			ND		
1,2,4-Trichlorobenzene	120-82-1	2.50	ND			ND			ND			ND		
1,1,1-Trichloroethane	71-55-6	2.00	ND			ND			ND			ND		
1,1,2-Trichloroethane	79-00-5	2.50	ND			ND			ND			ND		
Trichlorofluoromethane	75-69-4	2.00	ND			ND			ND			ND		
1,2,3-Trichloropropane	96-18-4	1.50	ND			ND			ND			ND		
1,2,4-Trimethylbenzene	95-63-6	2.00	ND			ND			ND			ND		
1,3,5-Trimethylbenzene	108-67-8	3.00	ND			ND			ND			ND		
Vinyl chloride	75-01-4	2.50	ND			ND			ND			ND		
Xylenes (total)	1330-20-7	4.00	ND			ND			ND			ND		
Surrogate Compounds			Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery
Dibromofluoromethane	1868-53-7		48.9	250.0	97.8	49.6	250.0	99.2	45.9	250.0	91.8	47.8	250.0	95.6
Toluene-d8	2037-26-5		49.6	250.0	99.2	51.0	250.0	102.0	48.7	250.0	97.4	48.9	250.0	97.8
4-Bromofluorobenzene	460-00-4		48.2	250.0	96.4	48.0	250.0	96.0	49.0	250.0	98.0	47.2	250.0	94.4

Certified by: 
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

APPENDIX II

BONNER ANALYTICAL TESTING COMPANY
 Phone: 2703 Oak Grove Road
 (601) 264-2854 Hattiesburg, MS 39402 (601) 268-7084
 Fax:
 "Testing Your World for a Safer Tomorrow"



5 REMARKS
 Turnaround Time
 Detection Limits
 Special Limits Required
 Yes No

4
 PARAMETERS FOR ANALYSIS
 VOAs
 Semi VOA
 As Ba Cd
 Cr Pb Hg
 Se Ag
 NUMBER OF CONTAINERS
 PRESERVATIONS

YOUR SAMPLE DESCRIPTION:	DATE	TIME	MATRIX	VOAs	Semi VOA	As Ba Cd	Cr Pb Hg	Se Ag	NUMBER OF CONTAINERS	PRESERVATIONS	REMARKS
MW-1	6/25	1055				✓	✓	✓			BT46083
MW-2	6/24	1405				✓	✓	✓			BT46084
MW-3	6/24	1450				✓	✓	✓			BT46085
MW-4	6/24	1215		✓	✓	✓	✓	✓			BT46086
MW-5	6/24	1030		✓	✓	✓	✓	✓			BT46087
MW-6	6/24	1635				✓	✓	✓			BT46088
Temp Blank	6/24			✓	✓	✓	✓	✓			BT46089
Equipment Blank	6/25	0800		✓	✓	✓	✓	✓			BT46090

6
 METHOD OF SHIPMENT
 RELINQUISHED BY: (Signature) DATE TIME RECEIVED BY: (Signature)
 SHIPPED BY: (Signature) RECEIVED FOR BATCO BY: (Signature)
 COURIER (Signature) DATE/TIME

1
 YOUR COMPANY NAME: Hercules
 YOUR COMPANY ADDRESS: Hattiesburg
 NAME OF PERSON TO CONTACT: Charlie Jordan
 CONTACT PERSON'S PHONE:

2
 YOUR PROJECT NO.:
 YOUR PROJECT NAME: #2 Quarter

3
 YOUR SAMPLE DESCRIPTION:
 DATE TIME MATRIX

6
 METHOD OF SHIPMENT
 RELINQUISHED BY: (Signature) DATE TIME RECEIVED BY: (Signature)
 SHIPPED BY: (Signature) RECEIVED FOR BATCO BY: (Signature)
 COURIER (Signature) DATE/TIME

REVISION DATE
 I REQUEST BATCO TO DISPOSE OF ALL SAMPLE REMAINDERS (Signature) (Date)
 IF SAMPLE REMAINDER IS DETERMINED TO BE HAZARDOUS, A MINIMUM ADDITIONAL CHARGE OF \$25.00 PER SAMPLE WILL BE ASSESSED. (Date)

SAMPLE REMAINDER DISPOSAL
 RETURN SAMPLE REMAINDER TO CLIENT VIA (SOME SHIPPING CHARGES MAY BE INCURRED)

APPENDIX III

**Monitoring Well Installation
Sampling & Analysis**

at


**Hercules, Inc.
613 West 7th Street
Hattiesburg, Ms**

presented to:

**Charles Jordan, Environmental Supervisor
Hercules, Inc.
Hattiesburg, MS**

December 8 - 15, 1997

by



Michael S. Bonner, Ph.D.

BONNER ANALYTICAL TESTING COMPANY

TABLE OF CONTENTS

	Page
1.0 Monitoring Well Installation.....	1-2
2.0 Well Development.....	2
3.0 Purging.....	2-3
4.0 Sampling.....	3
5.0 Analysis.....	3

Table 1- Borehole and Well Construction Data

Appendix A - Borelogs

Appendix B - Field Data

Appendix C - Monitoring Well Site Diagram

Appendix D - Analytical Data

Appendix E - Chain-of-Custody

Appendix F - July 31, Work Plan

INTRODUCTION

At the request of Mr. Charlie Jordan, Environmental Supervisor with Hercules Inc. of Hattiesburg, MS, Bonner Analytical Testing Company installed six monitoring wells and subsequently developed, purged and sampled these wells during the period of December 8-15, 1997. Samples were analyzed for thirteen heavy metals, volatile organics, semivolatile organics, pesticides, and PCBs.

Details relating to the project were presented in the work plan approved by the Mississippi Department of Environmental Quality (MDEQ) and Hercules Incorporated dated July 31, 1997.

1.0 MONITORING WELL INSTALLATION

Six two inch I.D. flush thread schedule 40 PVC monitoring wells were installed. The well locations (MW-1 through MW-6) are designated in the site map located in Appendix C. Boreholes were advanced utilizing hollow stem drilling technology. Well depths ranged between fifteen and twenty feet below land surface (BLS). A ten foot screened interval was used in each well. Screened slots were 0.01 inches.

Wells were completed as follows:

1. Coarse sand was tremied to the top of the screened interval.
2. Fine sand was tremied to two feet above the screened interval.
3. Hydrated 10% Bentonite was tremied one to two feet above the fine sand.
4. 90/10 grout was tremied to one foot BLS.
5. After 24 hours the well was completed.

6. The well was completed to surface with concrete to include a 2'x2'x4" concrete pad with elevation marker, protective casing with locks, four 3 inch protective pipes filled with concrete and then painted.

Pertinent information relating to boring, well construction, purging and sampling are presented in Table 1 and Appendices A - F.

2.0 WELL DEVELOPMENT

Wells were allowed to cure a minimum of 24 hours prior to development. Wells were developed by a combination of bailing, pumping and surging.

MW-1 was designated as the background well. This well bailed dry after removal of 5.5 gallons of water. The turbidity was > 100 NTUs at this point. However, upon recovery, and after purging, a turbidity of 13.9 NTU was achieved.

MW-5 could not be developed below a 19 NTU turbidity due to a persistent yellow color. The remaining wells MW-2, MW-3, MW-4 and MW-6 were developed to a final turbidity below 5 NTUs.

3.0 PURGING

Prior to purging and immediately after removing the well cap, each well was tested for organic vapors using a field organic vapor analyzer equipped with a flame ionization detector. MW-4 and MW-5 produced vapor space readings greater than 100,000 ppm. The remaining wells gave no response.

Next, each well was gauged from the north side top of casing to assess depth to water and well depth to +0.01'. Prior to purging pH, temperature, conductivity and turbidity were determined.

After the removal of five well volumes pH, temperature, conductivity and turbidity measurements were repeated twice more within 20 minutes. All wells produced water that was stable within $\pm 10\%$ as required. However, MW1 and MW5 produced turbidity values of 13.0 and 24.4 NTU's, respectively. MW-1 and MW-5 were purged further, removing 5 additional well volumes. However, the turbidities remained elevated at 13.9 and 25.1 NTU's, respectively.

4.0 SAMPLING

Samples were collected immediately following the purging process utilizing disposable Teflon bailers. Samples were collected for volatile organics method SW846/8260, semi volatile organics method SW846/8270, pesticide/PCB method SW846/8081 and thirteen heavy metals utilizing the appropriate EPA/200 series protocol as outlined in the work plan.

5.0 ANALYSIS

All samples were analyzed for volatile organics utilizing the 8260 standard list of compounds. The remaining 8260 compound list was evaluated as TICs. Semivolatile organics, Method 8270, were evaluated using the standard list and the remaining compound list was evaluated as TICs. The results of these analyses are presented in Appendix D.

TABLE 1
BOREHOLE AND WELL CONSTRUCTION DATA

Well ID #	1	2	3
Date of Construction	12-09-97	12-09-97	12-09-97
Borehole & Well Casing Diameter	2"	2"	2"
Well Depth +0.01 ft.	17'	17'	15'
Casing Length	7'	7'	5'
Casing Materials	PVC Schedule 40	PVC Schedule 40	PVC Schedule 40
Casing & Screen Joint Type	Flush Thread	Flush Thread	Flush Thread
Screened Intervals	10'	10'	10'
Screen Materials	PVC Flushtread	PVC Flushtread	PVC Flushtread
Screen Slot Size/ Design	0.01	0.01	0.01
Filter Pack Material & Size	Sand <0.1" (<5%) 0.01"-0.039" (>50%) >0.039" (<35%)	Sand <0.1" (<5%) 0.01"-0.039" (>50%) >0.039" (<35%)	Sand <0.1" (<5%) 0.01"-0.039" (>50%) >0.039" (<35%)
Calculated/Actual Filter Pack Volume	4.42 ft ³	4.08 ft ³	4.42 ft ³
Filter Pack Placement Method	Tremmie	Tremmie	Tremmie
Annular Sealant Composition	Bentonite/90:10 Grout	Bentonite/90:10 Grout	Bentonite/90:10 Grout
Annular Sealant Placement Method	Tremmie	Tremmie	Tremmie
Calculated/Actual Annular Sealant Vol.	0.34 ft ³	0.85 ft ³	0.17 ft ³
Surface Sealant Composition	3,000 PSI Concrete	3,000 PSI Concrete	3,000 PSI Concrete
Surface Seal Placement Method	Tremmie	Tremmie	Tremmie
Calculated/Actual Surface Sealant Vol.	0.34 ft ³	0.17 ft ³	0.17 ft ³
Surface Seal Design	2x2x4' Pad	2x2x4' Pad	2x2x4' Pad
Well Development Procedure	Bailing, Pumping & Surge Block	Bailing, Pumping & Surge Block	Bailing, Pumping & Surge Block
Turbidity Measurement	13.9 NTU	1.9 NTU	0.5 NTU
Type/Design of Protective Casing	3" x 3" rectangular steel	3" x 3" rectangular steel	3" x 3" rectangular steel
Well Cap & Lock	Yes	Yes	Yes
Ground Surface Elevation (+0.01)			
Survey Reference Point Elevation on Well Casing (+0.01 ft.)			
Top of Well Casing Elevation (+0.01)			
Top of Protective Steel Casing Elevation (+0.01 ft.)			

BOREHOLE AND WELL CONSTRUCTION DATA

Well ID #	4	5	6
Date of Construction	12-09-97	12-08-97	12-08-97
Borehole & Well Casing Diameter	2"	2"	2"
Well Depth + 0.01 ft.	15.0'	15'	18'
Casing Length	5'	5'	8'
Casing Materials	PVC Schedule 40	PVC Schedule 40	PVC Schedule 40
Casing & Screen Joint Type	Flush Thread	Flush Thread	Flush Thread
Screened Intervals	10'	10'	10'
Screen Materials	PVC Flushthread	PVC Flushthread	PVC Flushthread
Screen Slot Size/ Design	0.01	0.01	0.01
Filter Pack Material & Size	Sand <0.1" (<5%) 0.01"-0.039" (>50%) >0.039" (<35%)	Sand <0.1" (<5%) 0.01"-0.039" (>50%) >0.039" (<35%)	Sand <0.1" (<5%) 0.01"-0.039" (>50%) >0.039" (<35%)
Calculated/Actual Filter Pack Volume	4.25 ft ³	4.25 ft ³	4.08 ft ³
Filter Pack Placement Method	Tremmie	Tremmie	Tremmie
Annular Sealant Composition	Bentonite/90:10 Grout	Bentonite/90:10 Grout	Bentonite/90:10 Grout
Annular Sealant Placement Method	Tremmie	Tremmie	Tremmie
Calculated/Actual Annular Sealant Vol.	0.17 ft ³	0.17 ft ³	0.34 ft ³
Surface Sealant Composition	3,000 PSI Concrete	3,000 PSI Concrete	3,000 PSI Concrete
Surface Seal Placement Method	Tremmie	Tremmie	Tremmie
Calculated/Actual Surface Sealant Vol.	0.17 ft ³	0.17 ft ³	0.34 ft ³
Surface Seal Design	2x2x4' Pad	2x2x4' Pad	2x2x4' Pad
Well Development Procedure	Bailing, Pumping & Surge Block	Bailing, Pumping & Surge Block	Bailing, Pumping & Surge Block
Turbidity Measurement	0.8 NTU	25.1 NTU	0.3 NTU
Type/Design of Protective Casing	3" x 3" rectangular steel	3" x 3" rectangular steel	3" x 3" rectangular steel
Well Cap & Lock	Yes	Yes	Yes
Ground Surface Elevation (+ 0.01)			
Survey Reference Point Elevation on Well Casing (+ 0.01 ft.)			
Top of Well Casing Elevation (+ 0.01)			
Top of Protective Steel Casing Elevation (+ 0.01 ft.)			

APPENDIX A

Bonner Analytical Testing Company

2703 Oak Grove Road, Hattiesburg, MS 39402

Phone: (601) 264-2854 Fax: (601) 268-7084

MONITORING WELL CONSTRUCTION DIAGRAM

Driller Permit #: 0-527

Client: Hercules

Address: Hattiesburg, MS

Boring No.: 1

Date Started: 12/9/97

Date Finished: 12/9/97

Surface Elevation: _____

LS/Top of Casing: _____

Well Installed on Completion: YES

EY: Concrete

Grout

Bentonite Seal

Sand Pack

Screen

Lithologic Description	Depth (Feet)	Well Design
		Ground Level
Observer 3.46	1.0	
1.5' Top Soil		
5 - 8' Tan Silty Clay	3.5	
	5.0	
10 - 10' Wet Sandy Clay		
	7.0	
10 - 11.5' Wet Sand and Some Clay		
15 - 13 Wet Silty Sand		
13 - 17' Tan Clay very Consolidated		
	17.0	

Well Loc: _____
 Section: 4
 Township: 4N
 Range: 13W
 Well Usage: _____

Development Method

Bailer
 Airlift
 Nitrogen
 Submersible Pump
 Other: Peristaltic Pump

Well Dev. Time: _____
 Volume: _____

Well Construction Materials:

Protective Cover: Manhole
 Protective Casing
 Other: _____

Riser Material: PVC Flushtread
 Well Diameter: 2"
 Screen Material: PVC Flushtread
 Screen Slot Size: 0.01

Bentonite Plug:
 Grout:

Sand: Quantity 5 Bags @ 100 lbs ea of #2
1 Bag @ 100 lbs ea of #1

Initial Water Level: 7 82'
 Water Level at Development: 7 82'

Bonner Analytical Testing Company

2703 Oak Grove Road, Hattiesburg, MS 39402

Phone: (601) 264-2854 Fax: (601) 268-7084

MONITORING WELL CONSTRUCTION DIAGRAM



Driller Permit #: <u>0-527</u>	Boring No.: <u>2</u>	Surface Elevation: _____
Client: <u>Hercules</u>	Date Started: <u>12/9/97</u>	LS/Top of Casing: _____
Address: <u>Hattiesburg, MS</u>	Date Finished: <u>12/9/97</u>	Well Installed on Completion: <u>YES</u>

KEY: Concrete  Grout  Bentonite Seal  Sand Pack  Screen

Lithologic Description	Depth (Feet)	Well Design
Ground Level	0.5	
3.48' Riser	2.5	Grout
0 - 2.5' Black Top Soil	5.0	
2.5 - 4.0' Tan Silty Clay	7.0	
4-5' Silty Sand		
5 - 8' Moist Sand		
8-10' Wet Sand		
10 - 13.5' Water/Silt/Sand		
13.5 - 14.5' Water/Silt/Sand and Small Rocks	17.0	
14.5 - 17' Water/Silt/Sand		
	35	

Well Loc: _____
Section: <u>4</u>
Township: <u>4N</u>
Range: <u>13W</u>
Well Usage: _____


Development Method
<input type="checkbox"/> Bailer <input type="checkbox"/> Airlift <input type="checkbox"/> Nitrogen <input type="checkbox"/> Submersible Pump <input checked="" type="checkbox"/> Other: Peristaltic Pump
Well Dev. Time: _____
Volume: _____

Well Construction Materials:	
Protective Cover:	<input type="checkbox"/> Manhole <input checked="" type="checkbox"/> Protective Casing <input type="checkbox"/> Other: _____
Riser Material:	PVC Flushtread
Well Diameter:	2"
Screen Material:	PVC Flushtread
Screen Slot Size:	0.01
Bentonite Plug:	
Grout:	
Sand:	Quantity: 4 Bags @100 lbs ea of #2 1 Bag @ 100 lbs ea of #1
Initial Water Level	<u>6.83'</u>
Water Level at Development:	<u>6.83'</u>

MONITORING WELL CONSTRUCTION DIAGRAM

Driller Permit #: 0-527	Boring No.: 3	Surface Elevation: _____
Client: Hercules	Date Started: 12/9/97	LS/Top of Casing: _____
Address: Hattiesburg, MS	Date Finished: 12/9/97	Well Installed on Completion: YES

KEY: Concrete Grout Bentonite Seal Sand Pack Screen



Well Loc: _____
 Section: **4**
 Township: **4N**
 Range: **13W**
 Well Usage: _____

Development Method	
<input type="checkbox"/>	Bailer
<input type="checkbox"/>	Airlift
<input type="checkbox"/>	Nitrogen
<input type="checkbox"/>	Submersible Pump
<input checked="" type="checkbox"/>	Other: Peristaltic Pump
Well Dev. Time: _____	Volume: _____

Well Construction Materials:	
Protective Cover:	<input type="checkbox"/> Manhole <input checked="" type="checkbox"/> Protective Casing <input type="checkbox"/> Other: _____
Riser Material:	PVC Flushthread
Well Diameter:	2"
Screen Material:	PVC Flushthread
Screen Slot Size:	0.01
Bentonite Plug:	<input checked="" type="checkbox"/>
Grout:	<input checked="" type="checkbox"/>
Sand:	Quantity 3 Bags @ 100 lbs ea of #2 1 Bag @ 100 lbs ea of #4
Initial Water Level:	7.37'
Water Level at Development:	7.37'

Bonner Analytical Testing Company


2703 Oak Grove Road, Hattiesburg, MS 39402

Phone: (601) 264-2854 Fax: (601) 268-7084

MONITORING WELL CONSTRUCTION DIAGRAM

Driller Permit #: 0-527	Boring No.: <u>5</u>	Surface Elevation: _____
Client: Hercules	Date Started: <u>12/8/97</u>	LS/Top of Casing: _____
Address: Hattiesburg, MS	Date Finished: <u>12/8/97</u>	Well Installed on Completion: YES

KEY: Concrete Grout Bentonite Seal Sand Pack Screen



Well Loc: _____
Section: <u>4</u>
Township: <u>4N</u>
Range: <u>13W</u>
Well Usage: _____

Development Method
<input type="checkbox"/> Bailer <input type="checkbox"/> Airlift <input type="checkbox"/> Nitrogen <input type="checkbox"/> Submersible Pump <input checked="" type="checkbox"/> Other: Peristaltic Pump
Well Dev. Time: _____
Volume: _____

Well Construction Materials:	
Protective Cover:	<input type="checkbox"/> Manhole <input checked="" type="checkbox"/> Protective Casing <input type="checkbox"/> Other: _____
Riser Material: PVC Flushthread	
Well Diameter: 2"	
Screen Material: PVC Flushthread	
Screen Slot Size: 0.01	
Bentonite Plug:	<input checked="" type="checkbox"/>
Grout:	<input checked="" type="checkbox"/>
Sand:	Quantity: <u>4 Bags @ 100 lbs ea of #2</u> <u>1.5 Bags @ 100 lbs ea #4</u>
Initial Water Level	<u>10.12'</u>
Water Level at Development:	<u>10.12'</u>

Bonner Analytical Testing Company


2703 Oak Grove Road, Hattiesburg, MS 39402

Phone: (601) 264-2854 Fax: (601) 268-7084

MONITORING WELL CONSTRUCTION DIAGRAM

Driller Permit #: <u>0-527</u>	Boring No.: <u>6</u>	Surface Elevation: _____
Client: <u>Hercules</u>	Date Started: <u>12/8/97</u>	LS/Top of Casing: _____
Address: <u>Hattiesburg, MS</u>	Date Finished: <u>12/8/97</u>	Well Installed on Completion: <u>YES</u>

KEY: Concrete Grout Bentonite Seal Sand Pack Screen



Well Loc: _____
Section: <u>4</u>
Township: <u>4N</u>
Range: <u>13W</u>
Well Usage: _____

Development Method
<input type="checkbox"/> Bailer <input type="checkbox"/> Airlift <input type="checkbox"/> Nitrogen <input type="checkbox"/> Submersible Pump <input checked="" type="checkbox"/> Other: Peristaltic Pump
Well Dev. Time: _____
Volume: _____

Well Construction Materials:
Protective Cover: <input type="checkbox"/> Manhole <input checked="" type="checkbox"/> Protective Casing <input type="checkbox"/> Other: _____
Riser Material: PVC Flushtread Well Diameter: 2"
Screen Material: PVC Flushtread Screen Slot Size: 0.01
Bentonite Plug: <input checked="" type="checkbox"/> Grout: <input checked="" type="checkbox"/>
Sand: Quantity <u>4 Bags @ 100 lbs ea of #2</u> <u>1 Bag @ 100 lbs ea of #4</u>
Initial Water Level <u>9.56'</u>
Water Level at Development: <u>9.56'</u>

APPENDIX B

Bonner Analytical Testing Company

2703 Oak Grove Road, Hattiesburg, MS 39402

Phone: (601) 264-2854 Fax: (601) 268-7084

CLIENT: HERCULES

DATE: 12-13/15-97

LOCATION: Hercules Landfill and Sludge Pit

Monitoring Well #1	Time	pH S.U.	Temp degrees C	Conductivity micromhos/cm	Turbidity NTU	REMARKS
Total Depth TOC 20.46'	1645	5.34	18.5	51	55	FID = 0 ppm
Depth to Water TOC 7.82'	1655	5.52	19.8	83	13.5	
Well Depth BLS 17.00'	1705	5.66	19.9	89	13.0	Sampled @ 1710 Bailed 11 Gallons
Quan. Per Volume 2.15 Gallons	1720	5.65	19.9	92	*13.9	Bailed 11 Gallons add'l
LNAPL - NO DNAPL - NO						

Monitoring Well #2	Time	pH S.U.	Temp degrees C	Conductivity micromhos/cm	Turbidity NTU	REMARKS
Total Depth TOC 20.48'	1550	5.67	16.9	112	5	FID = 0 ppm
Depth to Water TOC 6.83'	1600	5.63	17.6	110	1.9	
Well Depth BLS 17.00'	1610	5.69	17.5	112	1.9	
Quan. Per Volume 2.32 Gallons						Sampled @ 1620 Bailed 12 Gallons
LNAPL - NO DNAPL - NO						

Monitoring Well #3	Time	pH S.U.	Temp degrees C	Conductivity micromhos/cm	Turbidity NTU	REMARKS
Total Depth TOC 18.96'	1515	5.36	17.6	60	4.4	FID = 0 ppm
Depth to Water TOC 7.37'	1520	5.22	16.8	50	0.4	
Well Depth BLS 15.00'	1535	5.18	16.8	50	0.5	
Quan. Per Volume 1.97 Gallons						Sampled @ 1540 Bailed 10 Gallons
LNAPL - NO DNAPL - NO						

*Turbidity exceeds 5 NTU; Remove 5 additional well volumes

Well Volume = 0.17 * Water Column in Feet.

LNAPL - Light Non Aqueous Phase Liquid

DNAPL - Dense Non Aqueous Phase Liquid

TOC - Top of Casing (North Side)

BLS - Below Land Surface

Bonner Analytical Testing Company

2703 Oak Grove Road, Hattiesburg, MS 39402

Phone: (601) 264-2854 Fax: (601) 268-7084

CLIENT: HERCULES

DATE: 12-13/15-97

LOCATION: Hercules Landfill and Sludge Pit

Monitoring Well #4	Time	pH S.U.	Temp degrees C	Conductivity micromhos/cm	Turbidity NTU	REMARKS
Total Depth TOC 18.99'	NA	5.34	18.5	350	1.7	FID > 100,000 ppm
Depth to Water TOC 10.93'	NA	6.08	19.7	520	0.9	
Well Depth BLS 15.00'	NA	6.12	19.6	510	0.8	
Quan. Per Volume 1.37 Gallons		6.21	19.5			Bailed 7 Gallons
LNAPL - NO DNAPL - NO						

Monitoring Well #5	Time	pH S.U.	Temp degrees C	Conductivity micromhos/cm	Turbidity NTU	REMARKS
Total Depth TOC 18.59'	1133	6.62	19.5	580	42	FID > 100,000 ppm
Depth to Water TOC 10.12'	1140	6.5	19.9	520	26.1	
Well Depth BLS 15.00'	1155	6.41	19.5	520	24.4	Sampled @ 1210 Bailed 7.5 Gallons
Quan. Per Volume 1.44 Gallons	1210	6.4	19.5	515	*25.1	Bailed 7.5 Gallons add'l
LNAPL - NO DNAPL - NO						

Monitoring Well #6	Time	pH S.U.	Temp degrees C	Conductivity micromhos/cm	Turbidity NTU	REMARKS
Total Depth TOC 23.25'	1630	5.88	21.5	198	2.9	FID = 0 ppm
Depth to Water TOC 9.56'	1640	5.91	21.2	185	0.3	
Well Depth BLS 18.00'	1655	6.06	21.4	170	0.3	
Quan. Per Volume 2.32 Gallons						Sampled @ 1500 Bailed 12 Gallons
LNAPL - NO DNAPL - NO						

*Turbidity exceeds 5 NTU; Remove 5 additional well volumes

Well Volume = 0.17 x Water Column in Feet.

LNAPL - Light Non Aqueous Phase Liquid


DNAPL - Dense Non Aqueous Phase Liquid

TOC - Top of Casing (North Side)

BLS - Below Land Surface

APPENDIX C

HATTIESBURG, MS
MONITORING WELL LOCATIONS



APPENDIX D

BONNER ANALYTICAL TESTING COMPANY

2703 OAK GROVE ROAD
HATTIESBURG, MS 39402
PH. (601) 264-2854

Client: HERCULES

File Number: BT42539-42541
Collected By: DOC

Sample Date/Time:
Date/Time Rec'd: 12-16-97 @ 1120

Analyte/Method #	MW-1	MW-2	MW-3	MDL	Date/Time/Analyst
Antimony/200.7	ND	ND	ND	0.02	01-12-98/1121/JMR
Arsenic/200.15	0.0067	0.0022	ND	0.002	01-13-98/1633/JMR
Beryllium/200.7	0.0076	ND	ND	0.001	01-12-98/1121/JMR
Cadmium/213.1	ND	ND	ND	0.04	12-22-97/1129/GMR
Chromium/200.7	0.116	ND	ND	0.01	01-12-98/1121/JMR
Copper/200.7	0.075	ND	ND	0.01	01-14-98/1211/JMR
Lead/239.1	0.132	ND	ND	0.02	12-22-97/1024/GMR
Mercury/245.2	ND	ND	ND	0.0004	01-14-98/1510/GMR
Nickel/200.7	0.052	ND	ND	0.01	01-12-98/1121/JMR
Selenium/200.15	ND	ND	ND	0.002	01-13-98/1633/JMR
Silver/272.1	ND	ND	ND	0.06	12-23-97/0903/GMR
Thallium/200.7	ND	ND	ND	0.025	02-13-98/1234/JMR
Zinc/289.1	0.190	ND	ND	0.02	12-18-97/1448/GMR

Data reported in mg/L unless otherwise noted. All analyses performed in accordance with 40 CFR 136 and amendments.

MDL = Method Detection Limit.

Certified by: Michael S. Bonner
Michael S. Bonner, Ph.D.
BONNER ANALYTICAL TESTING COMPANY

BONNER ANALYTICAL TESTING COMPANY

2703 OAK GROVE ROAD
HATTIESBURG, MS 39402
PH. (601) 264-2854

Client: HERCULES


File Number: BT42542-42544
Collected By: DOC

Sample Date/Time:
Date/Time Rec'd: 12-16-97 @ 1120

Analyte/Method #	MW-4	MW-5	MW-6	MDL	Date/Time/Analyst
Antimony/200.7	ND	ND	ND	0.02	01-12-98/1121/JMR
Arsenic/200.15	0.1536	0.1035	ND	0.002	01-13-98/1633/JMR
Beryllium/200.7	0.014	ND	ND	0.001	01-12-98/1121/JMR
Cadmium/213.1	ND	ND	ND	0.04	12-22-97/1129/GMR
Chromium/200.7	0.223	0.046	0.015	0.01	01-12-98/1121/JMR
Copper/200.7	0.154	ND	ND	0.01	01-14-98/1211/JMR
Lead/239.1	ND	ND	ND	0.02	12-22-97/1024/GMR
Mercury/245.2	0.0007	0.0007	0.0007	0.0004	01-14-98/1510/GMR
Nickel/200.7	0.312	0.025	ND	0.01	01-12-98/1121/JMR
Selenium/200.15	ND	ND	ND	0.002	01-13-98/1633/JMR
Silver/272.1	ND	ND	ND	0.06	12-23-97/0903/GMR
Thallium/200.7	ND	ND	ND	0.025	02-13-98/1234/JMR
Zinc/289.1	0.361	0.089	ND	0.02	12-18-97/1448/GMR

Data reported in mg/L unless otherwise noted. All analyses performed in accordance with 40 CFR 136 and amendments.

MDL = Method Detection Limit.

Certified by: 
Michael S. Bonner, Ph.D.
BONNER ANALYTICAL TESTING COMPANY

BONNER ANALYTICAL TESTING COMPANY

2703 OAK GROVE ROAD
HATTIESBURG, MS 39402
PH. (601) 264-2854

Client: HERCULES

File Number: BT42545-42546
Collected By: DOC

Sample Date/Time:
Date/Time Rec'd: 12-16-97 @ 1120

Analyte/Method #	Trip Blank	Equipment Blank	MDL	Date/Time/Analyst
Antimony/200.7	ND	ND	0.02	01-12-98/1121/JMR
Arsenic/200.15	ND	ND	0.002	01-13-98/1633/JMR
Beryllium/200.7	ND	ND	0.001	01-12-98/1121/JMR
Cadmium/213.1	ND	ND	0.04	12-22-97/1129/GMR
Chromium/200.7	ND	ND	0.01	01-12-98/1121/JMR
Copper/200.7	ND	ND	0.01	01-14-98/1211/JMR
Lead/239.1	ND	ND	0.02	12-22-97/1024/GMR
Mercury/245.2	ND	ND	0.0004	01-14-98/1510/GMR
Nickel/200.7	ND	ND	0.01	01-12-98/1121/JMR
Selenium/200.15	ND	ND	0.002	01-13-98/1633/JMR
Silver/272.1	ND	ND	0.06	12-23-97/0903/GMR
Thallium/200.7	ND	ND	0.025	02-13-98/1234/JMR
Zinc/289.1	ND	ND	0.02	12-18-97/1448/GMR

Data reported in mg/L unless otherwise noted. All analyses performed in accordance with 40 CFR 136 and amendments.

MDL = Method Detection Limit.

Certified by:


Michael S. Bonner, Ph.D.


BONNER ANALYTICAL TESTING COMPANY

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 PESTICIDE/POLYCHLORINATED BIPHENYLS - ECD ANALYSIS DATA

Client: Hercules Sample Type: Water
 Sample ID: MW-1 Collected: 12/15/97 17:30 DOC
 File #: BT42539 Extracted: 12/18/97 9:45 RML
 Analyzed: 12/23/97 1:42 RML
 Date: _____ Time: _____ Analyst: _____
 Extraction Method: SW846 3510
 Analysis Method: SW846 8081A

COMPOUNDS	MDL ug/L (ppb)	SAMPLE			METHOD BLANK			MATRIX SPIKE			MATRIX SPIKE DUPLICATE		
		Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery
1P Aldrin *	0.05	ND			ND			192.4	250.0	76.96	220.8	250.0	88.32
2P Alpha-BHC	0.05	ND			ND								
3P Beta-BHC	0.05	ND			ND			212.8	250.0	85.12	239.5	250.0	95.80
4P Gamma-BHC *	0.05	ND			ND								
5P Delta-BHC	0.05	ND			ND								
6P Chlordane	0.50	ND			ND			421.9	500.0	84.38	446.3	500.0	89.26
7P 4,4'-DDT *	0.10	ND			ND								
8P 4,4'-DDE	0.10	ND			ND								
9P 4,4'-DDD	0.05	ND			ND								
10P Dieldrin *	0.10	ND			ND			456.5	500.0	91.30	499.5	500.0	99.90
11P Alpha-Endosulfan	0.10	ND			ND								
12P Beta-Endosulfan	0.10	ND			ND								
13P Endosulfan Sulfate	0.10	ND			ND			461.1	500.0	92.22	503.6	500.0	100.72
14P Endrin *	0.10	ND			ND								
15P Endrin Alderlyde	0.10	ND			ND			214.5	250.0	85.80	212.4	250.0	84.96
16P Heptachlor *	0.05	ND			ND								
17P Heptachlor Epoxide	0.10	ND			ND								
18P PCB1242	0.50	ND			ND								
19P PCB1254	1.00	ND			ND								
20P PCB1221	0.50	ND			ND								
21P PCB1232	0.50	ND			ND								
22P PCB1248	1.00	ND			ND								
23P PCB1280	1.00	ND			ND								
24P PCB1016	0.50	ND			ND								
25P Toxaphene	1.00	ND			ND								
SURROGATE COMPOUNDS		Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery
Decachlorobiphenyl		21.53	20.00	107.65	18.25	20.00	91.25	21.68	20.00	108.40	21.58	20.00	107.90

* = Matrix Spiking Compounds

Certified by: 
 Michael S. Bonner, Ph.D.
 BONNER ANALYTICAL TESTING COMPANY


BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
PESTICIDE/POLYCHLORINATED BI-PHENYLS - ECD ANALYSIS DATA

Client: Hercules Collected: 12/15/97 16:20 DOC
 Sample ID: MW-2 Extracted: 12/18/97 9:45 RML
 File #: B142340 Analyzed: 12/23/97 2:29 RML
 Date: _____ Time: _____ Analyst: _____

Sample Type: Water
 Extraction Method: SW846 3510
 Analysis Method: SW846 8081A

COMPOUNDS	MDL ug/L (ppb)	SAMPLE			METHOD BLANK			MATRIX SPIKE			MATRIX SPIKE DUPLICATE		
		Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery
1P. Aldrin *	0.05	ND			ND			192.4	250.0	76.96	220.8	250.0	88.32
2P. Alpha-BHC	0.05	ND			ND								
3P. Beta-BHC	0.05	ND			ND								
4P. Gamma-BHC *	0.05	ND			ND			212.8	250.0	85.12	239.5	250.0	95.80
5P. Delta-BHC	0.05	ND			ND								
6P. Chlordane	0.50	ND			ND								
7P. 4,4'-DDT *	0.10	ND			ND			421.9	500.0	84.38	446.3	500.0	89.26
8P. 4,4'-DDE	0.10	ND			ND								
9P. 4,4'-DDD	0.05	ND			ND								
10P. Dieldrin *	0.10	ND			ND			456.5	500.0	91.30	499.5	500.0	99.90
11P. Alpha-Endosulfan	0.10	ND			ND								
12P. Beta-Endosulfan	0.10	ND			ND								
13P. Endosulfan Sulfate	0.10	ND			ND								
14P. Endrin *	0.10	ND			ND			461.1	500.0	92.22	503.6	500.0	100.72
15P. Endrin Alderhyde	0.10	ND			ND								
16P. Heptachlor *	0.05	ND			ND			214.5	250.0	85.80	212.4	250.0	84.96
17P. Heptachlor Epoxide	0.10	ND			ND								
18P. PCB1242	0.50	ND			ND								
19P. PCB1254	1.00	ND			ND								
20P. PCB1221	0.50	ND			ND								
21P. PCB1232	0.50	ND			ND								
22P. PCB1248	1.00	ND			ND								
23P. PCB1260	1.00	ND			ND								
24P. PCB1016	0.50	ND			ND								
25P. Toxaphene	1.00	ND			ND								
SURROGATE COMPOUNDS		Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery
Decachlorobiphenyl		20.37	20.00	101.85	18.25	20.00	91.25	21.68	20.00	108.40	21.58	20.00	107.90

* = Matrix Spiking Compounds


Certified by 
 Michael S. Bonner, Ph.D.
 BONNER ANALYTICAL TESTING COMPANY

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
PESTICIDE/POLYCHLORINATED BIPHENYLS - ECD ANALYSIS DATA

Client: Hercules	Collected: 12/15/97	15:40	DOC	Sample Type: Water
Sample ID: MW-3	Extracted: 12/18/97	9:45	RML	Extraction Method SW846 3510
File #: B142541	Analyzed: 12/23/97	3:17	RML	Analysis Method SW846 8081A
	Date	Time	Analyst	

COMPOUNDS	MDL ug/L (ppb)	SAMPLE			METHOD BLANK			MATRIX SPIKE			MATRIX SPIKE DUPLICATE		
		Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery
1P. Aldrin *	0.05	ND			ND			192.4	250.0	76.96	220.8	250.0	88.32
2P. Alpha-BHC	0.05	ND			ND								
3P. Beta-BHC	0.05	ND			ND			212.8	250.0	85.12	239.5	250.0	95.80
4P. Gamma-BHC *	0.05	ND			ND								
5P. Delta-BHC	0.05	ND			ND			421.9	500.0	84.38	446.3	500.0	89.26
6P. Chlordane	0.50	ND			ND								
7P. 4,4'-DDT *	0.10	ND			ND								
8P. 4,4'-DDE	0.10	ND			ND								
9P. 4,4'-DDD	0.05	ND			ND								
10P. Dieldrin *	0.10	ND			ND			456.5	500.0	91.30	499.5	500.0	99.90
11P. Alpha-Endosulfan	0.10	ND			ND								
12P. Beta-Endosulfan	0.10	ND			ND								
13P. Endosulfan Sulfate	0.10	ND			ND			461.1	500.0	92.22	503.6	500.0	100.72
14P. Endrin *	0.10	ND			ND								
15P. Endrin Aldehyde	0.10	ND			ND			214.5	250.0	85.80	212.4	250.0	84.96
16P. Heptachlor *	0.05	ND			ND								
17P. Heptachlor Epoxide	0.10	ND			ND								
18P. PCB1242	0.50	ND			ND								
19P. PCB1254	1.00	ND			ND								
20P. PCB1221	0.50	ND			ND								
21P. PCB1232	0.50	ND			ND								
22P. PCB1248	1.00	ND			ND								
23P. PCB1260	1.00	ND			ND								
24P. PCB1016	0.50	ND			ND								
25P. Toxaphene	1.00	ND			ND								
SURROGATE COMPOUNDS		Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery
Decachlorobiphenyl		19.76	20.00	98.80	18.25	20.00	91.25	21.68	20.00	108.40	21.58	20.00	107.90

* = Matrix Spiking Compounds

Certified by: 
 Michael S. Bonner, Ph.D.
 BONNER ANALYTICAL TESTING COMPANY

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 PESTICIDEPOLYCHLORINATED BIPIHENYLS - ECD ANALYSIS DATA

Client: Hercules
 Sample ID: MWV-4
 File #: BT42542

Collected: 12/12/97
 Extracted: 12/18/97
 Analyzed: 12/23/97
 Date

13:10
 9:45
 4:05
 Time

DOC
 RML
 RML
 Analyst

Sample Type: Water
 Extraction Method: SW846 3510
 Analysis Method: SW846 8081A

COMPOUNDS	MDL ug/L (ppb)	SAMPLE Spike			METHOD BLANK			MATRIX SPIKE			MATRIX SPIKE DUPLICATE		
		Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery
1P. Aldrin *	0.05	ND			ND			192.4	250.0	76.96	220.8	250.0	88.32
2P. Alpha-BHC	0.05	ND			ND			212.8	250.0	85.12	239.5	250.0	95.80
3P. Beta-BHC	0.05	ND			ND			421.9	500.0	84.38	446.3	500.0	89.26
4P. Gamma-BHC *	0.05	ND			ND			456.5	500.0	91.30	499.5	500.0	99.90
5P. Delta-BHC	0.05	ND			ND			461.1	500.0	92.22	503.6	500.0	100.72
6P. Chlordane	0.50	ND			ND			214.5	250.0	85.80	212.4	250.0	84.96
7P. 4,4'-DDT *	0.10	ND			ND								
8P. 4,4'-DDE	0.10	ND			ND								
9P. 4,4'-DDD	0.05	ND			ND								
10P. Dieldrin *	0.10	ND			ND								
11P. Alpha-Endosulfan	0.10	ND			ND								
12P. Beta-Endosulfan	0.10	ND			ND								
13P. Endosulfan Sulfate	0.10	ND			ND								
14P. Endrin *	0.10	ND			ND								
15P. Endrin Aldehyde	0.10	ND			ND								
16P. Heptachlor *	0.05	ND			ND								
17P. Heptachlor Epoxide	0.10	ND			ND								
18P. PCB1242	0.50	ND			ND								
19P. PCB1254	1.00	ND			ND								
20P. PCB1221	0.50	ND			ND								
21P. PCB1232	0.50	ND			ND								
22P. PCB1248	1.00	ND			ND								
23P. PCB1260	1.00	ND			ND								
24P. PCB1016	0.50	ND			ND								
25P. Toxaphene	1.00	ND			ND								
SURROGATE COMPOUNDS													
Decachlorobiphenyl		Detected Amount 14.50	Spike Amount 20.00	% Recovery 72.50	Detected Amount 18.25	Spike Amount 20.00	% Recovery 91.25	Detected Amount 21.68	Spike Amount 20.00	% Recovery 108.40	Detected Amount 21.58	Spike Amount 20.00	% Recovery 107.90

* = Matrix Spiking Compounds

Certified by: 
 Michael S. Bonner, Ph.D.
 BONNER ANALYTICAL TESTING COMPANY


BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
PESTICIDE/POLYCHLORINATED BIPHENYLS - ECD ANALYSIS DATA

Client: Hercules Collected: 12/12/97 9:00 DOC
 Sample ID: MW-5 Extracted: 12/18/97 9:45 RML
 File #: BT42543 Analyzed: 12/23/97 4:52 RML
 Date: _____ Time: _____ Analyst: _____

Sample Type: Water
 Extraction Method: SW946 3510
 Analysis Method: SW946 8081A

COMPOUNDS	MDL ug/L (ppb)	SAMPLE			METHOD BLANK			MATRIX SPIKE			MATRIX SPIKE DUPLICATE		
		Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spiked Amount ug	% Recovery
1P Aldrin *	0.05	ND	ND	ND	ND	ND	192.4	250.0	76.96	220.8	250.0	88.32	
2P Alpha-BHC	0.05	ND	ND	ND	ND	ND							
3P Beta-BHC	0.05	ND	ND	ND	ND	ND	212.8	250.0	85.12	239.5	250.0	95.80	
4P Gamma-BHC *	0.05	ND	ND	ND	ND	ND							
5P Delta-BHC	0.05	ND	ND	ND	ND	ND							
6P Chlordane	0.50	ND	ND	ND	ND	ND	421.9	500.0	84.38	446.3	500.0	89.26	
7P 4,4'-DDT *	0.10	ND	ND	ND	ND	ND							
8P 4,4'-DDE	0.10	ND	ND	ND	ND	ND							
9P 4,4'-DDD	0.05	ND	ND	ND	ND	ND							
10P Dieldrin *	0.10	ND	ND	ND	ND	ND	456.5	500.0	91.30	499.5	500.0	99.90	
11P Alpha-Endosulfan	0.10	ND	ND	ND	ND	ND							
12P Beta-Endosulfan	0.10	ND	ND	ND	ND	ND							
13P Endosulfan Sulfate	0.10	ND	ND	ND	ND	ND	461.1	500.0	92.22	503.6	500.0	100.72	
14P Endrin *	0.10	ND	ND	ND	ND	ND							
15P Endrin Aldehyde	0.10	ND	ND	ND	ND	ND							
16P Heptachlor *	0.05	ND	ND	ND	ND	ND	214.5	250.0	85.80	212.4	250.0	84.96	
17P Heptachlor Epoxide	0.10	ND	ND	ND	ND	ND							
18P PCB1242	0.50	ND	ND	ND	ND	ND							
19P PCB1254	1.00	ND	ND	ND	ND	ND							
20P PCB1221	0.50	ND	ND	ND	ND	ND							
21P PCB1232	0.50	ND	ND	ND	ND	ND							
22P PCB1248	1.00	ND	ND	ND	ND	ND							
23P PCB1260	1.00	ND	ND	ND	ND	ND							
24P PCB1016	0.50	ND	ND	ND	ND	ND							
25P Toxaphene	1.00	ND	ND	ND	ND	ND							
SURROGATE COMPOUNDS		Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery
Decachlorobiphenyl		17.58	20.00	87.90	18.25	20.00	91.25	21.68	20.00	108.40	21.58	20.00	107.90

* = Matrix Spiking Compounds

Certified by 
 Michael S. Bonner, Ph.D.
 BONNER ANALYTICAL TESTING COMPANY

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
PESTICIDE/POLYCHLORINATED BI-PHENYLS - ECD ANALYSIS DATA

Client: Hercules
 Sample ID: MW-6
 File #: BT42544

Collected: 12/12/97 13:10
 Extracted: 12/18/97 9:45
 Analyzed: 12/23/97 5:40
 Date _____ Time _____

DOC _____
 RML _____
 RML _____
 Analyst _____

Sample Type: Water
 Extraction Method: SWB46 3510
 Analysis Method: SWB46 8081A

COMPOUNDS	MDL ug/L (ppb)	SAMPLE			METHOD BLANK			MATRIX SPIKE			MATRIX SPIKE DUPLICATE		
		Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery
1P Aldrin *	0.05	ND			ND			192.4	250.0	76.96	220.8	250.0	88.32
2P Alpha-BHC	0.05	ND			ND			212.8	250.0	85.12	239.5	250.0	95.80
3P Beta-BHC	0.05	ND			ND			421.9	500.0	84.38	446.3	500.0	89.26
4P Gamma-BHC *	0.05	ND			ND			456.5	500.0	91.30	499.5	500.0	99.90
5P Delta-BHC	0.05	ND			ND			461.1	500.0	92.22	503.6	500.0	100.72
6P Chlordane	0.50	ND			ND			214.5	250.0	85.80	212.4	250.0	84.96
7P 4,4'-DDT *	0.10	ND			ND								
8P 4,4'-DDE	0.10	ND			ND								
9P 4,4'-DDD	0.05	ND			ND								
10P Dieldrin *	0.10	ND			ND								
11P Alpha-Endosulfan	0.10	ND			ND								
12P Beta-Endosulfan	0.10	ND			ND								
13P Endosulfan Sulfate	0.10	ND			ND								
14P Endrin *	0.10	ND			ND								
15P Endrin Aldehyde	0.10	ND			ND								
16P Heptachlor *	0.05	ND			ND								
17P Heptachlor Epoxide	0.10	ND			ND								
18P PCB1242	0.50	ND			ND								
19P PCB1254	1.00	ND			ND								
20P PCB1221	0.50	ND			ND								
21P PCB1232	0.50	ND			ND								
22P PCB1248	1.00	ND			ND								
23P PCB1260	1.00	ND			ND								
24P PCB1016	0.50	ND			ND								
25P Toxaphene	1.00	ND			ND								
SURROGATE COMPOUNDS													
Decachlorobiphenyl		Detected Amount 19.36	Spiked Amount 20.00	% Recovery 96.80	Detected Amount 18.25	Spiked Amount 20.00	% Recovery 91.25	Detected Amount 21.68	Spiked Amount 20.00	% Recovery 108.40	Detected Amount 21.58	Spiked Amount 20.00	% Recovery 107.90

* = Matrix Spiking Compounds

Certified by 
 Michael S. Bonner, Ph.D.
 BONNER ANALYTICAL TESTING COMPANY

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 PESTICIDE/POLYCHLORINATED BIPHENYLS - ECD ANALYSIS DATA

Client: Hercules
 Sample ID: Trip Blank
 File #: BT42545

Collected: 12/12/97
 Extracted: 12/18/97
 Analyzed: 12/23/97
 Date


DOC
 RML
 RML
 Analyst

Time 9:45
 6:27

Sample Type: Water
 Extraction Method: SW846 3510
 Analysis Method: SW846 8081A

COMPOUNDS	MDL ug/L (ppb)	Detected Amount ug/L (ppb)	SAMPLE			METHOD BLANK			MATRIX SPIKE			MATRIX SPIKE DUPLICATE			
			Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery		
1P: Aldrin *	0.05	ND			ND			ND		192.4	250.0	76.96	220.8	250.0	88.32
2P: Alpha-BHC	0.05	ND			ND			ND		212.8	250.0	85.12	239.5	250.0	95.80
3P: Beta-BHC	0.05	ND			ND			ND		421.9	500.0	84.38	446.3	500.0	89.26
4P: Gamma-BHC *	0.05	ND			ND			ND		456.5	500.0	91.30	499.5	500.0	99.90
5P: Delta-BHC	0.05	ND			ND			ND		461.1	500.0	92.22	503.6	500.0	100.72
6P: Chlordane	0.50	ND			ND			ND		214.5	250.0	85.80	212.4	250.0	84.96
7P: 4,4'-DDT *	0.10	ND			ND			ND							
8P: 4,4'-DDE	0.10	ND			ND			ND							
9P: 4,4'-DDD	0.05	ND			ND			ND							
10P: Dieldrin *	0.10	ND			ND			ND							
11P: Alpha-Endosulfan	0.10	ND			ND			ND							
12P: Beta-Endosulfan	0.10	ND			ND			ND							
13P: Endosulfan Sulfate	0.10	ND			ND			ND							
14P: Endrin *	0.10	ND			ND			ND							
15P: Endrin Aldehyde	0.10	ND			ND			ND							
16P: Heptachlor *	0.05	ND			ND			ND							
17P: Heptachlor Epoxide	0.10	ND			ND			ND							
18P: PCB1242	0.50	ND			ND			ND							
19P: PCB1254	1.00	ND			ND			ND							
20P: PCB1221	0.50	ND			ND			ND							
21P: PCB1232	0.50	ND			ND			ND							
22P: PCB1248	1.00	ND			ND			ND							
23P: PCB1260	1.00	ND			ND			ND							
24P: PCB1016	0.50	ND			ND			ND							
25P: Toxaphene	1.00	ND			ND			ND							
SURROGATE COMPOUNDS															
Decachlorobiphenyl		Detected Amount 21.91	Spiked Amount 20.00	% Recovery 109.55	Detected Amount 18.25	Spiked Amount 20.00	% Recovery 91.25	Detected Amount 21.68	Spiked Amount 20.00	% Recovery 108.40	Detected Amount 21.58	Spiked Amount 20.00	% Recovery 107.90		

* = Matrix Spiking Compounds

Certified by 
 Michael S. Bonner, Ph.D.
 BONNER ANALYTICAL TESTING COMPANY

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
PESTICIDE/POLYCHLORINATED BI-PHENYLS - ECD ANALYSIS DATA

Client: Hercules Collected: 12/15/97 DOC: _____ Sample Type: Water
 Sample ID: Equipment Blank Extracted: 12/18/97 RML: _____ Extraction Method: SW846 3510
 File #: BT42546 Analyzed: 12/23/97 RML: _____ Analysis Method: SW846 8081A
 Date: _____ Time: _____ Analyst: _____

COMPOUNDS	MDL ug/L (ppb)	Detected Amount ug/L (ppb)	SAMPLE Spike			METHOD BLANK Spike			MATRIX SPIKE Spike			MATRIX SPIKE DUPLICATE Spike		
			Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery	
1P. Aldrin *	0.05	ND			ND			192.4	250.0	76.96	220.8	250.0	88.32	
2P. Alpha-BHC	0.05	ND			ND									
3P. Beta-BHC	0.05	ND			ND									
4P. Gamma-BHC *	0.05	ND			ND			212.8	250.0	85.12	239.5	250.0	95.80	
5P. Delta-BHC	0.05	ND			ND									
6P. Chlordane	0.50	ND			ND									
7P. 4,4'-DDT *	0.10	ND			ND			421.9	500.0	84.38	446.3	500.0	89.26	
8P. 4,4'-DDE	0.10	ND			ND									
9P. 4,4'-DDD	0.05	ND			ND									
10P. Dieldrin *	0.10	ND			ND			456.5	500.0	91.30	499.5	500.0	99.90	
11P. Alpha-Endosulfan	0.10	ND			ND									
12P. Beta-Endosulfan	0.10	ND			ND									
13P. Endosulfan Sulfate	0.10	ND			ND			461.1	500.0	92.22	503.6	500.0	100.72	
14P. Endrin *	0.10	ND			ND									
15P. Endrin Aldehyde	0.05	ND			ND			214.5	250.0	85.80	212.4	250.0	84.96	
16P. Heptachlor *	0.10	ND			ND									
17P. Heptachlor Epoxide	0.10	ND			ND									
18P. PCB1242	0.50	ND			ND									
19P. PCB1254	1.00	ND			ND									
20P. PCB1221	0.50	ND			ND									
21P. PCB1232	0.50	ND			ND									
22P. PCB1248	1.00	ND			ND									
23P. PCB1260	1.00	ND			ND									
24P. PCB1016	0.50	ND			ND									
25P. Toxaphene	1.00	ND			ND									
SURROGATE COMPOUNDS														
Decachlorobiphenyl		Detected Amount 20.42	Spiked Amount 20.00	% Recovery 102.10	Detected Amount 18.25	Spiked Amount 20.00	% Recovery 91.25	Detected Amount 21.68	Spiked Amount 20.00	% Recovery 108.40	Detected Amount 21.58	Spiked Amount 20.00	% Recovery 107.90	

* = Matrix Spiking Compounds

Certified by: 
 Michael S. Bonner, Ph.D.
 BONNER ANALYTICAL TESTING COMPANY

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: **HERCULES**
 Location: **MW - 1**
 File #: **BT42539**

Collected: 12/15/97 17:30 **BATCO**
 Received: 12/18/97 11:20 **RWC**
 Analyzed: 12/18/97 12:20 **CRR**
 Date _____ Time _____ Analyst _____

Sample Type: Water
 Analysis Method: 8260

Compound Name	CAS Number	MDL ug/L (ppb)	SAMPLE			BLANK			MATRIX SPIKE (BT42541)			MATRIX SPIKE DUP (BT42541)		
			Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ng	% Recovery	Detected Amount ug/L (ppb)	Amount ng	% Recovery
1,1-Dichloroethane	75-35-4	2.00	ND			ND			52.2	250.0	104.4	51.3	250.0	102.6
Benzene	71-43-2	2.00	ND			ND			52.4	250.0	104.8	51.5	250.0	103.0
Trichloroethene	79-01-6	2.50	ND			ND			52.5	250.0	105.0	53.0	250.0	106.0
Toluene	108-88-3	2.50	ND			ND			53.1	250.0	106.2	53.1	250.0	106.2
Chlorobenzene	108-90-7	2.00	ND			ND			52.9	250.0	105.8	54.0	250.0	108.0
Bromobenzene	108-86-1	2.50	ND			ND			ND			ND		
Bromochloromethane	74-97-5	2.00	ND			ND			ND			ND		
Bromodichloromethane	75-27-4	2.00	ND			ND			ND			ND		
Bromoform	75-25-2	2.50	ND			ND			ND			ND		
Bromomethane	74-83-9	1.00	ND			ND			ND			ND		
n-Butylbenzene	104-51-8	1.50	ND			ND			ND			ND		
sec-Butylbenzene	135-98-8	2.50	ND			ND			ND			ND		
tert-Butylbenzene	98-06-6	3.00	ND			ND			ND			ND		
Carbon Tetrachloride	56-23-5	2.00	ND			ND			ND			ND		
Chloroethane	75-00-3	3.00	ND			ND			ND			ND		
Chloroform	66-67-3	2.00	ND			ND			ND			ND		
Chloromethane	74-87-3	3.00	ND			ND			ND			ND		
2-Chlorotoluene	95-49-8	3.00	ND			ND			ND			ND		
4-Chlorotoluene	106-43-4	1.50	ND			ND			ND			ND		
Dibromochloromethane	124-48-1	2.00	ND			ND			ND			ND		
1,2-Dibromo-3-chloropropane	96-12-8	4.00	ND			ND			ND			ND		
1,2-Dibromoethane	106-93-4	2.00	ND			ND			ND			ND		
Dibromomethane	74-95-3	2.50	ND			ND			ND			ND		
1,2-Dichlorobenzene	95-50-1	2.50	ND			ND			ND			ND		
1,3-Dichlorobenzene	541-73-1	2.00	ND			ND			ND			ND		
1,4-Dichlorobenzene	106-46-7	2.00	ND			ND			ND			ND		
Dichlorodifluoromethane	75-71-8	2.00	ND			ND			ND			ND		
1,1-Dichloroethane	75-34-3	2.00	ND			ND			ND			ND		
1,2-Dichloroethane	107-06-2	2.00	ND			ND			ND			ND		
cis-1,2-Dichloroethene	156-59-2	2.50	ND			ND			ND			ND		
trans-1,2-Dichloroethene	156-60-5	2.50	ND			ND			ND			ND		
1,2-Dichloropropane	78-87-5	2.50	ND			ND			ND			ND		
1,3-Dichloropropane	142-28-9	2.50	ND			ND			ND			ND		
2,2-Dichloropropane	594-20-7	2.00	ND			ND			ND			ND		
1,1-Dichloropropene	563-58-6	2.00	ND			ND			ND			ND		
c-1,3-Dichloropropene	10061-01-5	2.00	ND			ND			ND			ND		
i-1,3-Dichloropropene	10061-02-6	2.00	ND			ND			ND			ND		
Ethyl benzene	100-41-4	2.50	ND			ND			ND			ND		
Hexachlorobutadiene	87-68-3	2.00	ND			ND			ND			ND		
Isopropylbenzene	98-82-8	2.50	ND			ND			ND			ND		
P-Isopropyltoluene	99-87-6	2.00	ND			ND			ND			ND		
Methylene chloride	75-09-2	2.50	ND			ND			ND			ND		
Naphthalene	91-20-3	3.00	ND			ND			ND			ND		
n-Propylbenzene	103-65-1	1.50	ND			ND			ND			ND		

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: **HERCULES** Collected: **12/15/97** 17:30 BATCO Sample Type: **Water**
 Location: **MW-1** Received: **12/16/97** 11:20 RWC Analysis Method: **8260**
 File #: **BT42539** Analysis: **12/18/97** 12:20 CRR Date Time Analyst

Compound Name	CAS Number	MDL ug/L (ppb)	SAMPLE			BLANK			MATRIX SPIKE			MATRIX SPIKE DUP		
			Detected Amount ug/L (ppb)	Spike Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spike Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spike Amount ng	% Recovery	Detected Amount ug/L (ppb)	Spike Amount ng	% Recovery
Styrene	100-42-5	2.00	ND			ND			ND			ND		
1,1,1,2-Tetrachloroethane	630-20-6	2.50	ND			ND			ND			ND		
1,1,2,2-Tetrachloroethane	79-34-5	2.50	ND			ND			ND			ND		
Tetrachloroethane	127-18-4	2.00	ND			ND			ND			ND		
1,2,3-Trichlorobenzene	87-61-6	2.00	ND			ND			ND			ND		
1,2,4-Trichlorobenzene	120-82-1	2.50	ND			ND			ND			ND		
1,1,1-Trichloroethane	71-55-6	2.00	ND			ND			ND			ND		
1,1,2-Trichloroethane	79-00-5	2.50	ND			ND			ND			ND		
Trichlorofluoromethane	75-69-4	2.00	ND			ND			ND			ND		
1,2,3-Trichloropropane	96-18-4	1.50	ND			ND			ND			ND		
1,2,4-Trimethylbenzene	95-63-6	2.00	ND			ND			ND			ND		
1,3,5-Trimethylbenzene	108-67-8	3.00	ND			ND			ND			ND		
Vinyl chloride	75-01-4	2.50	ND			ND			ND			ND		
Xylenes (total)	1330-20-7	4.00	ND			ND			ND			ND		
Surrogate Compounds			Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery
Dibromofluoromethane	1868-53-7		49.5	250.0	99.0	46.6	250.0	93.2	46.0	250.0	92.0	46.7	250.0	93.4
Toluene-d8	2037-26-5		44.9	250.0	89.8	49.2	250.0	98.4	46.1	250.0	92.2	45.9	250.0	91.8
4-Bromofluorobenzene	460-00-4		47.0	250.0	94.0	49.7	250.0	99.4	47.9	250.0	95.8	48.9	250.0	97.8

Certified by: 
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: HERCULES
 Location: MW - 2
 File #: BT42540

Collected: 12/15/97 16:20 BATCO
 Received: 12/18/97 11:20 RWC
 Analyzed: 12/18/97 13:21 GRR
 Date _____ Time _____ Analyst _____

Sample Type: Water
 Analysis Method: 8260

Compound Name	CAS Number	MDL (ppb)	SAMPLE			BLANK			MATRIX SPIKE (BT42541)			MATRIX SPIKE DUP (BT42541)		
			Detected Amount (ug/L)	Amount (ug)	% Recovery	Detected Amount (ug/L)	Amount (ug)	% Recovery	Detected Amount (ug/L)	Amount (ng)	% Recovery	Detected Amount (ug/L)	Amount (ng)	% Recovery
1,1-Dichloroethane	75-35-4	2.00	ND			ND			52.2	250.0	104.4	51.3	250.0	102.6
Benzene	71-43-2	2.00	ND			ND			52.4	250.0	104.8	51.5	250.0	103.0
Trichloroethane	79-01-6	2.50	ND			ND			52.5	250.0	105.0	53.0	250.0	106.0
Toluene	108-88-3	2.50	ND			ND			53.1	250.0	106.2	53.1	250.0	106.2
Chlorobenzene	108-90-7	2.00	ND			ND			52.9	250.0	105.8	54.0	250.0	108.0
Bromobenzene	108-96-1	2.50	ND			ND			ND			ND		
Bromochloromethane	74-97-5	2.00	ND			ND			ND			ND		
Bromodichloromethane	75-27-4	2.00	ND			ND			ND			ND		
Bromoflorm	75-25-2	2.50	ND			ND			ND			ND		
Bromomethane	74-83-9	1.00	ND			ND			ND			ND		
n-Butylbenzene	104-51-8	1.50	ND			ND			ND			ND		
sec-Butylbenzene	135-98-8	2.50	ND			ND			ND			ND		
tert-Butylbenzene	98-06-6	3.00	ND			ND			ND			ND		
Carbon Tetrachloride	56-23-5	2.00	ND			ND			ND			ND		
Chloroethane	75-00-3	3.00	ND			ND			ND			ND		
Chloroform	66-67-3	2.00	ND			ND			ND			ND		
Chloromethane	74-87-3	3.00	ND			ND			ND			ND		
2-Chlorotoluene	95-49-8	3.00	ND			ND			ND			ND		
4-Chlorotoluene	106-43-4	1.50	ND			ND			ND			ND		
Dibromochloromethane	124-48-1	2.00	ND			ND			ND			ND		
1,2-Dibromo-3-chloropropane	96-12-8	4.00	ND			ND			ND			ND		
1,2-Dibromoethane	106-93-4	2.00	ND			ND			ND			ND		
Dibromomethane	74-95-3	2.50	ND			ND			ND			ND		
1,2-Dichlorobenzene	95-50-1	2.50	ND			ND			ND			ND		
1,3-Dichlorobenzene	541-73-1	2.00	ND			ND			ND			ND		
1,4-Dichlorobenzene	106-46-7	2.00	ND			ND			ND			ND		
Dichlorodifluoromethane	75-71-8	2.00	ND			ND			ND			ND		
1,1-Dichloroethane	75-34-3	2.00	ND			ND			ND			ND		
1,1-Dichloroethane	107-06-2	2.00	ND			ND			ND			ND		
cis-1,2-Dichloroethane	156-59-2	2.50	ND			ND			ND			ND		
trans-1,2-Dichloroethane	156-60-5	2.50	ND			ND			ND			ND		
1,2-Dichloropropane	78-87-5	2.50	ND			ND			ND			ND		
1,3-Dichloropropane	142-28-9	2.50	ND			ND			ND			ND		
2,2-Dichloropropane	594-20-7	2.00	ND			ND			ND			ND		
1,1-Dichloropropene	563-58-6	2.00	ND			ND			ND			ND		
c-1,3-Dichloropropene	10061-01-5	2.00	ND			ND			ND			ND		
i-1,3-Dichloropropene	10061-02-6	2.00	ND			ND			ND			ND		
Ethyl benzene	100-41-4	2.50	ND			ND			ND			ND		
Hexachlorobutadiene	87-68-3	2.00	ND			ND			ND			ND		
Isopropylbenzene	98-82-8	2.50	ND			ND			ND			ND		
p-Isopropyltoluene	99-87-6	2.00	ND			ND			ND			ND		
Methylene chloride	75-09-2	2.50	ND			ND			ND			ND		
Naphthalene	91-20-3	3.00	ND			ND			ND			ND		
n-Propylbenzene	103-65-1	1.50	ND			ND			ND			ND		

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: **HERCULES**
 Location: **MW-2**
 File #: **BT42540**

Collected: **12/15/97** **16:20** **BATCO**
 Received: **12/16/97** **11:20** **RWC**
 Analysis: **12/18/97** **13:21** **GRR**
 Date: _____ Time: _____ Analyst: _____

Sample Type: **Water**
 Analysis Method: **8260**

Compound Name	CAS Number	MDL (ppb)	SAMPLE			BLANK			MATRIX SPIKE			MATRIX SPIKE DUP		
			Detected Amount (ug/L)	Spiked Amount (ug)	% Recovery	Detected Amount (ug/L)	Spiked Amount (ug)	% Recovery	Detected Amount (ug/L)	Spiked Amount (ng)	% Recovery	Detected Amount (ug/L)	Spiked Amount (ng)	% Recovery
Styrene	100-42-5	2.00	ND			ND			ND			ND		
1,1,1,2-Tetrachloroethane	630-20-6	2.50	ND			ND			ND			ND		
1,1,2,2-Tetrachloroethane	79-34-5	2.50	ND			ND			ND			ND		
Tetrachloroethane	127-18-4	2.00	ND			ND			ND			ND		
1,2,3-Trichlorobenzene	87-61-6	2.50	ND			ND			ND			ND		
1,2,4-Trichlorobenzene	120-82-1	2.50	ND			ND			ND			ND		
1,1,1-Trichloroethane	71-55-6	2.00	ND			ND			ND			ND		
1,1,2-Trichloroethane	79-00-5	2.50	ND			ND			ND			ND		
Trichlorofluoromethane	75-69-4	2.00	ND			ND			ND			ND		
1,2,3-Trichloropropane	96-18-4	1.50	ND			ND			ND			ND		
1,2,4-Trimethylbenzene	95-63-6	2.00	ND			ND			ND			ND		
1,3,5-Trimethylbenzene	108-67-8	3.00	ND			ND			ND			ND		
Vinyl chloride	75-01-4	2.50	ND			ND			ND			ND		
Xylenes (total)	1330-20-7	4.00	ND			ND			ND			ND		
Surrogate Compounds			Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery
Dibromofluoromethane	1868-53-7		47.5	250.0	95.0	46.6	250.0	93.2	46.0	250.0	92.0	46.7	250.0	93.4
Toluene-d8	2037-26-5		48.4	250.0	96.8	49.2	250.0	98.4	46.1	250.0	92.2	45.9	250.0	91.8
4-Bromofluorobenzene	460-00-4		45.3	250.0	90.6	49.7	250.0	99.4	47.9	250.0	95.8	48.9	250.0	97.8

Certified by: 
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY

VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Client : HERCULES

File # : BT42540

Sample Matrix : Water

Lab Sample ID : MW-2

Sample Collection Date : 12/15/97

Sample Analysis Date : 12/18/97

GC Column Length : 105 M

Dilution Factor : 1

GC Column ID : 0.53 mm

Sample Weight/ Volume : 5.0 (g/mL) mL

Number TICs Found : 0

Concentration Units : ug / L (PPB)

CAS NUMBER	COMPOUND NAME	RT	EST. CONCENTRATION

NOTE: TICs reported for SW 846 method 8260 compounds only.

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: **HERCULES**
 Location: **MMV - 3**
 File #: **BT42541**

Collected: 12/15/97 15:40 **BATCO**
 Received: 12/16/97 11:20 **RWC**
 Analyzed: 12/18/97 14:22 **CR**
 Date _____ Time _____ Analyst _____

Sample Type: Water
 Analysis Method: 8260

Compound Name	CAS Number	MDL (ppb)	SAMPLE			BLANK			MATRIX SPIKE (BT42541)			MATRIX SPIKE DUP (BT42541)		
			Detected Amount (ug/L)	Amount (ug)	% Recovery	Detected Amount (ug/L)	Amount (ug)	% Recovery	Detected Amount (ug/L)	Amount (ng)	% Recovery	Detected Amount (ug/L)	Amount (ng)	% Recovery
1,1-Dichloroethene	75-35-4	2.00	ND			ND			52.2	250.0	104.4	51.3	250.0	102.6
Benzene	71-43-2	2.00	ND			ND			52.4	250.0	104.8	51.5	250.0	103.0
Trichloroethene	79-01-6	2.50	ND			ND			52.5	250.0	105.0	53.0	250.0	106.0
Toluene	108-88-3	2.50	ND			ND			53.1	250.0	106.2	53.1	250.0	106.2
Chlorobenzene	108-90-7	2.00	ND			ND			52.9	250.0	105.8	54.0	250.0	108.0
Bromobenzene	108-86-1	2.50	ND			ND			ND			ND		
Bromochloromethane	74-97-5	2.00	ND			ND			ND			ND		
Bromodichloromethane	75-27-4	2.00	ND			ND			ND			ND		
Bromoforn	75-25-2	2.50	ND			ND			ND			ND		
Bromomethane	74-83-9	1.00	ND			ND			ND			ND		
n-Butylbenzene	104-51-8	1.50	ND			ND			ND			ND		
sec-Butylbenzene	135-98-8	2.50	ND			ND			ND			ND		
tert-Butylbenzene	98-06-6	3.00	ND			ND			ND			ND		
Carbon Tetrachloride	56-23-5	2.00	ND			ND			ND			ND		
Chloroethane	75-00-3	3.00	ND			ND			ND			ND		
Chloroform	66-67-3	2.00	ND			ND			ND			ND		
Chloromethane	74-87-3	3.00	ND			ND			ND			ND		
2-Chlorotoluene	95-49-8	3.00	ND			ND			ND			ND		
4-Chlorotoluene	106-43-4	1.50	ND			ND			ND			ND		
Dibromochloromethane	124-48-1	2.00	ND			ND			ND			ND		
1,2-Dibromo-3-chloropropane	96-12-8	4.00	ND			ND			ND			ND		
1,2-Dibromoethane	106-93-4	2.00	ND			ND			ND			ND		
Dibromomethane	74-85-3	2.50	ND			ND			ND			ND		
1,3-Dichlorobenzene	95-50-1	2.50	ND			ND			ND			ND		
1,4-Dichlorobenzene	541-73-1	2.00	ND			ND			ND			ND		
Dichlorodifluoromethane	106-46-7	2.00	ND			ND			ND			ND		
1,1-Dichloroethane	75-71-8	2.00	ND			ND			ND			ND		
1,1-Dichloroethane	75-34-3	2.00	ND			ND			ND			ND		
cis-1,2-Dichloroethane	107-06-2	2.00	ND			ND			ND			ND		
trans-1,2-Dichloroethane	156-59-2	2.50	ND			ND			ND			ND		
1,2-Dichloropropane	156-60-5	2.50	ND			ND			ND			ND		
1,3-Dichloropropane	78-87-5	2.50	ND			ND			ND			ND		
2,2-Dichloropropane	142-28-9	2.50	ND			ND			ND			ND		
1,1-Dichloropropene	594-20-7	2.00	ND			ND			ND			ND		
c-1,3-Dichloropropene	563-58-6	2.00	ND			ND			ND			ND		
t-1,3-Dichloropropene	10061-01-5	2.00	ND			ND			ND			ND		
Ethyl benzene	100-41-4	2.00	ND			ND			ND			ND		
Hexachlorobutadiene	87-68-3	2.00	ND			ND			ND			ND		
Isopropylbenzene	98-82-8	2.50	ND			ND			ND			ND		
p-Isopropyltoluene	99-87-6	2.00	ND			ND			ND			ND		
Methylene chloride	75-09-2	2.50	ND			ND			ND			ND		
Naphthalene	91-20-3	3.00	ND			ND			ND			ND		
n-Propylbenzene	103-65-1	1.50	ND			ND			ND			ND		

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: **HERCULES**
 Location: **MMV-3**
 File #: **BT42541**

Collected: **12/15/97** 15:40 **BATCO**
 Received: **12/15/97** 11:20 **RWC**
 Analysis: **12/15/97** 14:22 **GRR**
 Date: _____ Time: _____ Analyst: _____

Sample Type: **Water**
 Analysis Method: **8260**

Compound Name	CAS Number	MDL (ppb)	SAMPLE			BLANK			MATRIX SPIKE			MATRIX SPIKE DUP		
			Detected Amount (ug/L)	Spiked Amount (ug)	% Recovery	Detected Amount (ug/L)	Spiked Amount (ug)	% Recovery	Detected Amount (ug/L)	Spiked Amount (ng)	% Recovery	Detected Amount (ug/L)	Spiked Amount (ng)	% Recovery
Styrene	100-42-5	2.00	ND			ND			ND			ND		
1,1,1,2-Tetrachloroethane	630-20-6	2.50	ND			ND			ND			ND		
1,1,2,2-Tetrachloroethane	79-34-5	2.50	ND			ND			ND			ND		
Tetrachloroethene	127-18-4	2.00	ND			ND			ND			ND		
1,2,3-Trichlorobenzene	87-61-6	2.00	ND			ND			ND			ND		
1,2,4-Trichlorobenzene	120-82-1	2.50	ND			ND			ND			ND		
1,1,1-Trichloroethane	71-55-6	2.00	ND			ND			ND			ND		
1,1,2-Trichloroethane	79-00-5	2.50	ND			ND			ND			ND		
Trichlorofluoromethane	75-69-4	2.00	ND			ND			ND			ND		
1,2,3-Trichloropropane	96-18-4	1.50	ND			ND			ND			ND		
1,2,4-Trimethylbenzene	95-63-6	2.00	ND			ND			ND			ND		
1,3,5-Trimethylbenzene	108-67-8	3.00	ND			ND			ND			ND		
Vinyl chloride	75-01-4	2.50	ND			ND			ND			ND		
Xylenes (total)	1330-20-7	4.00	ND			ND			ND			ND		
Surrogate Compounds			Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery
Dibromofluoromethane	1869-53-7		47.8	250.0	95.6	46.6	250.0	93.2	46.0	250.0	92.0	46.7	250.0	93.4
Toluene-d8	2037-26-5		50.4	250.0	100.8	49.2	250.0	98.4	46.1	250.0	92.2	45.9	250.0	91.8
4-Bromofluorobenzene	460-00-4		48.0	250.0	96.0	49.7	250.0	99.4	47.9	250.0	95.8	48.9	250.0	97.8

Certified by: 
 Michael S. Bonner, Ph.D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY

VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Client : HERCULES

File # : BT42541

Sample Matrix : Water

Lab Sample ID : MW-3

Sample Collection Date : 12/15/97

Sample Analysis Date : 12/18/97

GC Column Length : 105 M

Dilution Factor : 1

GC Column ID : 0.53 mm

Sample Weight/ Volume : 5.0 (g/mL) mL

Number TICs Found : 0

Concentration Units : ug / L (PPB)

CAS NUMBER	COMPOUND NAME	RT	EST. CONCENTRATION

NOTE: TICs reported for SW 846 method 8260 compounds only.

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: HERCULES
 Location: MW-4
 File #: BT42542

Collected: 12/12/97 13:10 BATCO
 Received: 12/16/97 11:20 RWC
 Analyzed: 12/18/97 19:56 CRR
 Date Time Analyst


Sample Type: Water
 Analysis Method: 8260

Compound Name	CAS Number	MDL (ppb)	SAMPLE			BLANK			MATRIX SPIKE (BT42541)			MATRIX SPIKE DUP (BT42541)		
			Detected Amount (ug/L)	Amount (ug)	% Recovery	Detected Amount (ug/L)	Amount (ug)	% Recovery	Detected Amount (ug/L)	Amount (ng)	% Recovery	Detected Amount (ug/L)	Amount (ng)	% Recovery
1,1-Dichloroethene	75-35-4	2.00	ND			ND			52.2	250.0	104.4	51.3	250.0	102.6
Benzene	71-43-2	2.00	ND			ND			52.4	250.0	104.8	51.5	250.0	103.0
Trichloroethene	79-01-6	2.50	ND			ND			52.5	250.0	105.0	53.0	250.0	106.0
Toluene	108-88-3	2.50	ND			ND			53.1	250.0	106.2	53.1	250.0	106.2
Chlorobenzene	108-90-7	2.00	ND			ND			52.9	250.0	105.8	54.0	250.0	108.0
Bromobenzene	108-86-1	2.50	ND			ND			ND			ND		
Bromochloromethane	74-97-5	2.00	ND			ND			ND			ND		
Bromodichloromethane	75-27-4	2.00	ND			ND			ND			ND		
Bromoform	75-25-2	2.50	ND			ND			ND			ND		
Bromomethane	74-83-9	1.00	ND			ND			ND			ND		
n-Butylbenzene	104-51-8	1.50	ND			ND			ND			ND		
sec-Butylbenzene	135-98-8	2.50	ND			ND			ND			ND		
tert-Butylbenzene	98-06-6	3.00	ND			ND			ND			ND		
Carbon Tetrachloride	56-23-5	2.00	ND			ND			ND			ND		
Chloroethane	75-00-3	3.00	ND			ND			ND			ND		
Chloroform	66-67-3	2.00	ND			ND			ND			ND		
Chloromethane	74-87-3	3.00	ND			ND			ND			ND		
2-Chlorotoluene	95-49-8	3.00	ND			ND			ND			ND		
4-Chlorotoluene	106-43-4	1.50	ND			ND			ND			ND		
Dibromochloromethane	124-48-1	2.00	ND			ND			ND			ND		
1,2-Dibromo-3-chloropropane	96-12-8	4.00	ND			ND			ND			ND		
1,2-Dibromoethane	106-93-4	2.00	ND			ND			ND			ND		
Dibromomethane	74-95-3	2.50	ND			ND			ND			ND		
1,2-Dichlorobenzene	95-50-1	2.50	ND			ND			ND			ND		
1,3-Dichlorobenzene	541-73-1	2.00	ND			ND			ND			ND		
1,4-Dichlorobenzene	106-46-7	2.00	ND			ND			ND			ND		
Dichlorodifluoromethane	75-71-8	2.00	ND			ND			ND			ND		
1,1-Dichloroethane	75-34-3	2.00	ND			ND			ND			ND		
1,2-Dichloroethane	107-06-2	2.00	ND			ND			ND			ND		
cis-1,2-Dichloroethane	156-59-2	2.50	ND			ND			ND			ND		
trans-1,2-Dichloroethane	156-60-5	2.50	ND			ND			ND			ND		
1,2-Dichloropropane	78-87-5	2.50	ND			ND			ND			ND		
1,3-Dichloropropane	142-28-9	2.50	ND			ND			ND			ND		
2,2-Dichloropropane	594-20-7	2.00	ND			ND			ND			ND		
1,1-Dichloropropene	563-58-6	2.00	ND			ND			ND			ND		
c-1,3-Dichloropropene	10061-01-5	2.00	ND			ND			ND			ND		
l-1,3-Dichloropropene	10061-02-6	2.00	ND			ND			ND			ND		
Ethyl benzene	100-41-4	2.50	ND			ND			ND			ND		
Hexachlorobutadiene	87-68-3	2.00	ND			ND			ND			ND		
Isopropylbenzene	98-82-8	2.50	ND			ND			ND			ND		
p-Isopropyltoluene	99-87-6	2.00	ND			ND			ND			ND		
Methylene chloride	75-09-2	2.50	ND			ND			ND			ND		
Naphthalene	91-20-3	3.00	ND			ND			ND			ND		
n-Propylbenzene	103-65-1	1.50	ND			ND			ND			ND		

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: **HERCULES** Collected: 12/12/97 13:10 **BATCO** Sample Type: Water
 Location: MW-4 Received: 12/16/97 11:20 **RWC** Analysis Method: 8260
 File #: B742542 Analysis: 12/18/97 19:56 **CRR** Date Time Analyst

Compound Name	CAS Number	MDL ug/L (ppb)	SAMPLE Spike			BLANK Spike			MATRIX SPIKE Spike			MATRIX SPIKE DUP Spike		
			Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ng	% Recovery	Detected Amount ug/L (ppb)	Amount ng	% Recovery
Styrene	100-42-5	2.00	ND			ND			ND			ND		
1,1,1,2-Tetrachloroethane	630-20-6	2.50	ND			ND			ND			ND		
1,1,2,2-Tetrachloroethane	79-34-5	2.50	ND			ND			ND			ND		
Tetrachloroethene	127-18-4	2.00	ND			ND			ND			ND		
1,2,3-Trichlorobenzene	87-61-6	2.00	ND			ND			ND			ND		
1,2,4-Trichlorobenzene	120-82-1	2.50	ND			ND			ND			ND		
1,1,1-Trichloroethane	71-55-6	2.00	ND			ND			ND			ND		
1,1,2-Trichloroethane	79-00-5	2.50	ND			ND			ND			ND		
Trichlorofluoromethane	75-69-4	2.00	ND			ND			ND			ND		
1,2,3-Trichloropropane	96-18-4	1.50	ND			ND			ND			ND		
1,2,4-Trimethylbenzene	95-63-6	2.00	ND			ND			ND			ND		
1,3,5-Trimethylbenzene	108-67-8	3.00	ND			ND			ND			ND		
Vinyl chloride	75-01-4	2.50	ND			ND			ND			ND		
Xylenes (total)	1330-20-7	4.00	ND			ND			ND			ND		
Surrogate Compounds			Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery
Dibromofluoromethane	1868-53-7		44.7	250.0	89.4	46.6	250.0	93.2	46.0	250.0	92.0	46.7	250.0	93.4
Toluene-d8	2037-26-5		48.4	250.0	96.8	49.2	250.0	98.4	46.1	250.0	92.2	45.9	250.0	91.8
4-Bromofluorobenzene	460-00-4		48.3	250.0	96.6	49.7	250.0	99.4	47.9	250.0	95.8	48.9	250.0	97.8

Certified by: 
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY

VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Client : HERCULES

File # : BT42542

Sample Matrix : Water

Lab Sample ID : MW-4

Sample Collection Date : 12/12/97

Sample Analysis Date : 12/18/97

GC Column Length : 105 M

Dilution Factor : 1

GC Column ID : 0.53 mm

Sample Weight/ Volume : 5.0 (g/mL) mL

Number TICs Found : 2

Concentration Units : ug / L (PPB)

CAS NUMBER	COMPOUND NAME	RT	EST. CONCENTRATION
67-64-1	Acetone	10.6	169
78-93-3	MEK	17.2	182

NOTE: TICs reported for SW 846 method 8260 compounds only.

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: **HERCULES**
 Location: **MW-5**
 File #: **BT42543**

Collected: **12/12/97** 9:00 **BATCO**
 Received: **12/16/97** 11:20 **RWC**
 Analyzed: **12/18/97** 18:53 **CRR**
 Date _____ Time _____ Analyst _____

Sample Type: **Water**
 Analysis Method: **8260**

Compound Name	CAS Number	MDL ug/L (ppb)	SAMPLE			BLANK			MATRIX SPIKE (BT42541)			MATRIX SPIKE DUP (BT42541)		
			Detected Amount ug/L (ppb)	Spike		Detected Amount ug/L (ppb)	Spike		Detected Amount ug/L (ppb)	Spike		Detected Amount ug/L (ppb)	Spike	
				Amount ug	% Recovery		Amount ug	% Recovery		Amount ng	% Recovery		Amount ng	% Recovery
1,1-Dichloroethane	75-35-4	2.00	ND			ND			52.2	250.0	104.4	51.3	250.0	102.6
Benzene	71-43-2	2.00	ND			ND			52.4	250.0	104.8	51.5	250.0	103.0
Trichloroethane	79-01-6	2.50	ND			ND			52.5	250.0	105.0	53.0	250.0	106.0
Toluene	108-88-3	2.50	ND			ND			53.1	250.0	106.2	53.1	250.0	106.2
Chlorobenzene	108-90-7	2.00	ND			ND			52.9	250.0	105.8	54.0	250.0	108.0
Bromobenzene	108-86-1	2.50	ND			ND			ND			ND		
Bromochloromethane	74-97-5	2.00	ND			ND			ND			ND		
Bromodichloromethane	75-27-4	2.00	ND			ND			ND			ND		
Bromoforn	75-25-2	2.50	ND			ND			ND			ND		
Bromomethane	74-83-9	1.00	ND			ND			ND			ND		
n-Butylbenzene	104-51-8	1.50	ND			ND			ND			ND		
sec-Butylbenzene	135-98-8	2.50	ND			ND			ND			ND		
tert-Butylbenzene	98-06-6	3.00	ND			ND			ND			ND		
Carbon Tetrachloride	56-23-5	2.00	ND			ND			ND			ND		
Chloroethane	75-00-3	3.00	ND			ND			ND			ND		
Chloroform	66-67-3	2.00	ND			ND			ND			ND		
Chloromethane	74-87-3	3.00	ND			ND			ND			ND		
2-Chlorotoluene	95-49-8	3.00	ND			ND			ND			ND		
4-Chlorotoluene	106-43-4	1.50	ND			ND			ND			ND		
Dibromochloromethane	124-48-1	2.00	ND			ND			ND			ND		
1,2-Dibromo-3-chloropropane	96-12-8	4.00	ND			ND			ND			ND		
1,2-Dibromoethane	106-93-4	2.00	ND			ND			ND			ND		
Dibromomethane	74-95-3	2.50	ND			ND			ND			ND		
1,2-Dichlorobenzene	95-50-1	2.50	ND			ND			ND			ND		
1,3-Dichlorobenzene	541-73-1	2.00	ND			ND			ND			ND		
1,4-Dichlorobenzene	106-46-7	2.00	ND			ND			ND			ND		
Dichlorodifluoromethane	75-71-8	2.00	ND			ND			ND			ND		
1,1-Dichloroethane	75-34-3	2.00	ND			ND			ND			ND		
1,1-Dichloroethane	107-06-2	2.00	ND			ND			ND			ND		
cis-1,2-Dichloroethane	156-59-2	2.50	ND			ND			ND			ND		
trans-1,2-Dichloroethane	156-60-5	2.50	ND			ND			ND			ND		
1,2-Dichloropropane	78-87-5	2.50	ND			ND			ND			ND		
1,3-Dichloropropane	142-28-9	2.50	ND			ND			ND			ND		
2,2-Dichloropropane	594-20-7	2.00	ND			ND			ND			ND		
1,1-Dichloropropene	563-58-6	2.00	ND			ND			ND			ND		
c-1,3-Dichloropropene	10061-01-5	2.00	ND			ND			ND			ND		
1,1,3-Dichloropropene	10061-02-6	2.00	ND			ND			ND			ND		
Ethyl benzene	100-41-4	2.50	ND			ND			ND			ND		
Hexachlorobutadiene	87-68-3	2.00	ND			ND			ND			ND		
Isopropylbenzene	98-82-8	2.50	ND			ND			ND			ND		
p-Isopropyltoluene	99-87-6	2.00	11.0			ND			ND			ND		
Methylene chloride	75-09-2	2.50	ND			ND			ND			ND		
Napthalene	91-20-3	3.00	ND			ND			ND			ND		
Styrene	103-68-1	1.50	ND			ND			ND			ND		

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: **HERCULES**
 Location: **MW-5**
 File #: **BT42543**

Collected: 12/12/97 9:00 **BATCO**
 Received: 12/16/97 11:20 **RWC**
 Analysis: 12/18/97 18:53 **CRR**
 Date Time Analyst

Sample Type: Water
 Analysis Method: 8260

Compound Name	CAS Number	MDL (ug/L (ppb))	SAMPLE			BLANK			MATRIX SPIKE			MATRIX SPIKE DUP		
			Detected Amount (ug/L (ppb))	Spike Amount (ug)	% Recovery	Detected Amount (ug/L (ppb))	Spike Amount (ug)	% Recovery	Detected Amount (ug/L (ppb))	Spike Amount (ng)	% Recovery	Detected Amount (ug/L (ppb))	Spike Amount (ng)	% Recovery
Syrene	100-42-5	2.00	ND			ND			ND			ND		
1,1,1,2-Tetrachloroethane	630-20-6	2.50	ND			ND			ND			ND		
1,1,2,2-Tetrachloroethane	79-34-5	2.50	ND			ND			ND			ND		
Tetrachloroethane	127-18-4	2.00	ND			ND			ND			ND		
1,2,3-Trichlorobenzene	87-61-6	2.00	ND			ND			ND			ND		
1,2,4-Trichlorobenzene	120-82-1	2.50	ND			ND			ND			ND		
1,1,1-Trichloroethane	71-55-6	2.00	ND			ND			ND			ND		
1,1,2-Trichloroethane	79-00-5	2.50	ND			ND			ND			ND		
Trichlorofluoromethane	75-69-4	2.00	ND			ND			ND			ND		
1,2,3-Trichloropropane	96-18-4	1.50	ND			ND			ND			ND		
1,2,4-Trimethylbenzene	95-63-6	2.00	ND			ND			ND			ND		
1,3,5-Trimethylbenzene	108-67-8	3.00	ND			ND			ND			ND		
Vinyl chloride	75-01-4	2.50	ND			ND			ND			ND		
Xylenes (total)	1330-20-7	4.00	ND			ND			ND			ND		
Surrogate Compounds			Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery
Dibromofluoromethane	1868-53-7		45.3	250.0	90.6	46.6	250.0	93.2	46.0	250.0	92.0	46.7	250.0	93.4
Toluene-d8	2037-26-5		49.5	250.0	99.0	49.2	250.0	98.4	46.1	250.0	92.2	45.9	250.0	91.8
4-Bromofluorobenzene	460-00-4		49.2	250.0	98.4	49.7	250.0	99.4	47.9	250.0	95.8	48.9	250.0	97.8

Certified by: 
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Client : HERCULES

File # : BT42543

Sample Matrix : Water

Lab Sample ID : MW-5

Sample Collection Date : 12/12/97

Sample Analysis Date : 12/18/97

GC Column Length : 105 M

Dilution Factor : 1

GC Column ID : 0.53 mm

Sample Weight/ Volume : 5.0 (g/mL) mL

Number TICs Found : 0

Concentration Units : ug / L (PPB)

CAS NUMBER	COMPOUND NAME	RT	EST. CONCENTRATION

NOTE: TICs reported for SW 846 method 8260 compounds only.

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: **HERCULES**
 Location: **MW-6**
 File #: **BT42544**

Collected: **12/12/97** 13:10 **BATCO**
 Received: **12/16/97** 11:20 **RWC**
 Analyzed: **12/18/97** 15:23 **CRR**
 Date Time Analyst

Sample Type: **Water**
 Analysis Method: **8260**

Compound Name	CAS Number	MDL (ppb)	SAMPLE			BLANK			MATRIX SPIKE (BT42544)			MATRIX SPIKE DUP (BT42544)		
			Detected (ug/L)	Spike		Detected (ug/L)	Spike		Detected (ug/L)	Spike		Detected (ug/L)	Spike	
				Amount (ug)	% Recovery		Amount (ug)	% Recovery		Amount (ug/L)	Amount (ng)		% Recovery	Amount (ng)
1,1-Dichloroethane	75-35-4	2.00	ND			ND			52.2	250.0	104.4	51.3	250.0	102.6
Benzene	71-43-2	2.00	ND			ND			52.4	250.0	104.8	51.5	250.0	103.0
Trichloroethene	79-01-6	2.50	ND			ND			52.5	250.0	105.0	53.0	250.0	106.0
Toluene	108-88-3	2.50	ND			ND			53.1	250.0	106.2	53.1	250.0	106.2
Chlorobenzene	108-90-7	2.00	ND			ND			52.9	250.0	105.8	54.0	250.0	108.0
Bromobenzene	108-86-1	2.50	ND			ND			ND			ND		
Bromochloromethane	74-97-5	2.00	ND			ND			ND			ND		
Bromodichloromethane	75-27-4	2.00	ND			ND			ND			ND		
Bromoforn	75-25-2	2.50	ND			ND			ND			ND		
Bromomethane	74-83-9	1.00	ND			ND			ND			ND		
n-Butylbenzene	104-51-8	1.50	ND			ND			ND			ND		
sec-Butylbenzene	135-98-8	2.50	ND			ND			ND			ND		
tert-Butylbenzene	98-06-6	3.00	ND			ND			ND			ND		
Carbon Tetrachloride	56-23-5	2.00	ND			ND			ND			ND		
Chloroethane	75-00-3	3.00	ND			ND			ND			ND		
Chloroform	66-67-3	2.00	ND			ND			ND			ND		
Chloromethane	74-87-3	3.00	ND			ND			ND			ND		
2-Chlorotoluene	95-49-8	3.00	ND			ND			ND			ND		
4-Chlorotoluene	106-43-4	1.50	ND			ND			ND			ND		
Dibromochloromethane	124-48-1	2.00	ND			ND			ND			ND		
1,2-Dibromo-3-chloropropane	96-12-8	4.00	ND			ND			ND			ND		
1,2-Dibromoethane	106-93-4	2.00	ND			ND			ND			ND		
Dibromomethane	74-95-3	2.50	ND			ND			ND			ND		
1,2-Dichlorobenzene	95-50-1	2.00	ND			ND			ND			ND		
1,3-Dichlorobenzene	541-73-1	2.00	ND			ND			ND			ND		
1,4-Dichlorobenzene	106-46-7	2.00	ND			ND			ND			ND		
Dichlorodifluoromethane	75-71-8	2.00	ND			ND			ND			ND		
1,1-Dichloroethane	75-34-3	2.00	ND			ND			ND			ND		
1,2-Dichloroethane	107-06-2	2.00	ND			ND			ND			ND		
cis-1,2-Dichloroethene	156-59-2	2.50	ND			ND			ND			ND		
trans-1,2-Dichloroethene	156-60-5	2.50	ND			ND			ND			ND		
1,2-Dichloropropane	78-87-5	2.50	ND			ND			ND			ND		
1,3-Dichloropropane	142-28-9	2.50	ND			ND			ND			ND		
2,2-Dichloropropane	594-20-7	2.00	ND			ND			ND			ND		
1,1-Dichloropropene	563-58-6	2.00	ND			ND			ND			ND		
c-1,3-Dichloropropene	10061-01-5	2.00	ND			ND			ND			ND		
t-1,3-Dichloropropene	10061-02-6	2.00	ND			ND			ND			ND		
Ethyl benzene	100-41-4	2.50	ND			ND			ND			ND		
Hexachlorobutadiene	87-68-3	2.00	ND			ND			ND			ND		
Isopropylbenzene	98-82-8	2.50	ND			ND			ND			ND		
p-Isopropyltoluene	99-87-6	2.00	ND			ND			ND			ND		
Methylene chloride	75-09-2	2.50	ND			ND			ND			ND		
Naphthalene	91-20-3	3.00	ND			ND			ND			ND		
1,1,1-Trichloroethane	103-65-1	1.50	ND			ND			ND			ND		

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: **HERCULES**
 Location: **MW-6**
 File #: **BT42544**

Collected: **12/12/97** **13:10** **BATCO**
 Received: **12/16/97** **11:20** **RWC**
 Analysis: **12/18/97** **15:23** **CRR**
 Date: _____ Time: _____ Analyst: _____

Sample Type: **Water**
 Analysis Method: **8250**

Compound Name	CAS Number	MDL ug/L (ppb)	SAMPLE			BLANK			MATRIX SPIKE			MATRIX SPIKE DUP		
			Detected Amount ug/L (ppb)	Spike Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spike Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spike Amount ng	% Recovery	Detected Amount ug/L (ppb)	Spike Amount ng	% Recovery
Styrene	100-42-5	2.00	ND			ND			ND			ND		
1,1,1,2-Tetrachloroethane	630-20-6	2.50	ND			ND			ND			ND		
1,1,2,2-Tetrachloroethane	79-34-5	2.50	ND			ND			ND			ND		
Tetrachloroethene	127-18-4	2.00	ND			ND			ND			ND		
1,2,3-Trichlorobenzene	87-61-6	2.00	ND			ND			ND			ND		
1,2,4-Trichlorobenzene	120-82-1	2.50	ND			ND			ND			ND		
1,1,1-Trichloroethane	71-55-6	2.00	ND			ND			ND			ND		
1,1,2-Trichloroethane	79-00-5	2.50	ND			ND			ND			ND		
Trichlorofluoromethane	75-69-4	2.00	ND			ND			ND			ND		
1,2,3-Trichloropropane	96-18-4	1.50	ND			ND			ND			ND		
1,2,4-Trimethylpropane	95-63-6	2.00	ND			ND			ND			ND		
1,3,5-Trimethylbenzene	108-67-8	3.00	ND			ND			ND			ND		
Vinyl chloride	75-01-4	2.50	ND			ND			ND			ND		
Xylenes (total)	1330-20-7	4.00	ND			ND			ND			ND		
Surrogate Compounds			Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery
Dibromofluoromethane	1868-53-7		49.1	250.0	98.2	46.6	250.0	93.2	46.0	250.0	92.0	46.7	250.0	93.4
Toluene-d8	2037-26-5		49.3	250.0	98.6	49.2	250.0	98.4	45.1	250.0	92.2	45.9	250.0	91.8
4-Bromofluorobenzene	460-00-4		49.2	250.0	98.4	49.7	250.0	99.4	47.9	250.0	95.8	48.9	250.0	97.8

Certified by: 
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY

VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Client : HERCULES _____

File # : BT42544 _____

Sample Matrix : Water _____

Lab Sample ID : MW-6 _____

Sample Collection Date : 12/12/97 _____

Sample Analysis Date : 12/18/97 _____

GC Column Length : 105 M _____

Dilution Factor : 1 _____

GC Column ID : 0.53 mm _____

Sample Weight/ Volume : 5.0 (g/mL) mL _____

Number TICs Found : 0 _____

Concentration Units : ug / L (PPB) _____

CAS NUMBER	COMPOUND NAME	RT	EST. CONCENTRATION

NOTE: TICs reported for SW 846 method 8260 compounds only.

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: **HERCULES**
 Location: **Trip Blank**
 File #: **BT42545**

Collected: 12/12/97 **BATCO**
 Received: 12/16/97 **RWC**
 Analyzed: 12/18/97 **CRR**
 Date: _____ Time: _____ Analyst: _____

Sample Type: Water
 Analysis Method: 8260

Compound Name	CAS Number	MDL (ug/L)	SAMPLE			BLANK			MATRIX SPIKE (BT42541)			MATRIX SPIKE DUP (BT42541)		
			Detected (ug/L)	Amount (ug)	% Recovery	Detected (ug/L)	Amount (ug)	% Recovery	Detected (ug/L)	Amount (ng)	% Recovery	Detected (ug/L)	Amount (ng)	% Recovery
1,1-Dichloroethene	75-35-4	2.00	ND			ND			52.2	250.0	104.4	51.3	250.0	102.6
Benzene	71-43-2	2.00	ND			ND			52.4	250.0	104.8	51.5	250.0	103.0
Trichloroethene	79-01-6	2.50	ND			ND			52.5	250.0	105.0	53.0	250.0	106.0
Toluene	108-88-3	2.50	ND			ND			53.1	250.0	106.2	53.1	250.0	106.2
Chlorobenzene	108-90-7	2.00	ND			ND			52.9	250.0	105.8	54.0	250.0	108.0
Bromobenzene	108-86-1	2.50	ND			ND			ND			ND		
Bromochloromethane	74-97-5	2.00	ND			ND			ND			ND		
Bromodichloromethane	75-27-4	2.00	ND			ND			ND			ND		
Bromoforn	75-25-2	2.50	ND			ND			ND			ND		
Bromomethane	74-83-9	1.00	ND			ND			ND			ND		
n-Butylbenzene	104-51-8	1.50	ND			ND			ND			ND		
sec-Butylbenzene	135-98-8	2.50	ND			ND			ND			ND		
tert-Butylbenzene	98-06-6	3.00	ND			ND			ND			ND		
Carbon Tetrachloride	56-23-5	2.00	ND			ND			ND			ND		
Chloroethane	75-00-3	3.00	ND			ND			ND			ND		
Chloroform	66-67-3	3.00	ND			ND			ND			ND		
Chloromethane	74-87-3	3.00	ND			ND			ND			ND		
2-Chlorotoluene	95-49-8	3.00	ND			ND			ND			ND		
4-Chlorotoluene	106-43-4	1.50	ND			ND			ND			ND		
Dibromochloromethane	124-48-1	2.00	ND			ND			ND			ND		
1,2-Dibromo-3-chloropropane	96-12-8	4.00	ND			ND			ND			ND		
1,2-Dibromoethane	106-93-4	2.00	ND			ND			ND			ND		
Dibromomethane	74-95-3	2.50	ND			ND			ND			ND		
1,2-Dichlorobenzene	95-50-1	2.50	ND			ND			ND			ND		
1,3-Dichlorobenzene	541-73-1	2.00	ND			ND			ND			ND		
1,4-Dichlorobenzene	106-46-7	2.00	ND			ND			ND			ND		
Dichlorodifluoromethane	75-71-8	2.00	ND			ND			ND			ND		
1,1-Dichloroethane	75-34-3	2.00	ND			ND			ND			ND		
1,2-Dichloroethane	107-06-2	2.00	ND			ND			ND			ND		
cis-1,2-Dichloroethene	156-59-2	2.50	ND			ND			ND			ND		
trans-1,2-Dichloroethene	156-60-5	2.50	ND			ND			ND			ND		
1,2-Dichloropropane	78-87-5	2.50	ND			ND			ND			ND		
1,3-Dichloropropane	142-28-9	2.50	ND			ND			ND			ND		
2,2-Dichloropropane	594-20-7	2.00	ND			ND			ND			ND		
1,1-Dichloropropene	563-58-6	2.00	ND			ND			ND			ND		
c-1,3-Dichloropropene	10061-01-5	2.00	ND			ND			ND			ND		
t-1,3-Dichloropropene	10061-02-6	2.00	ND			ND			ND			ND		
Ethyl benzene	100-41-4	2.50	ND			ND			ND			ND		
Hexachlorobutadiene	87-68-3	2.00	ND			ND			ND			ND		
Isopropylbenzene	98-82-8	2.50	ND			ND			ND			ND		
p-Isopropyltoluene	99-87-6	2.00	ND			ND			ND			ND		
Methylene chloride	75-09-2	2.50	ND			ND			ND			ND		
Napthalene	91-20-3	3.00	ND			ND			ND			ND		
Phenyl benzene	103-85-1	1.50	ND			ND			ND			ND		

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: **HERCULES**
 Location: **Trip Blank**
 File #: **BT42545**

Collected: **12/12/97** 0:00 **BATCO**
 Received: **12/16/97** 11:20 **RWG**
 Analysis: **12/18/97** 16:50 **CRR**
 Date _____ Time _____ Analyst _____

Sample Type: **Water**
 Analysis Method: **8260**

Compound Name	CAS Number	MDL ug/L (ppb)	SAMPLE			BLANK			MATRIX SPIKE			MATRIX SPIKE DUP		
			Detected Amount ug/L (ppb)	Spike Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spike Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spike Amount ng	% Recovery	Detected Amount ug/L (ppb)	Spike Amount ng	% Recovery
Styrene	100-42-5	2.00	ND			ND			ND			ND		
1,1,1,2-Tetrachloroethane	630-20-6	2.50	ND			ND			ND			ND		
1,1,2,2-Tetrachloroethane	79-34-5	2.50	ND			ND			ND			ND		
Tetrachloroethene	127-18-4	2.00	ND			ND			ND			ND		
1,2,3-Trichlorobenzene	87-61-6	2.00	ND			ND			ND			ND		
1,2,4-Trichlorobenzene	120-82-1	2.50	ND			ND			ND			ND		
1,1,1-Trichloroethane	71-55-6	2.00	ND			ND			ND			ND		
1,1,2-Trichloroethane	79-00-5	2.50	ND			ND			ND			ND		
Trichlorofluoromethane	75-69-4	2.00	ND			ND			ND			ND		
1,2,3-Trichloropropane	96-18-4	1.50	ND			ND			ND			ND		
1,2,4-Trimethylbenzene	95-63-6	2.00	ND			ND			ND			ND		
1,3,5-Trimethylbenzene	108-67-8	3.00	ND			ND			ND			ND		
Vinyl chloride	75-01-4	2.50	ND			ND			ND			ND		
Xylenes (total)	1330-20-7	4.00	ND			ND			ND			ND		
Surrogate Compounds			Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery
Dibromofluoromethane	1868-53-7		46.8	250.0	97.6	46.6	250.0	93.2	46.0	250.0	92.0	46.7	250.0	93.4
Toluene-d8	2037-26-5		47.2	250.0	94.4	49.2	250.0	98.4	46.1	250.0	92.2	45.9	250.0	91.8
4-Bromofluorobenzene	460-00-4		45.9	250.0	91.8	49.7	250.0	99.4	47.9	250.0	95.8	48.9	250.0	97.8

Certified by: 
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY

VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Client : HERCULES

File # : BT42545

Sample Matrix : Water

Lab Sample ID : Trip Blank

Sample Collection Date : 12/12/97

Sample Analysis Date : 12/18/97

GC Column Length : 105 M

Dilution Factor : 1

GC Column ID : 0.53 mm

Sample Weight/ Volume : 5.0 (g/mL) mL

Number TICs Found : 0

Concentration Units : ug / L (PPB)

CAS NUMBER	COMPOUND NAME	RT	EST. CONCENTRATION

NOTE: TICs reported for SW 846 method 8260 compounds only.

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: HERCULES
 Location: Equipment Blank
 File #: BT42546

Collected: 12/15/97
 Received: 12/16/97
 Analyzed: 12/18/97

BATCO
 RWC
 CRR
 Analyst

Sample Type: Water
 Analysis Method: 8260

Compound Name	CAS Number	MDL ug/L (ppb)	SAMPLE			BLANK			MATRIX SPIKE (BT42541)			MATRIX SPIKE DUP (BT42541)		
			Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ng	% Recovery	Detected Amount ug/L (ppb)	Amount ng	% Recovery
1,1-Dichloroethane	75-35-4	2.00	ND			ND			52.2	250.0	104.4	51.3	250.0	102.6
Benzene	71-43-2	2.00	ND			ND			52.4	250.0	104.8	51.5	250.0	103.0
Trichloroethane	79-01-6	2.50	ND			ND			52.5	250.0	105.0	53.0	250.0	106.0
Toluene	108-88-3	2.50	ND			ND			53.1	250.0	106.2	53.1	250.0	106.2
Chlorobenzene	108-90-7	2.00	ND			ND			52.9	250.0	105.8	54.0	250.0	108.0
Bromobenzene	108-86-1	2.50	ND			ND			ND	ND	ND	ND	ND	ND
Bromochloromethane	74-97-5	2.00	ND			ND			ND	ND	ND	ND	ND	ND
Bromodichloromethane	75-27-4	2.00	ND			ND			ND	ND	ND	ND	ND	ND
Bromoform	75-25-2	2.50	ND			ND			ND	ND	ND	ND	ND	ND
Bromomethane	74-83-9	1.00	ND			ND			ND	ND	ND	ND	ND	ND
n-Butylbenzene	104-51-8	1.50	ND			ND			ND	ND	ND	ND	ND	ND
sec-Butylbenzene	135-98-8	2.50	ND			ND			ND	ND	ND	ND	ND	ND
tert-Butylbenzene	98-06-6	3.00	ND			ND			ND	ND	ND	ND	ND	ND
Carbon Tetrachloride	56-23-5	2.00	ND			ND			ND	ND	ND	ND	ND	ND
Chloroethane	75-00-3	3.00	ND			ND			ND	ND	ND	ND	ND	ND
Chloroform	66-67-3	2.00	ND			ND			ND	ND	ND	ND	ND	ND
Chloromethane	74-87-3	3.00	ND			ND			ND	ND	ND	ND	ND	ND
2-Chlorotoluene	95-49-8	3.00	ND			ND			ND	ND	ND	ND	ND	ND
4-Chlorotoluene	106-43-4	1.50	ND			ND			ND	ND	ND	ND	ND	ND
Dibromochloromethane	124-48-1	2.00	ND			ND			ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	96-12-8	4.00	ND			ND			ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	106-93-4	2.00	ND			ND			ND	ND	ND	ND	ND	ND
Dibromomethane	74-95-3	2.50	ND			ND			ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	95-50-1	2.50	ND			ND			ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	541-73-1	2.00	ND			ND			ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	106-46-7	2.00	ND			ND			ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	75-71-8	2.00	ND			ND			ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	75-34-3	2.00	ND			ND			ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	107-06-2	2.00	ND			ND			ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	156-59-2	2.50	ND			ND			ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	156-60-5	2.50	ND			ND			ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	78-87-5	2.50	ND			ND			ND	ND	ND	ND	ND	ND
1,3-Dichloropropane	142-28-9	2.50	ND			ND			ND	ND	ND	ND	ND	ND
2,2-Dichloropropane	594-20-7	2.00	ND			ND			ND	ND	ND	ND	ND	ND
1,1-Dichloropropene	563-58-6	2.00	ND			ND			ND	ND	ND	ND	ND	ND
c-1,3-Dichloropropene	10061-01-5	2.00	ND			ND			ND	ND	ND	ND	ND	ND
t-1,3-Dichloropropene	10061-02-6	2.00	ND			ND			ND	ND	ND	ND	ND	ND
Ethyl benzene	100-41-4	2.50	ND			ND			ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	87-68-3	2.00	ND			ND			ND	ND	ND	ND	ND	ND
Isopropylbenzene	98-82-8	2.50	ND			ND			ND	ND	ND	ND	ND	ND
p-Isopropyltoluene	99-87-6	2.00	ND			ND			ND	ND	ND	ND	ND	ND
Methylene chloride	75-09-2	2.50	ND			ND			ND	ND	ND	ND	ND	ND
Naphthalene	91-20-3	3.00	ND			ND			ND	ND	ND	ND	ND	ND
n-Propylbenzene	103-65-1	1.50	ND			ND			ND	ND	ND	ND	ND	ND

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
VOLATILE ORGANICS - GC/MS ANALYSIS DATA

Client: HERCULES
 Location: Equipment Blank
 File #: BT42546

Collected: 12/15/97 BATCO
 Received: 12/16/97 RWC
 Analysis: 12/18/97 CRR
 Date: 17:51 Time: Analyst

Sample Type: Water
 Analysis Method: 8260

Compound Name	CAS Number	MDL ug/L (ppb)	SAMPLE			BLANK			MATRIX SPIKE			MATRIX SPIKE DUP				
			Detected Amount ug/L (ppb)	Spike		Detected Amount ug/L (ppb)	Spike		Detected Amount ug/L (ppb)	Spike		Detected Amount ug/L (ppb)	Spike			
				Amount ug	% Recovery		Amount ug	% Recovery		Amount ng	% Recovery		Amount ng	% Recovery		
Styrene	100-42-5	2.00	ND		ND		ND		ND		ND		ND		ND	
1,1,1,2-Tetrachloroethane	630-20-6	2.50	ND		ND		ND		ND		ND		ND		ND	
1,1,2,2-Tetrachloroethane	79-34-5	2.50	ND		ND		ND		ND		ND		ND		ND	
Tetrachloroethene	127-18-4	2.00	ND		ND		ND		ND		ND		ND		ND	
1,2,3-Trichlorobenzene	87-61-6	2.00	ND		ND		ND		ND		ND		ND		ND	
1,2,4-Trichlorobenzene	120-82-1	2.50	ND		ND		ND		ND		ND		ND		ND	
1,1,1-Trichloroethane	71-55-6	2.00	ND		ND		ND		ND		ND		ND		ND	
1,1,2-Trichloroethane	79-00-5	2.50	ND		ND		ND		ND		ND		ND		ND	
Trichlorofluoromethane	75-69-4	2.00	ND		ND		ND		ND		ND		ND		ND	
1,2,3-Trichloropropane	96-18-4	1.50	ND		ND		ND		ND		ND		ND		ND	
1,2,4-Trimethylbenzene	95-63-6	2.00	ND		ND		ND		ND		ND		ND		ND	
1,3,5-Trimethylbenzene	108-67-8	3.00	ND		ND		ND		ND		ND		ND		ND	
Vinyl chloride	75-01-4	2.50	ND		ND		ND		ND		ND		ND		ND	
Xylenes (total)	1330-20-7	4.00	ND		ND		ND		ND		ND		ND		ND	
Surrogate Compounds			Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount
Dibromofluoromethane	1868-53-7		48.6	250.0	97.2	46.6	250.0	93.2	46.0	250.0	92.0	46.7	250.0	93.4	46.7	250.0
Toluene-d8	2037-26-5		46.1	250.0	92.2	49.2	250.0	98.4	46.1	250.0	92.2	45.9	250.0	91.8	45.9	250.0
4-Bromofluorobenzene	460-00-4		49.0	250.0	98.0	49.7	250.0	99.4	47.9	250.0	95.8	48.9	250.0	97.8	48.9	250.0



Certified by: Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: MW-1
 File #: BT42539

Collected: 12/15/97 17:30 BATCO
 Extracted: 12/19/97 9:00 CMB
 Analyzed: 1/9/98 2:34 CMB

Sample Type: Water
 Extraction Method: 3510b
 Analysis Method: 8270

Compound Name	CAS Number	MDL ug/L (ppb)	BT42539			BLANK			Matrix Spike			Matrix Spike Duplicate		
			Detected Amount ug/L (ppb)	Spike		Detected Amount ug/L (ppb)	Spike		Detected Amount ng/lul in the extract	Spike		Detected Amount ng/lul in the extract	Spike	
				Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery
Phenol	108-95-2	5.2	ND		ND		89.18	300.00	29.73	99.51	300.00	33.17		
Bis(2-chloroethyl)ether	111-44-4	6.9	ND		ND		NO			ND				
2-Chlorophenol	95-57-8	5.7	ND		187.53		187.53	300.00	62.51	210.70	300.00	70.23		
1,3-Dichlorobenzene	541-73-1	8.3	ND		ND		ND			ND				
1,4-Dichlorobenzene	106-46-7	8.1	ND		85.60		85.60	200.00	42.80	100.12	200.00	50.06		
Benzyl Alcohol	100-51-6	14.8	ND		ND		ND			ND				
1,2-Dichlorobenzene	95-50-1	6.0	ND		ND		ND			ND				
2-Methylphenol	95-48-7	5.6	ND		ND		ND			ND				
Bis(2-chloroisopropyl)ether	108-60-1	8.8	ND		ND		ND			ND				
Hexachloroethane	106-44-5	8.7	ND		ND		ND			ND				
4-Methylphenol	67-72-1	8.0	ND		136.46		136.46	200.00	68.23	160.56	200.00	80.28		
N-Nitroso-di-N-propylamine	621-64-7	9.7	ND		ND		ND			ND				
Nitrobenzene	98-95-3	8.2	ND		ND		ND			ND				
Isophorone	78-59-1	9.2	ND		ND		ND			ND				
2,4-Dimethylphenol	105-67-9	6.0	ND		ND		ND			ND				
2-Nitrophenol	88-75-5	9.1	ND		ND		ND			ND				
Benzoic Acid	65-85-0	22.3	ND		ND		ND			ND				
Bis(2-chloroethoxy)methane	111-91-1	8.8	ND		ND		ND			ND				
2,4-Dichlorophenol	120-83-2	5.2	ND		ND		ND			ND				
1,2,4-Trichlorobenzene	120-82-1	9.4	ND		95.21		95.21	200.00	47.61	109.42	200.00	54.71		
Naphthalene	91-20-3	8.5	ND		ND		ND			ND				
4-Chloroaniline	106-47-8	8.5	ND		ND		ND			ND				
Hexachlorobutadiene	87-68-3	9.4	ND		234.19		234.19	300.00	78.06	260.60	300.00	86.87		
4-Chloro-3-methylphenol	59-50-7	7.7	ND		ND		ND			ND				
2-Methylnaphthalene	91-57-6	7.5	ND		ND		ND			ND				
Hexachlorocyclopentadiene	77-47-4	8.6	ND		ND		ND			ND				
2,4,6-Trichlorophenol	88-06-2	9.1	ND		ND		ND			ND				
2,4,5-Trichlorophenol	95-95-4	7.1	ND		ND		ND			ND				
2-Chloronaphthalene	91-58-7	5.7	ND		ND		ND			ND				
2-Nitroaniline	88-74-4	12.0	ND		ND		ND			ND				
Dimethylphthalate	131-11-3	8.2	ND		ND		ND			ND				
Acenaphthylene	208-96-8	9.0	ND		ND		ND			ND				
2,6-Dinitrotoluene	606-20-2	9.2	ND		ND		ND			ND				
3-Nitroaniline	99-09-2	16.0	ND		121.78		121.78	200.00	60.89	144.73	200.00	72.37		
Acenaphthene	83-32-9	9.0	ND		ND		ND			ND				
2,4-Dinitrophenol	51-28-5	14.2	ND		112.70		112.70	300.00	37.57	107.40	300.00	35.80		
Dibenzofuran	132-64-9	8.4	ND		147.75		147.75	200.00	73.88	161.78	200.00	80.89		
2,4-Dinitrotoluene	121-14-2	8.3	ND		ND		ND			ND				
Diethylphthalate	84-66-2	9.9	ND		ND		ND			ND				
Fluorene	86-73-7	9.8	ND		ND		ND			ND				
4-Chlorophenyl-phenylether	7005-72-3	8.3	ND		ND		ND			ND				
4-Nitroaniline	100-01-6	8.7	ND		ND		ND			ND				
4,6-Dinitro-2-methylphenol	534-52-1	12.2	ND		ND		ND			ND				


BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: MW-1
 File #: BT42539

Collection: 12/15/97 17:30 BATCO
 Extraction: 12/19/97 9:00 CMB
 Analysis: 1/9/98 2:34 CMB
 Date: _____ Time: _____ Analyst: _____

Sample Type: Water
 Extraction Method: 3510b
 Analysis Method: 8270

Compound Name	CAS Number	MDL ug/L (ppb)	BT42539			BLANK			Matrix Spike			Matrix Spike Duplicate		
			Detected Amount ug/L (ppb)	Spike		Detected Amount ug/L (ppb)	Spike		Detected Amount ng/ul in the extract	Spike		Detected Amount ng/ul in the extract	Spike	
				Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery
N-Nitrosodiphenylamine	86-30-6	7.5	ND		ND		ND		ND		ND		ND	
4-Bromophenylphenylether	101-55-3	7.0	ND		ND		ND		ND		ND		ND	
Hexachlorobenzene	118-74-1	8.0	ND		ND		ND		ND		ND		ND	
Pentachlorophenol	87-86-5	12.5	ND		ND		311.90		300.00	103.97	307.08		300.00	102.36
Phenanthrene	85-01-8	7.1	ND		ND		ND		ND		ND		ND	
Anthracene	120-12-7	8.0	ND		ND		ND		ND		ND		ND	
Di-n-butylphthalate	84-74-2	7.8	ND		ND		ND		200.00	87.20	180.67		200.00	90.34
Fluoranthene	206-44-0	5.7	ND		ND		174.39				ND			
Pyrene	129-00-0	7.9	ND		ND		ND				ND			
Butylbenzylphthalate	85-68-7	9.9	ND		ND		ND				ND			
Benzolanthracene	56-55-3	7.7	ND		ND		ND				ND			
3,3'-Dichlorobenzidine	91-94-1	16.5	ND		ND		ND				ND			
Chrysene	218-01-9	7.8	ND		ND		ND				ND			
Bis(2-ethylhexyl)phthalate	117-81-7	9.1	ND		ND		ND				ND			
Di-n-octylphthalate	117-84-0	9.4	ND		ND		ND				ND			
Benzobifluoranthene	205-95-2	6.8	ND		ND		ND				ND			
Benzofluoranthene	207-08-9	4.9	ND		ND		ND				ND			
Benzolalpyrene	50-32-8	5.9	ND		ND		ND				ND			
Indeno(1,2,3-c,d)pyrene	193-39-5	7.8	ND		ND		ND				ND			
Dibenzofluoranthene	53-70-3	9.0	ND		ND		ND				ND			
Benzolig,h,iperylene	191-24-2	10.0	ND		ND		ND				ND			
Surrogate Compounds			Detected Amount	% Recovery	Spiked Amount	% Recovery	Detected Amount	% Recovery	Spiked Amount	% Recovery	Detected Amount	% Recovery	Spiked Amount	% Recovery
2-Fluorophenol			70.41	35.21	200.00	46.11	92.22	200.00	200.00	56.18	123.26	200.00	200.00	61.63
Phenol-d5			53.29	26.65	200.00	32.36	64.71	200.00	200.00	39.47	87.05	200.00	200.00	43.53
Nitrobenzene-d5			85.94	85.94	100.00	74.74	74.74	100.00	100.00	97.18	104.82	100.00	100.00	104.82
2-Fluorobiphenyl			63.85	63.85	100.00	65.54	65.54	100.00	100.00	86.97	104.87	100.00	100.00	104.67
2,4,6-Tribromophenol			189.97	84.99	200.00	113.08	226.16	200.00	200.00	136.64	288.69	200.00	200.00	143.35
Terphenyl-d14			91.50	91.50	100.00	132.90	132.90	100.00	100.00	127.66	125.04	100.00	100.00	125.04

Certified by: 
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET
 TENTATIVELY IDENTIFIED COMPOUNDS

Client : Hercules, Inc.
 Sample Matrix : Water
 Sample Collection Date : 12-15-97 @ 1730
 Sample Analysis Date : 01-09-98 @ 0234
 Dilution Factor : 1.02
 Sample Weight/ Volume : 980 mL
 Number TICs Found : 0

File # : BT42539
 Lab Sample ID : MW-1
 GC Column Length : 30 M
 GC Column ID : 0.25 mm
 Method Code: 8270
 Concentration Units : ug / L (PPB)

CAS NUMBER	COMPOUND NAME	RT	EST. CONCENTRATION

NOTE: TICs reported for SW846 method 8270 compounds only.

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: MW-2
 File #: BT42540

Collected: 12/15/97 16:20 BATCO
 Extracted: 12/19/97 9:00 CMB
 Analyzed: 1/9/98 3:27 CMB
 Date Time Analyst

Sample Type: Water
 Extraction Method: 3510b
 Analysis Method: 8270

Compound Name	CAS Number	MDL ug/L (ppb)	BT42540			BLANK			Matrix Spike			Matrix Spike Duplicate		
			Detected Amount ug/L (ppb)	Spike		Detected Amount ug/L (ppb)	Spike		Detected Amount ng/lul in the extract	Spike		Detected Amount ng/lul in the extract	Spike	
				Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery
Phenol	108-95-2	5.2	ND		ND	89.18	300.00	29.73	99.51	300.00	300.00	33.17		
Bis(2-chloroethyl)ether	111-44-4	6.9	ND		ND	187.53	300.00	62.51	210.70	300.00	300.00	70.23		
2-Chlorophenol	95-57-8	5.7	ND		ND									
1,3-Dichlorobenzene	541-73-1	8.3	ND		ND									
1,4-Dichlorobenzene	106-46-7	6.1	ND		ND									
Benzyl Alcohol	100-51-6	14.8	ND		ND									
1,2-Dichlorobenzene	95-50-1	6.0	ND		ND									
2-Methylphenol	95-48-7	5.6	ND		ND									
Bis(2-chloroisopropyl)ether	108-90-1	8.8	ND		ND									
4-Methylphenol	106-44-5	8.7	ND		ND									
Hexachloroethane	67-72-1	8.0	ND		ND									
N-Nitroso-di-N-propylamine	621-64-7	9.7	ND		ND	136.48	200.00	68.23	160.56	200.00	200.00	80.28		
Nitrobenzene	98-95-3	8.2	ND		ND									
Isophorone	78-59-1	9.2	ND		ND									
2,4-Dimethylphenol	105-67-9	6.0	ND		ND									
2-Nitrophenol	88-75-5	9.1	ND		ND									
Benzoic Acid	65-85-0	22.3	ND		ND									
Bis(2-chloroethoxy)methane	111-91-1	8.8	ND		ND									
2,4-Dichlorophenol	120-83-2	5.2	ND		ND									
1,2,4-Trichlorobenzene	120-82-1	9.4	ND		ND									
Naphthalene	91-20-3	8.5	ND		ND									
4-Chloroaniline	106-47-8	8.5	ND		ND									
Hexachlorobutadiene	87-68-3	9.4	ND		ND									
4-Chloro-3-methylphenol	59-50-7	7.7	ND		ND									
2-Methylnaphthalene	91-57-6	7.5	ND		ND									
Hexachlorocyclopentadiene	77-47-4	8.6	ND		ND									
2,4,6-Trichlorophenol	88-06-2	9.1	ND		ND									
2,4,5-Trichlorophenol	95-95-4	7.1	ND		ND									
2-Chloronaphthalene	91-58-7	5.7	ND		ND									
2-Nitroaniline	88-74-4	12.0	ND		ND									
Dimethylphthalate	131-11-3	8.2	ND		ND									
Acenaphthylene	208-96-8	9.0	ND		ND									
2,6-Dimethyltoluene	606-20-2	9.2	ND		ND									
3-Nitroaniline	99-09-2	16.0	ND		ND									
Acenaphthene	83-32-9	8.3	ND		ND									
2,4-Dinitrophenol	51-28-5	14.2	ND		ND									
4-Nitrophenol	100-02-7	8.6	ND		ND									
Dibenzofuran	132-64-9	8.4	ND		ND									
2,4-Dinitrotoluene	121-14-2	8.3	ND		ND									
Diethylphthalate	84-66-2	9.9	ND		ND									
Fluorene	86-73-7	9.8	ND		ND									
4-Chlorophenyl phenylether	7005-72-3	8.3	ND		ND									
4-Nitroaniline	100-01-6	8.7	ND		ND									
4,6-Dinitro 2-methylphenol	534-52-1	12.2	ND		ND									

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Compound Name	CAS Number	MDL ug/L (ppb)	BT42540			BLANK			Matrix Spike			Matrix Spike Duplicate		
			Detected Amount ug/L (ppb)	Spike		Detected Amount ng/L (ppb)	Spike		Detected Amount ng/L in the extract	Spike		Detected Amount ng/L in the extract	Spike	
				Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery
N-Nitrosodiphenylamine	86-30-6	7.5	ND		ND		ND		ND		ND		ND	
4-Bromophenyl-phenylether	101-55-3	7.0	ND		ND		ND		ND		ND		ND	
Hexachlorobenzene	118-74-1	8.0	ND		ND		ND		ND		ND		ND	
Pentachlorophenol	87-86-5	12.5	ND		ND		311.90		300.00	103.97	307.08		300.00	102.36
Phenanthrene	85-01-8	7.1	ND		ND		ND		ND		ND		ND	
Anthracene	120-12-7	8.0	ND		ND		ND		ND		ND		ND	
Di-n-butylphthalate	84-74-2	7.8	ND		ND		174.39		200.00	87.20	180.67		200.00	90.34
Fluoranthene	206-44-0	5.7	ND		ND		ND		ND		ND		ND	
Pyrene	129-00-0	7.9	ND		ND		ND		ND		ND		ND	
Butylbenzylphthalate	85-68-7	9.9	ND		ND		ND		ND		ND		ND	
Benzofluoranthene	56-55-3	7.7	ND		ND		ND		ND		ND		ND	
3,3'-Dichlorobenzidene	91-94-1	16.5	ND		ND		ND		ND		ND		ND	
Chrysene	218-01-9	7.8	ND		ND		ND		ND		ND		ND	
Bis(2-ethylhexyl)phthalate	117-81-7	9.1	ND		ND		ND		ND		ND		ND	
Di-n-octylphthalate	117-84-0	9.4	ND		ND		ND		ND		ND		ND	
Benzobifluoranthene	205-99-2	6.8	ND		ND		ND		ND		ND		ND	
Benzokifluoranthene	207-08-9	4.9	ND		ND		ND		ND		ND		ND	
Benzofluoranthene	50-32-8	5.9	ND		ND		ND		ND		ND		ND	
Indenol(1,2,3-c,d)pyrene	193-39-5	7.8	ND		ND		ND		ND		ND		ND	
Dibenz(a,h)anthracene	53-70-3	9.0	ND		ND		ND		ND		ND		ND	
Benzofluoranthene	191-24-2	10.0	ND		ND		ND		ND		ND		ND	
Surrogate Compounds			Detected Amount	% Recovery	Spiked Amount	Detected Amount	% Recovery	Spiked Amount	Detected Amount	% Recovery	Spiked Amount	Detected Amount	% Recovery	Spiked Amount
2-Fluorophenol			112.84	56.42	200.00	92.22	46.11	200.00	112.36	56.18	200.00	123.26	61.63	200.00
Phenol-d5			81.20	40.60	200.00	64.71	32.36	200.00	78.94	39.47	200.00	87.05	43.53	200.00
Nitrobenzene-d5			101.23	101.23	100.00	74.74	74.74	100.00	97.18	97.18	100.00	104.82	104.82	100.00
2-Fluorobiphenyl			82.84	82.84	100.00	65.54	65.54	100.00	86.97	86.97	100.00	104.67	104.67	100.00
2,4,6-Tribromophenol			253.26	126.63	200.00	226.16	113.08	200.00	273.28	136.64	200.00	286.69	143.35	200.00
Terphenyl-d14			122.74	122.74	100.00	132.90	132.90	100.00	127.66	127.66	100.00	125.04	125.04	100.00

Client: Hercules
 Location: MW-2
 File #: BT42540

Collection: 12/15/97 16:20 BATCO
 Extraction: 12/19/97 9:00 CMB
 Analysis: 1/9/98 3:27 CMB
 Date Time Analyst

Sample Type: Water
 Extraction Method: 3510b
 Analysis Method: 8270

Certified by:
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Client : Hercules, Inc.
Sample Matrix : Water
Sample Collection Date : 12-15-97 @ 1620
Sample Analysis Date : 01-09-98 @ 0327
Dilution Factor : 1.03
Sample Weight/ Volume : 968 mL
Number TICS Found : 0

File # : BT42540
Lab Sample ID : MW-2
GC Column Length : 30 M
GC Column ID : 0.25 mm
Method Code: 8270
Concentration Units : ug / L (PPB)

CAS NUMBER	COMPOUND NAME	RT	EST. CONCENTRATION

NOTE: TICS reported for SW846 method 8270 compounds only.

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Compound Name	CAS Number	MDL ug/L (ppb)	BT42541			BLANK			Matrix Spike			Matrix Spike Duplicate		
			Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ng/lul in the extract	Amount ug	% Recovery	Detected Amount ng/lul in the extract	Amount ug	% Recovery
Phenol	108-95-2	5.2	ND			89.18	300.00	29.73	99.51	300.00	33.17			
Bis(2-chloroethyl)ether	111-44-4	6.9	ND			ND	300.00	62.51	ND	300.00	70.23			
2-Chlorophenol	95-57-8	5.7	ND			187.53	300.00	62.51	210.70	300.00	70.23			
1,3-Dichlorobenzene	541-73-1	8.3	ND			ND	200.00	42.80	ND	200.00	50.06			
1,4-Dichlorobenzene	106-46-7	6.1	ND			85.80	200.00	42.80	100.12	200.00	50.06			
Benzyl Alcohol	100-51-6	14.8	ND			ND			ND					
1,2-Dichlorobenzene	95-50-1	6.0	ND			ND			ND					
2-Methylphenol	95-48-7	5.6	ND			ND			ND					
Bis(2-chloroisopropyl)ether	108-60-1	8.8	ND			ND			ND					
4-Methylphenol	106-44-5	8.7	ND			ND			ND					
Hexachloroethane	67-72-1	8.0	ND			ND			ND					
N-Nitroso-di-N-propylamine	821-84-7	9.7	ND			136.46	200.00	68.23	160.58	200.00	80.28			
Nitrobenzene	98-95-3	8.2	ND			ND			ND					
Isophorone	78-59-1	9.2	ND			ND			ND					
2,4-Dimethylphenol	105-67-9	6.0	ND			ND			ND					
2-Nitrophenol	88-75-5	9.1	ND			ND			ND					
Benzoic Acid	65-85-0	22.3	ND			ND			ND					
Bis(2-chloroethoxy)methane	111-91-1	8.8	ND			ND			ND					
2,4-Dichlorophenol	120-83-2	5.2	ND			ND			ND					
1,2,4-Trichlorobenzene	120-82-1	9.4	ND			95.21	200.00	47.61	109.42	200.00	38.47			
Naphthalene	91-20-3	8.5	ND			ND			ND					
4-Chloroaniline	106-47-8	8.5	ND			ND			ND					
Hexachlorobutadiene	87-68-3	9.4	ND			ND			ND					
4-Chloro-3-methylphenol	59-50-7	7.7	ND			234.19	300.00	78.06	260.60	300.00	86.87			
2-Methylnaphthalene	91-57-6	7.5	ND			ND			ND					
Hexachlorocyclopentadiene	77-47-4	8.6	ND			ND			ND					
2,4,6-Trichlorophenol	88-06-2	9.1	ND			ND			ND					
2,4,5-Trichlorophenol	95-95-4	7.1	ND			ND			ND					
2-Chloronaphthalene	91-58-7	5.7	ND			ND			ND					
2-Nitroaniline	88-74-4	12.0	ND			ND			ND					
Dimethylphthalate	131-11-3	8.2	ND			ND			ND					
Acenaphthylene	208-96-8	9.0	ND			ND			ND					
2,6-Dinitrotoluene	608-20-2	9.2	ND			ND			ND					
3-Nitroaniline	99-09-2	16.0	ND			ND			ND					
Acenaphthene	83-32-9	9.0	ND			121.78	200.00	60.89	144.73	200.00	72.37			
2,4-Dinitrophenol	51-28-5	14.2	ND			ND			ND					
4-Nitrophenol	100-02-7	8.6	ND			112.70	300.00	37.57	107.40	300.00	35.80			
Dibenzofuran	132-64-9	8.4	ND			ND			ND					
2,4-Dinitrotoluene	121-14-2	8.3	ND			147.75	200.00	73.88	161.78	200.00	80.89			
Diethylphthalate	84-66-2	9.9	ND			ND			ND					
Fluorene	86-73-7	9.8	ND			ND			ND					
4-Chlorophenylphenylether	7005-72-3	8.3	ND			ND			ND					
4-Nitroaniline	100-01-6	8.7	ND			ND			ND					
4,6-Dinitro-2-methylphenol	534-52-1	12.2	ND			ND			ND					

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: MW-3
 File #: BT42541

Collection: 12/15/97 15:40 BATCO
 Extraction: 12/19/97 9:00 CMB
 Analysis: 1/9/98 4:20 CMB

Sample Type: Water
 Extraction Method: 3510b
 Analysis Method: 8270

Date: _____ Time: _____ Analyst: _____

Compound Name	CAS Number	MDL ug/L (ppb)	BLANK			Matrix Spike			Matrix Spike Duplicate					
			Detected Amount ug/L (ppb)	Spike		Detected Amount ng/ul in the extract	Spike		Detected Amount ng/ul in the extract	Spike				
				Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery			
N-Nitrosodiphenylamine	86-30-6	7.5	ND			ND		ND		ND				
4-Bromophenyl-phenylether	101-55-3	7.0	ND			ND		ND		ND				
Hexachlorobenzene	118-74-1	8.0	ND			ND		ND		ND				
Pentachlorophenol	87-86-5	12.5	ND			311.90		307.08		307.08				102.36
Phenanthrene	85-01-8	7.1	ND			ND		ND		ND				
Anthracene	120-12-7	8.0	ND			ND		ND		ND				
Di-n-butylphthalate	84-74-2	7.8	ND			ND		ND		ND				
Fluoranthene	208-44-0	5.7	ND			174.39		180.67		180.67				90.34
Pyrene	129-00-0	7.9	ND			ND		ND		ND				
Butylbenzylphthalate	85-88-7	9.9	ND			ND		ND		ND				
Benzolanthracene	56-55-3	7.7	ND			ND		ND		ND				
3,3'-Dichlorobenzidene	91-94-1	16.5	ND			ND		ND		ND				
Chrysene	218-01-9	7.8	ND			ND		ND		ND				
Bis(2-ethylhexyl)phthalate	117-81-7	9.1	ND			ND		ND		ND				
Di-n-octylphthalate	117-84-0	9.4	ND			ND		ND		ND				
Benzobifluoranthene	205-99-2	6.8	ND			ND		ND		ND				
Benzokifluoranthene	207-08-9	4.9	ND			ND		ND		ND				
Benzolapyrene	50-32-8	5.9	ND			ND		ND		ND				
Indeno(1,2,3-c,d)pyrene	193-39-5	7.8	ND			ND		ND		ND				
Dibenz(a,h)anthracene	53-70-3	9.0	ND			ND		ND		ND				
Benzol(g,h,i)perylene	191-24-2	10.0	ND			ND		ND		ND				
Surrogate Compounds			Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery
2-Fluorophenol			85.22	200.00	42.61	92.22	200.00	46.11	112.36	200.00	56.18	123.26	200.00	61.63
Phenol-d5			70.90	200.00	35.45	64.71	200.00	32.36	78.94	200.00	39.47	87.05	200.00	43.53
Nitrobenzene-d5			79.35	100.00	79.35	74.74	100.00	74.74	97.18	100.00	97.18	104.82	100.00	104.82
2-Fluorobiphenyl			75.11	100.00	75.11	65.54	100.00	65.54	86.97	100.00	86.97	104.67	100.00	104.67
2,4,6-Tribromophenol			280.03	200.00	140.02	226.16	200.00	113.08	273.28	200.00	136.64	286.69	200.00	143.35
Terphenyl-d14			139.59	100.00	139.59	132.90	100.00	132.90	127.66	100.00	127.66	125.04	100.00	125.04

Certified by:

Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: MW-4
 File #: BT42542

Collected: 12/12/97 13:10 BATCO
 Extracted: 12/19/97 9:00 CMB
 Analyzed: 1/9/98 9:50 CMB
 Date: _____ Time: _____ Analyst: _____

Sample Type: Water
 Extraction Method: 3510b
 Analysis Method: 8270

Compound Name	CAS Number	MDL ug/L (ppb)	BT42542			BLANK			Matrix Spike			Matrix Spike Duplicate						
			Detected Amount (ppb)	Amount ug	% Recovery	Detected Amount (ppb)	Amount ug	% Recovery	Detected Amount (ng/ul in the extract)	Amount ug	% Recovery	Detected Amount (ng/ul in the extract)	Amount ug	% Recovery				
															Detected Amount (ppb)	Amount ug	% Recovery	Detected Amount (ng/ul in the extract)
Phenol	108-95-2	5.2	ND			ND			89.18			99.51			300.00			33.17
Bis(2-chloroethyl)ether	111-44-4	6.9	ND			ND			ND			ND			300.00			70.23
2-Chlorophenol	95-57-8	5.7	ND			ND			187.53			210.70			300.00			
1,3-Dichlorobenzene	541-73-1	8.3	ND			ND			ND			ND			200.00			50.06
1,4-Dichlorobenzene	106-46-7	6.1	ND			ND			85.60			100.12			200.00			
Benzyl Alcohol	100-51-6	14.8	ND			ND			ND			ND			200.00			
1,2-Dichlorobenzene	95-50-1	6.0	ND			ND			ND			ND			200.00			
2-Methylphenol	95-48-7	5.6	ND			ND			ND			ND			200.00			
Bis(2-chloroisopropyl)ether	108-60-1	8.8	ND			ND			ND			ND			200.00			
4-Methylphenol	106-44-5	8.7	ND			ND			ND			ND			200.00			
Hexachloroethane	67-72-1	8.0	ND			ND			ND			ND			200.00			
N-Nitroso-di-N-propylamine	621-64-7	9.7	ND			ND			136.46			160.56			200.00			80.28
Nitrobenzene	98-95-3	8.2	ND			ND			ND			ND			200.00			
Isophorone	78-59-1	9.2	ND			ND			ND			ND			200.00			
2,4-Dimethylphenol	105-67-9	8.0	ND			ND			ND			ND			200.00			
2-Nitrophenol	88-75-5	9.1	ND			ND			ND			ND			200.00			
Benzoic Acid	65-85-0	22.3	ND			ND			ND			ND			200.00			
Bis(2-chloroethoxy)methane	111-91-1	8.8	ND			ND			ND			ND			200.00			
2,4-Dichlorophenol	120-83-2	5.2	ND			ND			ND			ND			200.00			
1,2,4-Trichlorobenzene	120-82-1	9.4	ND			ND			95.21			109.42			200.00			54.71
Naphthalene	91-20-3	8.5	ND			ND			ND			ND			200.00			
4-Chloroaniline	106-47-8	8.5	ND			ND			ND			ND			200.00			
Hexachlorobutadiene	87-68-3	9.4	ND			ND			ND			ND			200.00			
4-Chloro-3-methylphenol	59-50-7	7.7	ND			ND			ND			ND			200.00			
2-Methylnaphthalene	91-57-6	7.5	ND			ND			234.19			280.60			300.00			86.87
Hexachlorocyclopentadiene	77-47-4	8.6	ND			ND			ND			ND			300.00			
2,4,6-Trichlorophenol	88-06-2	9.1	ND			ND			ND			ND			300.00			
2,4,5-Trichlorophenol	95-95-4	7.1	ND			ND			ND			ND			300.00			
2-Chloronaphthalene	91-58-7	5.7	ND			ND			ND			ND			300.00			
2-Nitroaniline	88-74-4	12.0	ND			ND			ND			ND			300.00			
Dimethylphthalate	131-11-3	8.2	ND			ND			ND			ND			300.00			
Acenaphthylene	208-96-8	9.0	ND			ND			ND			ND			300.00			
2,6-Dinitrotoluene	606-20-2	9.2	ND			ND			ND			ND			300.00			
3-Nitroaniline	99-09-2	16.0	ND			ND			121.78			144.73			200.00			72.37
Acenaphthene	83-32-9	8.3	ND			ND			ND			ND			200.00			
2,4-Dinitrophenol	51-28-5	14.2	ND			ND			112.70			107.40			300.00			35.80
4-Nitrophenol	100-02-7	8.6	ND			ND			ND			ND			300.00			
Dibenzofuran	132-64-9	8.4	ND			ND			147.75			161.78			200.00			80.89
2,4-Dinitrotoluene	121-14-2	8.3	ND			ND			ND			ND			200.00			
Diethylphthalate	84-66-2	9.9	ND			ND			ND			ND			200.00			
Fluorene	86-73-7	9.8	ND			ND			ND			ND			200.00			
4-Chlorophenyl phenylether	7005-72-3	8.3	ND			ND			ND			ND			200.00			
4-Nitroaniline	100-01-6	8.7	ND			ND			ND			ND			200.00			
4,6-Dinitro-2-methylphenol	534-52-1	12.2	ND			ND			ND			ND			200.00			

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: MW-4
 File #: BT42542

Collection: 12/12/97 13:10 BATCO
 Extraction: 12/19/97 9:00 CMB
 Analysis: 1/9/98 9:50 CMB
 Date Time Analyst

Sample Type: Water
 Extraction Method: 3510b
 Analysis Method: 8270

Compound Name	CAS Number	MDL ug/L (ppb)	BT42542				BLANK				Matrix Spike				Matrix Spike Duplicate				
			Detected Amount ug/L (ppb)	Spike		Detected Amount ug/L (ppb)	Spike		Detected Amount ng/lul in the extract	Spike		Detected Amount ng/lul in the extract	Spike		Detected Amount ng/lul in the extract	Spike			
				Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery		
N-Nitrosodiphenylamine	88-30-6	7.5	ND		ND		ND		ND		ND		ND		ND		ND		
4-Bromophenylphenylether	101-55-3	7.0	ND		ND		ND		ND		ND		ND		ND		ND		
Hexachlorobenzene	118-74-1	8.0	ND		ND		ND		ND		ND		ND		ND		ND		
Pentachlorophenol	87-86-5	12.5	ND		ND		311.90		300.00	103.97		307.08		300.00	102.36				
Phenanthrene	85-01-8	7.1	ND		ND		ND		ND		ND		ND		ND		ND		
Anthracene	120-12-7	8.0	ND		ND		ND		ND		ND		ND		ND		ND		
Di-n-butylphthalate	84-74-2	7.8	ND		ND		ND		ND		ND		ND		ND		ND		
Fluoranthene	206-44-0	5.7	ND		ND		ND		ND		ND		ND		ND		ND		
Pyrene	129-00-0	7.9	ND		ND		174.39		200.00	87.20		180.67		200.00	90.34				
Butylbenzylphthalate	85-68-7	9.9	ND		ND		ND		ND		ND		ND		ND		ND		
Benzolanthracene	56-55-3	7.7	ND		ND		ND		ND		ND		ND		ND		ND		
3,3'-Dichlorobenzidene	91-94-1	16.5	ND		ND		ND		ND		ND		ND		ND		ND		
Chrysene	218-01-9	7.8	ND		ND		ND		ND		ND		ND		ND		ND		
Bis(2-ethylhexyl)phthalate	117-81-7	9.1	ND		ND		ND		ND		ND		ND		ND		ND		
Di-n-octylphthalate	117-84-0	9.4	ND		ND		ND		ND		ND		ND		ND		ND		
Benzobifluoranthene	205-99-2	6.8	ND		ND		ND		ND		ND		ND		ND		ND		
Benzokifluoranthene	207-08-9	4.9	ND		ND		ND		ND		ND		ND		ND		ND		
Benzol(a)pyrene	50-32-8	5.9	ND		ND		ND		ND		ND		ND		ND		ND		
Indenol(1,2,3-c,d)pyrene	193-39-5	7.8	ND		ND		ND		ND		ND		ND		ND		ND		
Dibenzol(a,h)anthracene	53-70-3	9.0	ND		ND		ND		ND		ND		ND		ND		ND		
Benzol(g,h,i)perylene	191-24-2	10.0	ND		ND		ND		ND		ND		ND		ND		ND		
Surrogate Compounds			Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount	% Recovery	Detected Amount	Spiked Amount
2-Fluorophenol			120.63	200.00	60.32	92.22	200.00	46.11	112.36	200.00	56.18	123.26	200.00	61.63	200.00	200.00	61.63	200.00	200.00
Phenol-d5			100.76	200.00	50.38	64.71	200.00	32.36	78.94	200.00	39.47	87.05	200.00	43.53	200.00	200.00	43.53	200.00	200.00
Nitrobenzene-d5			121.10	100.00	121.10	74.74	100.00	74.74	97.18	100.00	97.18	104.82	100.00	104.82	100.00	100.00	104.82	100.00	100.00
2-Fluorobiphenyl			88.75	100.00	88.75	65.54	100.00	65.54	86.97	100.00	86.97	104.67	100.00	104.67	100.00	100.00	104.67	100.00	100.00
2,4,6-Tribromophenol			303.45	200.00	151.73	226.16	200.00	113.08	273.28	200.00	136.64	286.69	200.00	143.35	200.00	200.00	143.35	200.00	200.00
Terphenyl-d14			164.21	100.00	164.21	132.90	100.00	132.90	127.66	100.00	127.66	125.04	100.00	125.04	100.00	100.00	125.04	100.00	100.00

Certified by: Michael S. Bonner, Ph.D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: MW-5
 File #: BT42543

Collected: 12/12/97 9:00 BATCO
 Extracted: 12/19/97 9:00 CMB
 Analyzed: 1/9/98 10:43 CMB
 Date Time Analyst

Sample Type
 Extraction Method
 Analysis Method

Water
 3510b
 8270

Compound Name	CAS Number	MDL ug/L (ppb)	BT42543				BLANK				Matrix Spike				Matrix Spike Duplicate			
			Detected Amount ug/L (ppb)	Spike		Detected Amount ug/L (ppb)	Spike		Detected Amount ng/ul in the extract	Spike		Detected Amount ng/ul in the extract	Spike		Detected Amount ng/ul in the extract	Spike		
				Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery	
Phenol	108-95-2	5.2	ND		ND		89.18		300.00		99.51		300.00		33.17			
Bis(2-chloroethyl)ether	111-44-4	6.9	ND		ND		ND				ND							
2-Chlorophenol	95-57-8	5.7	ND		ND		187.53		300.00		210.70		300.00		70.23			
1,3-Dichlorobenzene	541-73-1	8.3	ND		ND		ND				ND							
1,4-Dichlorobenzene	106-46-7	6.1	ND		ND		85.60		200.00		100.12		200.00		50.06			
Benzyl Alcohol	100-51-6	14.8	ND		ND		ND				ND							
1,2-Dichlorobenzene	95-50-1	6.0	ND		ND		ND				ND							
2-Methylphenol	95-48-7	5.8	ND		ND		ND				ND							
Bis(2-chloroisopropyl)ether	108-60-1	8.8	ND		ND		ND				ND							
4-Methylphenol	106-44-5	8.7	ND		ND		ND				ND							
Hexachloroethane	67-72-1	8.0	ND		ND		136.46		200.00		160.56		200.00		80.28			
N-Nitroso-di-N-propylamine	621-64-7	9.7	ND		ND		ND				ND							
Nitrobenzene	98-95-3	8.2	ND		ND		ND				ND							
Isophorone	78-59-1	9.2	ND		ND		ND				ND							
2,4-Dimethylphenol	105-67-9	6.0	ND		ND		ND				ND							
2-Nitrophenol	88-75-5	9.1	ND		ND		ND				ND							
Benzoic Acid	65-85-0	22.3	ND		ND		ND				ND							
Bis(2-chloroethoxy)methane	111-91-1	8.8	ND		ND		ND				ND							
2,4-Dichlorophenol	120-83-2	5.2	ND		ND		ND				ND							
1,2,4-Trichlorobenzene	120-82-1	9.4	ND		ND		95.21		200.00		109.42		200.00		54.71			
Naphthalene	91-20-3	8.5	ND		ND		ND				ND							
4-Chloroaniline	106-47-8	8.5	ND		ND		ND				ND							
Hexachlorobutadiene	87-68-3	9.4	ND		ND		ND				ND							
4-Chloro-3-methylphenol	59-50-7	7.7	ND		ND		234.19		300.00		260.60		300.00		86.87			
2-Methylnaphthalene	77-47-4	7.5	ND		ND		ND				ND							
Hexachlorocyclopentadiene	88-06-2	9.1	ND		ND		ND				ND							
2,4,6-Trichlorophenol	95-95-4	7.1	ND		ND		ND				ND							
2,4,5-Trichlorophenol	91-58-7	5.7	ND		ND		ND				ND							
2-Chloronaphthalene	88-74-4	12.0	ND		ND		ND				ND							
2-Nitroaniline	131-11-3	8.2	ND		ND		ND				ND							
Dimethylphthalate	208-96-8	9.0	ND		ND		ND				ND							
Acenaphthylene	606-20-2	9.2	ND		ND		ND				ND							
2,6-Dinitrotoluene	99-09-2	16.0	ND		ND		121.78		200.00		144.73		200.00		72.37			
3-Nitroaniline	83-32-9	8.3	ND		ND		ND				ND							
Acenaphthene	51-28-5	8.3	ND		ND		ND				ND							
2,4-Dinitrophenol	100-02-7	8.6	ND		ND		ND				ND							
4-Nitrophenol	132-64-9	8.4	ND		ND		112.70		300.00		107.40		300.00		35.80			
Dibenzofuran	121-14-2	8.3	ND		ND		ND				ND							
2,4-Dinitrotoluene	84-66-2	9.9	ND		ND		147.75		200.00		161.78		200.00		80.89			
Diethylphthalate	86-73-7	9.8	ND		ND		ND				ND							
Fluorene	7005-72-3	8.3	ND		ND		ND				ND							
4-Chlorophenylphenylether	100-01-6	8.7	ND		ND		ND				ND							
4-Nitroaniline	534-52-1	12.2	ND		ND		ND				ND							
4,6-Dinitro-2-methylphenol																		


BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: MW-5
 File #: BT42543

Collection: 12/12/97 9:00 BATCO
 Extraction: 12/19/97 9:00 CMB
 Analysis: 1/9/98 10:43 CMB
 Date Time Analyst

Sample Type: Water
 Extraction Method: 3510b
 Analysis Method: 8270

Compound Name	CAS Number	MDL ug/L (ppb)	BT42543			BLANK			Matrix Spike			Matrix Spike Duplicate			
			Detected Amount ug/L (ppb)	Spike		Detected Amount ug/L (ppb)	Spike		Detected Amount ng/ul in the extract	Spike		Detected Amount ng/ul in the extract	Spike		
				Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery		Amount ug	% Recovery	
N-Nitrosodiphenylamine	86-30-6	7.5	ND												
4-Bromophenylphenylether	101-55-3	7.0	ND												
Hexachlorobenzene	118-74-1	8.0	ND												
Pentachlorophenol	87-86-5	12.5	ND												
Phenanthrene	85-01-8	7.1	ND												
Anthracene	120-12-7	8.0	ND												
Di-n-butylphthalate	84-74-2	7.8	ND												
Fluoranthene	208-44-0	5.7	ND												
Pyrene	129-00-0	7.9	ND												
Butylbenzylphthalate	85-68-7	9.9	ND												
Benzolanthracene	56-55-3	7.7	ND												
3,3'-Dichlorobenzidene	91-94-1	16.5	ND												
Chrysene	218-01-9	7.8	ND												
Bis(2-ethylhexyl)phthalate	117-81-7	9.1	ND												
Dl-n-octylphthalate	117-84-0	9.4	ND												
Benzolfluoranthene	205-99-2	6.8	ND												
Benzol(k)fluoranthene	207-08-9	4.9	ND												
Benzol(a)pyrene	50-32-8	5.9	ND												
Indeno(1,2,3-c,d)pyrene	193-39-5	7.8	ND												
Dibenzol(a,h)anthracene	53-70-3	9.0	ND												
Benzol(g,h)iperylene	191-24-2	10.0	ND												
Surrogate Compounds			Detected Amount	Spiked Amount	Recovery %	Detected Amount	Spiked Amount	Recovery %	Detected Amount	Spiked Amount	Recovery %	Detected Amount	Spiked Amount	Recovery %	
2-Fluorophenol			137.50	200.00	68.75	92.22	200.00	46.11	112.36	200.00	56.18	123.26	200.00	61.63	
Phenol-d5			97.61	200.00	48.81	64.71	200.00	32.36	78.94	200.00	39.47	87.05	200.00	43.53	
Nitrobenzene-d5			149.10	100.00	149.10	74.74	100.00	74.74	97.18	100.00	97.18	104.82	100.00	104.82	
2-Fluorobiphenyl			110.73	100.00	110.73	65.54	100.00	65.54	86.97	100.00	86.97	104.67	100.00	104.67	
2,4,6-Tribromophenol			337.91	200.00	168.96	226.16	200.00	113.08	273.28	200.00	136.64	286.69	200.00	143.35	
Terphenyl-d14			248.35	100.00	248.35	132.90	100.00	132.90	127.66	100.00	127.66	125.04	100.00	125.04	

Certified by: 
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA


Client: Hercules Collected: 12/12/97 13:10 BATCO Sample Type: Water
 Location: MW-6 Extracted: 12/19/97 9:00 CMB Extraction Method: 3510b
 File #: 8142544 Analyzed: 1/9/98 5:13 CMB Analysis Method: 8270
 Date Time Analyst

Compound Name	CAS Number	MDL (ppb)	8142544			BLANK			Matrix Spike			Matrix Spike Duplicate		
			Detected Amount (ug/L)	Amount (ug)	% Recovery	Detected Amount (ug/L)	Amount (ug)	% Recovery	Detected Amount (ng/L) in the extract	Amount (ug)	% Recovery	Detected Amount (ng/L) in the extract	Amount (ug)	% Recovery
Phenol	108-95-2	5.2	ND			ND			89.18	300.00	29.73	99.51	300.00	33.17
Bis(2-chloroethyl)ether	111-44-4	6.9	ND			ND			ND			ND		
2-Chlorophenol	95-57-8	5.7	ND			ND			187.53	300.00	62.51	210.70	300.00	70.23
1,3-Dichlorobenzene	541-73-1	8.3	ND			ND			ND			ND		
1,4-Dichlorobenzene	106-46-7	6.1	ND			ND			85.60	200.00	42.80	100.12	200.00	50.06
Benzyl Alcohol	100-51-6	14.8	ND			ND			ND			ND		
1,2-Dichlorobenzene	95-50-1	8.0	ND			ND			ND			ND		
2-Methylphenol	95-48-7	5.6	ND			ND			ND			ND		
Bis(2-chloroisopropyl)ether	108-60-1	8.8	ND			ND			ND			ND		
4-Methylphenol	106-44-5	8.7	ND			ND			ND			ND		
Hexachloroethane	87-72-1	8.0	ND			ND			136.46	200.00	68.23	160.56	200.00	80.28
N-Nitroso-di-N-propylamine	621-64-7	9.7	ND			ND			ND			ND		
Nitrobenzene	98-95-3	8.2	ND			ND			ND			ND		
Isophorone	78-59-1	9.2	ND			ND			ND			ND		
2,4-Dimethylphenol	105-67-9	6.0	ND			ND			ND			ND		
2-Nitrophenol	88-75-5	9.1	ND			ND			ND			ND		
Benzoic Acid	65-85-0	22.3	ND			ND			ND			ND		
Bis(2-chloroethoxy)methane	111-91-1	8.8	ND			ND			ND			ND		
2,4-Dichlorophenol	120-83-2	5.2	ND			ND			95.21	200.00	47.61	109.42	200.00	54.71
1,2,4-Trichlorobenzene	120-82-1	9.4	ND			ND			ND			ND		
Naphthalene	91-20-3	8.5	ND			ND			ND			ND		
4-Chloroaniline	106-47-8	8.5	ND			ND			234.19	300.00	78.06	260.60	300.00	86.87
Hexachlorobutadiene	87-68-3	9.4	ND			ND			ND			ND		
4-Chloro-3-methylphenol	59-50-7	7.7	ND			ND			ND			ND		
2-Methylnaphthalene	91-57-6	7.5	ND			ND			ND			ND		
Hexachlorocyclopentadiene	77-47-4	8.6	ND			ND			ND			ND		
2,4,6-Trichlorophenol	88-06-2	9.1	ND			ND			ND			ND		
2-Chloronaphthalene	95-95-4	7.1	ND			ND			ND			ND		
2-Nitroaniline	91-58-7	5.7	ND			ND			ND			ND		
Dimethylphthalate	88-74-4	12.0	ND			ND			ND			ND		
Acenaphthylene	131-11-3	8.2	ND			ND			ND			ND		
2,6-Dinitrotoluene	208-96-8	9.0	ND			ND			ND			ND		
3-Nitroaniline	606-20-2	9.2	ND			ND			121.78	200.00	60.89	144.73	200.00	72.37
Acenaphthene	99-09-2	16.0	ND			ND			ND			ND		
2,4-Dinitrophenol	83-32-9	8.3	ND			ND			112.70	300.00	37.57	107.40	300.00	35.80
4-Nitrophenol	51-28-5	8.3	ND			ND			ND			ND		
Dibenzofuran	100-02-7	8.2	ND			ND			147.75	200.00	73.88	161.78	200.00	80.89
2,4-Dinitrotoluene	132-64-9	8.4	ND			ND			ND			ND		
Diethylphthalate	121-14-2	8.3	ND			ND			ND			ND		
Fluorene	84-66-2	9.9	ND			ND			ND			ND		
4-Chlorophenyl-phenylether	86-73-7	9.8	ND			ND			ND			ND		
4-Nitroaniline	7005-72-3	8.3	ND			ND			ND			ND		
4,6-Dinitro-2-methylphenol	100-01-6	8.7	ND			ND			ND			ND		
	534-52-1	12.2	ND			ND								

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: <u>Hercules</u>	Collection: <u>12/12/97</u>	Time: <u>13:10</u>	Analyst: <u>BATCO</u>	Sample Type: <u>Water</u>
Location: <u>MW-8</u>	Extraction: <u>12/19/97</u>	Time: <u>9:00</u>	Analyst: <u>CMB</u>	Extraction Method: <u>35:10b</u>
File #: <u>BT42544</u>	Analysis: <u>1/9/98</u>	Time: <u>5:13</u>	Analyst: <u>CMB</u>	Analysis Method: <u>8270</u>

Compound Name	CAS Number	MDL (ppbl)	BT42544			BLANK			Matrix Spike			Matrix Spike Duplicate		
			Detected Amount (ug/L)	Spike Amount (ug)	% Recovery	Detected Amount (ug/L)	Spike Amount (ug)	% Recovery	Detected Amount (ng/L) in the extract	Spike Amount (ug)	% Recovery	Detected Amount (ng/L) in the extract	Spike Amount (ug)	% Recovery
N-Nitrosodiphenylamine	86-30-6	7.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Bromophenyl-phenylether	101-55-3	7.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobenzene	118-74-1	8.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pentachlorophenol	87-86-5	12.5	ND	ND	ND	ND	ND	311.90	300.00	103.97	307.08	300.00	102.36	
Phenanthrene	85-01-8	7.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Anthracene	120-12-7	8.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
D-n-butylphthalate	84-74-2	7.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Fluoranthene	206-44-0	5.7	ND	ND	ND	ND	ND	174.39	200.00	87.20	180.67	200.00	90.34	
Pyrene	129-00-0	7.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Butylbenzylphthalate	85-68-7	9.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Benzofluoranthene	56-55-3	7.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
3,3'-Dichlorobenzidene	91-94-1	16.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Chrysene	218-01-9	7.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Bis[2-ethylhexyl]phthalate	117-81-7	9.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Di-n-octylphthalate	117-84-0	9.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Benzol[fluoranthene	205-99-2	6.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Benzol[fluoranthene	207-08-9	4.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Benzol[pyrene	50-32-8	5.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Indeno[1,2,3-c,d]pyrene	193-39-5	7.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Chenofluoranthene	53-70-3	9.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Benzol[ghi,]perylene	191-24-2	10.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Surrogate Compounds			Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery
2-Fluorophenol			109.30	200.00	54.65	92.22	200.00	46.11	112.36	200.00	56.18	123.26	200.00	61.63
Phenol-d5			81.22	200.00	40.61	64.71	200.00	32.36	78.94	200.00	39.47	87.05	200.00	43.53
Nitrobenzene-d5			101.83	100.00	101.83	74.74	100.00	74.74	97.18	100.00	97.18	104.82	100.00	104.82
2-Fluorobiphenyl			87.52	100.00	87.52	65.54	100.00	65.54	86.97	100.00	86.97	104.67	100.00	104.67
2,4,6-Tribromophenol			264.53	200.00	132.27	226.16	200.00	113.08	273.28	200.00	136.64	286.69	200.00	143.35
Terphenyl-d14			141.67	100.00	141.67	132.90	100.00	132.90	127.66	100.00	127.66	125.04	100.00	125.04

Certified by: 
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: Trip Blank
 File #: BT42545

Collected: 12/12/97
 Extracted: 12/19/97
 Analyzed: 1/9/98
 Date: 12:48
 Time: CMB
 Analyst: CMB

Sample Type: Water
 Extraction Method: 3510B
 Analysis Method: 8270

Compound Name	CAS Number	MDL (ppb)	BT42545			BLANK			Matrix Spike			Matrix Spike Duplicate		
			Detected Amount (ug/L)	Amount (ug)	% Recovery	Detected Amount (ug/L)	Amount (ug)	% Recovery	Detected Amount (ng/L in the extract)	Amount (ug)	% Recovery	Detected Amount (ng/L in the extract)	Amount (ug)	% Recovery
Phenol	108-95-2	5.2	ND			ND			89.18	300.00	29.73	99.51	300.00	33.17
Bis(2-chloroethyl)ether	111-44-4	6.9	ND			ND			ND	300.00	62.51	210.70	300.00	70.23
2-Chlorophenol	95-57-8	5.7	ND			ND			187.53	300.00	62.51	ND	300.00	70.23
1,3-Dichlorobenzene	541-73-1	8.3	ND			ND			ND	200.00	42.80	100.12	200.00	50.06
1,4-Dichlorobenzene	106-46-7	6.1	ND			ND			85.60	200.00	42.80	ND	200.00	50.06
Benzyl Alcohol	100-51-6	14.8	ND			ND			ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	95-50-1	6.0	ND			ND			ND	ND	ND	ND	ND	ND
2-Methylphenol	95-48-7	5.6	ND			ND			ND	ND	ND	ND	ND	ND
Bis(2-chloroisopropyl)ether	108-60-1	8.8	ND			ND			ND	ND	ND	ND	ND	ND
4-Methylphenol	106-44-5	8.7	ND			ND			ND	ND	ND	ND	ND	ND
Hexachloroethane	67-72-1	8.0	ND			ND			ND	ND	ND	ND	ND	ND
N-Nitroso-di-N-propylamine	621-64-7	9.7	ND			ND			136.46	200.00	68.23	160.56	200.00	80.28
Nitrobenzene	98-95-3	8.2	ND			ND			ND	ND	ND	ND	ND	ND
Isophorone	78-59-1	9.2	ND			ND			ND	ND	ND	ND	ND	ND
2,4-Dimethylphenol	105-67-9	6.0	ND			ND			ND	ND	ND	ND	ND	ND
2-Nitrophenol	88-75-5	9.1	ND			ND			ND	ND	ND	ND	ND	ND
Benzoic Acid	65-85-0	22.3	ND			ND			ND	ND	ND	ND	ND	ND
Bis(2-chloroethoxy)methane	111-91-1	8.8	ND			ND			ND	200.00	47.61	109.42	200.00	54.71
2,4-Dichlorophenol	120-83-2	5.2	ND			ND			95.21	200.00	47.61	ND	200.00	54.71
1,2,4-Trichlorobenzene	120-82-1	9.4	ND			ND			ND	ND	ND	ND	ND	ND
Naphthalene	91-20-3	8.5	ND			ND			ND	ND	ND	ND	ND	ND
4-Chloroaniline	106-47-8	8.5	ND			ND			ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	87-68-3	9.4	ND			ND			ND	ND	ND	ND	ND	ND
4-Chloro-3-methylphenol	59-50-7	7.7	ND			ND			234.19	300.00	78.06	260.60	300.00	86.87
2-Methylnaphthalene	91-57-6	7.5	ND			ND			ND	ND	ND	ND	ND	ND
Hexachlorocyclopentadiene	77-47-4	8.6	ND			ND			ND	ND	ND	ND	ND	ND
2,4,6-Trichlorophenol	88-06-2	9.1	ND			ND			ND	ND	ND	ND	ND	ND
2,4,5-Trichlorophenol	95-95-4	7.1	ND			ND			ND	ND	ND	ND	ND	ND
2-Chloronaphthalene	91-58-7	5.7	ND			ND			ND	ND	ND	ND	ND	ND
2-Nitroaniline	88-74-4	12.0	ND			ND			ND	ND	ND	ND	ND	ND
Dimethylphthalate	131-11-3	8.2	ND			ND			ND	ND	ND	ND	ND	ND
Acenaphthylene	208-96-8	9.0	ND			ND			ND	ND	ND	ND	ND	ND
2,6-Dinitrotoluene	606-20-2	9.2	ND			ND			ND	ND	ND	ND	ND	ND
3-Nitroaniline	99-09-2	16.0	ND			ND			ND	ND	ND	ND	ND	ND
Acenaphthene	83-32-9	8.3	ND			ND			121.78	200.00	60.89	144.73	200.00	72.37
2,4-Dinitrophenol	51-28-5	8.3	ND			ND			ND	300.00	37.57	107.40	300.00	35.80
4-Nitrophenol	100-02-7	8.6	ND			ND			112.70	300.00	37.57	ND	300.00	35.80
Dibenzofuran	132-64-9	8.4	ND			ND			ND	200.00	73.88	161.78	200.00	80.89
2,4-Dinitrotoluene	121-14-2	8.3	ND			ND			147.75	200.00	73.88	ND	200.00	80.89
Diethylphthalate	84-66-2	9.9	ND			ND			ND	ND	ND	ND	ND	ND
Fluorene	86-73-7	9.8	ND			ND			ND	ND	ND	ND	ND	ND
4-Chlorophenyl-phenylether	7005-72-3	8.3	ND			ND			ND	ND	ND	ND	ND	ND
4-Nitroaniline	100-01-6	8.7	ND			ND			ND	ND	ND	ND	ND	ND
4,6-Dinitro-2-methylphenol	534-52-1	12.2	ND			ND			ND	ND	ND	ND	ND	ND

BONNER ANALYTICAL TESTING COMPANY
 QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
 BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: Trip Blank
 File #: BT42545

Collection: 12/12/97 BATCO
 Extraction: 12/19/97 9:00 CMB
 Analysis: 1/9/98 12:48 CMB
 Date: _____ Time: _____ Analyst: _____

Sample Type: Water
 Extraction Method: 3510b
 Analysis Method: 8270

Compound Name	CAS Number	MDL (ug/L)	8742545			BLANK			Matrix Spike			Matrix Spike Duplicate		
			Detected Amount (ug/L)	Spiked Amount (ug)	Recovery %	Detected Amount (ug/L)	Spiked Amount (ug)	Recovery %	Detected Amount (ng/L in the extract)	Spiked Amount (ug)	Recovery %	Detected Amount (ng/L in the extract)	Spiked Amount (ug)	Recovery %
N-Nitrosodiphenylamine	86-30-6	7.5	ND			ND			ND			ND		
4-Glomophenyl-phenylether	101-55-3	7.0	ND			ND			ND			ND		
Hexachlorobenzene	118-74-1	8.0	ND			ND			ND			ND		
Pentachlorophenol	87-86-5	12.5	ND			ND			311.90	300.00	103.97	307.08	300.00	102.36
Phenanthrene	85-01-8	7.1	ND			ND			ND			ND		
Anthracene	120-12-7	8.0	ND			ND			ND			ND		
Di-n-butylphthalate	84-74-2	7.8	ND			ND			ND			ND		
Fluoranthene	206-44-0	5.7	ND			ND			174.39	200.00	87.20	180.67	200.00	90.34
Pyrene	129-00-0	7.9	ND			ND			ND			ND		
Butylbenzylphthalate	85-68-7	9.9	ND			ND			ND			ND		
Benzofluoranthracene	56-55-3	7.7	ND			ND			ND			ND		
3,3-Dichlorobenzidrene	91-94-1	16.5	ND			ND			ND			ND		
Chrysene	218-01-9	7.8	ND			ND			ND			ND		
Bis(2-ethylhexyl)phthalate	117-81-7	9.1	ND			ND			ND			ND		
Di-n-octylphthalate	117-84-0	9.4	ND			ND			ND			ND		
Benzol(b)fluoranthene	205-99-2	6.8	ND			ND			ND			ND		
Benzol(k)fluoranthene	207-08-9	4.9	ND			ND			ND			ND		
Benzofluoranthene	50-32-8	5.9	ND			ND			ND			ND		
Indenol(1,2,3-c,d)pyrene	193-39-5	7.8	ND			ND			ND			ND		
Dibenzof(a,h)anthracene	53-70-3	9.0	ND			ND			ND			ND		
Benzol(g,h,i)perylene	191-24-2	10.0	ND			ND			ND			ND		
Surrogate Compounds			Detected Amount	Spiked Amount	Recovery %	Detected Amount	Spiked Amount	Recovery %	Detected Amount	Spiked Amount	Recovery %	Detected Amount	Spiked Amount	Recovery %
2-Fluorophenol			72.78	200.00	36.39	92.22	200.00	48.11	112.36	200.00	56.18	123.26	200.00	61.63
Phenol-d5			57.52	200.00	28.76	64.71	200.00	32.36	78.94	200.00	39.47	87.05	200.00	43.53
Nitrobenzene-d5			66.07	100.00	66.07	74.74	100.00	74.74	97.18	100.00	97.18	104.82	100.00	104.82
2-Fluorobiphenyl			63.05	100.00	63.05	65.54	100.00	65.54	86.97	100.00	86.97	104.67	100.00	104.67
2,4,6-Tribromophenol			250.90	200.00	125.45	226.16	200.00	113.08	273.28	200.00	136.64	286.69	200.00	143.35
Terphenyl-414			136.72	100.00	136.72	132.90	100.00	132.90	127.66	100.00	127.66	125.04	100.00	125.04

Certified by: 
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules
 Location: Equipment Blank
 File #: BT42546

Collected: 12/15/97
 Extracted: 12/19/97
 Analyzed: 1/9/98
 Date


Sample Type: Water
 Extraction Method: 3510b
 Analysis Method: 8270

Compound Name	CAS Number	MDL ug/L (ppb)	BT42546			BLANK			Matrix Spike			Matrix Spike Duplicate		
			Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ug/L (ppb)	Amount ug	% Recovery	Detected Amount ng/ul in the extract	Amount ug	% Recovery	Detected Amount ng/ul in the extract	Amount ug	% Recovery
Phenol	108-95-2	5.2	ND			ND			89.18	300.00	29.73	99.51	300.00	33.17
Bis(2-chloroethyl)ether	111-44-4	6.9	ND			ND			ND	300.00	62.51	210.70	300.00	70.23
2-Chlorophenol	95-57-8	5.7	ND			ND			187.53	300.00		ND		
1,3-Dichlorobenzene	541-73-1	8.3	ND			ND			ND	200.00	42.80	100.12	200.00	50.06
1,4-Dichlorobenzene	106-46-7	6.1	ND			ND			85.60					
Benzyl Alcohol	100-51-6	14.8	ND			ND			ND					
1,2-Dichlorobenzene	95-50-1	6.0	ND			ND			ND					
2-Methylphenol	95-48-7	5.6	ND			ND			ND					
Bis(2-chloroisopropyl)ether	108-60-1	8.8	ND			ND			ND					
4-Methylphenol	106-44-5	8.7	ND			ND			ND					
Hexachloroethane	67-72-1	8.0	ND			ND			ND					
N-Nitroso-di-N-propylamine	621-64-7	9.7	ND			ND			136.46	200.00	68.23	160.56	200.00	80.28
Nitrobenzene	98-95-3	8.2	ND			ND			ND					
Isophorone	78-59-1	9.2	ND			ND			ND					
2,4-Dimethylphenol	105-67-9	6.0	ND			ND			ND					
2-Nitrophenol	88-75-5	9.1	ND			ND			ND					
Benzoic Acid	65-85-0	22.3	ND			ND			ND					
Bis(2-chloroethoxy)methane	111-91-1	8.8	ND			ND			ND					
2,4-Dichlorophenol	120-83-2	5.2	ND			ND			95.21	200.00	47.61	109.42	200.00	54.71
1,2,4-Trichlorobenzene	120-82-1	9.4	ND			ND			ND					
Naphthalene	91-20-3	8.5	ND			ND			ND					
4-Chloroaniline	106-47-8	8.5	ND			ND			ND					
Hexachlorobutadiene	87-68-3	9.4	ND			ND			ND					
4-Chloro-3-methylphenol	59-50-7	7.7	ND			ND			234.19	300.00	78.06	260.60	300.00	86.87
2-Methylnaphthalene	91-57-6	7.5	ND			ND			ND					
Hexachlorocyclopentadiene	77-47-4	8.6	ND			ND			ND					
2,4,5-Trichlorophenol	88-06-2	9.1	ND			ND			ND					
2-Chloronaphthalene	95-95-4	7.1	ND			ND			ND					
2-Nitroaniline	91-58-7	5.7	ND			ND			ND					
Dimethylphthalate	88-74-4	12.0	ND			ND			ND					
Acenaphthylene	131-11-3	8.2	ND			ND			ND					
2,6-Dinitrotoluene	208-96-8	9.0	ND			ND			ND					
Acenaphthene	606-20-2	9.2	ND			ND			ND					
3-Nitroaniline	99-09-2	16.0	ND			ND			ND					
Acenaphthene	83-32-9	8.3	ND			ND			121.78	200.00	60.89	144.73	200.00	72.37
2,4-Dinitrophenol	51-28-5	14.2	ND			ND			ND					
4-Nitrophenol	100-02-7	8.6	ND			ND			112.70	300.00	37.57	107.40	300.00	35.80
Dibenzofuran	132-64-9	8.4	ND			ND			ND					
2,4-Dinitrotoluene	121-14-2	8.3	ND			ND			147.75	200.00	73.88	161.78	200.00	80.89
Diethylphthalate	84-66-2	9.9	ND			ND			ND					
Fluorene	86-73-7	9.8	ND			ND			ND					
4-Chlorophenyl-phenylether	7005-72-3	8.3	ND			ND			ND					
4-Nitroaniline	100-01-6	8.7	ND			ND			ND					
4,6-Dinitro-2-methylphenol	534-52-1	12.2	ND			ND			ND					

BONNER ANALYTICAL TESTING COMPANY
QUANTITATIVE RESULTS AND QUALITY ASSURANCE DATA
BASE NEUTRALS AND ACIDS - GC/MS ANALYSIS DATA

Client: Hercules Collection: 12/15/97 BATCO Sample Type: Water
 Location: Equipment Blank Extraction: 12/19/97 9:00 CMB Extraction Method: 3510b
 File #: 8142546 Analysis: 1/9/98 1:48 CMB Analysis Method: 8270
 Date Time Analyst

Compound Name	CAS Number	MDL ug/L (ppb)	8142546			BLANK			Matrix Spike			Matrix Spike Duplicate		
			Detected Amount ug/L (ppb)	Spike Amount ug	% Recovery	Detected Amount ug/L (ppb)	Spike Amount ug	% Recovery	Detected Amount ng/L in the extract	Spike Amount ug	% Recovery	Detected Amount ng/L in the extract	Spike Amount ug	% Recovery
N-Nitrosodiphenylamine	86-30-6	7.5	ND			ND			ND			ND		
4-Bromophenyl-phenylether	101-55-3	7.0	ND			ND			ND			ND		
Hexachlorobenzene	118-74-1	8.0	ND			ND			ND			ND		
Pentachlorophenol	87-86-5	12.5	ND			ND			311.90	300.00	103.97	307.08	300.00	102.36
Phenanthrene	85-01-8	7.1	ND			ND			ND			ND		
Anthracene	120-12-7	8.0	ND			ND			ND			ND		
Di-n-butylphthalate	84-74-2	7.8	ND			ND			ND			ND		
Fluoranthene	206-44-0	5.7	ND			ND			174.39	200.00	87.20	180.67	200.00	90.34
Pyrene	129-00-0	7.9	ND			ND			ND			ND		
Butylbenzylphthalate	85-68-7	9.9	ND			ND			ND			ND		
Benzofluoranthene	56-55-3	7.7	ND			ND			ND			ND		
3,3'-Dichlorobenzidine	91-94-1	16.5	ND			ND			ND			ND		
Chrysene	218-01-9	7.8	ND			ND			ND			ND		
Bis(2-ethylhexyl)phthalate	117-81-7	9.1	ND			ND			ND			ND		
Di-n-octylphthalate	117-84-0	9.4	ND			ND			ND			ND		
Benzofluoranthene	205-99-2	8.8	ND			ND			ND			ND		
Benzofluoranthene	207-08-9	4.9	ND			ND			ND			ND		
Benzofluoranthene	50-32-8	4.9	ND			ND			ND			ND		
Benzofluoranthene	193-39-5	5.9	ND			ND			ND			ND		
Indeno(1,2,3-c,d)pyrene	53-70-3	7.8	ND			ND			ND			ND		
Dibenzofluoranthene	193-39-5	9.0	ND			ND			ND			ND		
Benzofluoranthene	191-24-2	10.0	ND			ND			ND			ND		
Surrogate Compounds														
2-Fluorophenol			Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery	Detected Amount	Spike Amount	% Recovery
Phenol-d5			122.22	200.00	61.11	92.22	200.00	46.11	112.36	200.00	56.18	123.26	200.00	61.63
Nitrobenzene-d5			90.27	200.00	45.14	64.71	200.00	32.36	78.94	200.00	39.47	87.05	200.00	43.53
2-Fluorobiphenyl			103.68	100.00	103.68	74.74	100.00	74.74	97.18	100.00	97.18	104.82	100.00	104.82
2,4,6-Tribromophenol			77.40	100.00	77.40	65.54	100.00	65.54	86.97	100.00	86.97	104.67	100.00	104.67
Terphenyl-d14			238.85	200.00	119.43	226.16	200.00	113.08	273.28	200.00	136.64	286.69	200.00	143.35
			136.66	100.00	136.66	132.90	100.00	132.90	127.66	100.00	127.66	125.04	100.00	125.04

Certified by: 
 Michael S. Bonner, Ph. D.
 Bonner Analytical Testing Company

APPENDIX E

YOUR COMPANY ADDRESS _____
 YOUR PROJECT NO: _____ YOUR PO # _____
 NAME OF PERSON TO CONTACT: _____
 CONTACT PERSON'S PHONE: _____

Phone: 2703 Oak Grove Road
 (601) 264-2854 Hattiesburg, MS 39402
 "Testing your World for a Safer Tomorrow"



YOUR PROJECT NAME: _____
 YOUR SAMPLE DESCRIPTION: _____

PARAMETERS FOR ANALYSIS				NUMBER OF CONTAINERS	PRESERVATIONS
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1	
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1	
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1	
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	3	
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1	
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1	

DATE TIME MATRIX

REMARKS
 Turnaround Time

RELINQUISHED BY: (Signature)
 DATE TIME RECEIVED BY: (Signature)

RELINQUISHED BY: (Signature)
 DATE TIME RECEIVED BY: (Signature)

Detection Limits
 Special Limits Req. Yes No
 Please circle one. If please describe be or include separa sheet detailing requirements

METHOD OF SHIPMENT

COURIER (Signature)

RECEIVED FOR BATCO BY: (Signature) DATE

RELINQUISHED BY: (Signature)	DATE	TIME	RECEIVED BY: (Signature)	RELINQUISHED BY: (Signature)	DATE	TIME	RECEIVED BY: (Signature)
<i>[Signature]</i>	160229	1120	<i>[Signature]</i>				

RECEIVED FOR BATCO BY: (Signature)	DATE	TIME	RECEIVED BY: (Signature)

SAMPLE REMAINDER DISPOSAL
 RETURN SAMPLE REMAINDER TO CLIENT VIA _____
 (SOME SHIPPING CHARGES MAY BE INCURRED)

REQUEST BATCO TO DISPOSE OF ALL SAMPLE REMAINDERS
 IF SAMPLE REMAINDER IS DETERMINED TO BE HAZARDOUS. A MINIMUM ADDITIONAL CHARGE OF \$2500 PER SAMPLE WILL BE ASSESSED FOR DISPOSAL

REVISION

YOUR COMPANY ADDRESS _____

Phone: 2703 Oak Grove Road
 (601) 264-2854 Hattiesburg, MS 39402
 Fax: (601) 268-7084

"Testing Your World for a Safer Tomorrow"



1 NAME OF PERSON TO CONTACT _____
 CONTACT PERSON'S PHONE: _____

PARAMETERS FOR ANALYSIS

<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Pest Head	PLB's	Semi.vol	VOA	METALS		

5 REMARKS

Turnaround Time _____

Detection Limit Special Limits Req
 Yes No
 Please circle one. I
 please describe b
 or include separ
 sheet detailing
 requirements

NUMBER OF CONTAINERS _____
 PRESERVATIONS _____

2 YOUR PROJECT NO.: _____ YOUR PO.# _____ YOUR PROJECT NAME: _____

YOUR SAMPLE DESCRIPTION:	DATE	TIME	MATRIX	PARAMETERS FOR ANALYSIS							NUMBER OF CONTAINERS	PRESERVATIONS	RECEIVED BY (Signature)	
				Pest	PLB's	Semi.vol	VOA	METALS						
MW-3	15 Dec 97	1540	H ₂ O	X	X	X	X	X	X	X	1			
"	"	"	"											
"	"	"	"											
"	"	"	"											
"	"	"	"											
"	"	"	"											
MW-4	12 Dec 97	1510		X	X	X	X	X	X	X	1			
"	"	"	"											
"	"	"	"											
"	"	"	"											
"	"	"	"											

6 RELINQUISHED BY: (Signature) _____ DATE _____ TIME _____ RECEIVED BY: (Signature) _____

METHOD OF SHIPMENT: _____ SHIPPED BY: (Signature) _____

COURIER (Signature) _____ RECEIVED FOR BATCO BY: (Signature) _____ DATE _____

7 SAMPLE REMAINDER DISPOSAL: _____ I REQUEST BATCO TO DISPOSE OF ALL SAMPLE REMAINDERS (Signature) _____ (Date) _____

RETURN SAMPLE REMAINDER TO CLIENT VIA _____ IF SAMPLE REMAINDER IS DETERMINED TO BE HAZARDOUS A MINIMUM ADDITIONAL CHARGE OF \$2500 PER SAMPLE WILL BE ASSESSED FOR DISPOSAL (SOME SHIPPING CHARGES MAY BE INCURRED)

YOUR COMPANY ADDRESS _____
 YOUR PROJECT NO. _____ YOUR PO.# _____ YOUR PROJECT NAME: _____

Phone: 2703 Oak Grove Road
 (601) 264-2854 Hattiesburg, MS 39402 (601) 268-7084
 "Testing your World for a Safer Tomorrow"



NAME OF PERSON TO CONTACT: _____
 CONTACT PERSON'S PHONE: _____

PARAMETERS FOR ANALYSIS

<input checked="" type="checkbox"/>	PCB's	NO. OF CONTAINERS
<input checked="" type="checkbox"/>	SEMIVAL	
<input checked="" type="checkbox"/>	VOA	PRESERVATIONS
<input checked="" type="checkbox"/>	METALS	

Detection Limits
 Special Limits Req. Yes No
 Please circle one. If
 or include separa
 sheet detailing
 requirements

REMARK

Turnaround Time

YOUR SAMPLE DESCRIPTION	DATE	TIME	MATRIX	PCB's	SEMIVAL	VOA	METALS	NO. OF CONTAINERS	PRESERVATIONS
MW-5	12 Dec 97	2900		X				1	
"	"	"	"	X				1	
"	"	"	"	X				1	
"	"	"	"	X				3	HC1
"	"	"	"	X				1	HWC3
MW-4	"	1310		X				1	
"	"	"	"	X				1	
"	"	"	"	X				3	HC1
"	"	"	"	X				1	HWC3

RELINQUISHED BY: _____ DATE _____ TIME _____ RECEIVED BY: _____ DATE _____ TIME _____ RECEIVED BY: _____ DATE _____
 (Signature) (Signature) (Signature) (Signature)

METHOD OF SHIPMENT _____ SHIPPED BY: _____ COURIER _____ RECEIVED FOR BATCO BY: _____
 (Signature) (Signature) (Signature) (Signature)

SAMPLE REMAINDER DISPOSAL

RETURN SAMPLE REMAINDER TO CLIENT VIA _____ (Date)
 (SOME SHIPPING CHARGES MAY BE INCURRED)
 REQUEST BATCO TO DISPOSE OF ALL SAMPLE REMAINDERS _____ (Date)
 IF SAMPLE REMAINDER IS DETERMINED TO BE HAZARDOUS A MINIMUM
 ADDITIONAL CHARGE OF \$25.00 PER SAMPLE WILL BE ASSESSED FOR DISPOSAL

NO. 1313

APPENDIX F