

2 278 184 437

US Postal Service

MR WENDELL STRINGER
STRINGER FUNERAL HOME
301 N JACKSON STREET
CRYSTAL SPRINGS MS 39059

Postage

\$

Certified Fee

Special Delivery Fee

Restricted Delivery Fee

Return Receipt Showing to Whom & Date Delivered

Return Receipt Showing to Whom, Date, & Addressee's Address

TOTAL Postage & Fees

\$

Postmark or Date

PS Form 3800, April 1995

Stick postage stamps to article to cover First-Class postage, certified mail fee, and charges for any selected optional services (See front).

1. If you want this receipt postmarked, stick the gummed stub to the right of the return address leaving the receipt attached, and present the article at a post office service window or hand it to your rural carrier (*no extra charge*).
2. If you do not want this receipt postmarked, stick the gummed stub to the right of the return address of the article, date, detach, and retain the receipt, and mail the article.
3. If you want a return receipt, write the certified mail number and your name and address on a return receipt card, Form 3811, and attach it to the front of the article by means of the gummed ends if space permits. Otherwise, affix to back of article. Endorse front of article **RETURN RECEIPT REQUESTED** adjacent to the number.
4. If you want delivery restricted to the addressee, or to an authorized agent of the addressee, endorse **RESTRICTED DELIVERY** on the front of the article.
5. Enter fees for the services requested in the appropriate spaces on the front of this receipt. If return receipt is requested, check the applicable blocks in item 1 of Form 3811.
6. Save this receipt and present it if you make an inquiry.

102595-97-B-0145

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

MS DEPT OF ENVIRONMENTAL QUALITY
PO BOX 10385
JACKSON MS 39289-0385
ATTENTION: GRETCHEN ZMITROVICH

39289



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

MR WENDELL STRINGER
 STRINGER FUNERAL HOME
 301 N JACKSON STREET
 CRYSTAL SPRINGS MS 39059

2. Article Number (Copy from service label)

2 278 184 439


COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly) B. Date of Delivery

Wendell Stringer

10-13-2008

C. Signature


 Agent
 Addressee

D. Is delivery address different from item 1?

If YES, enter delivery address below:

 Yes
 No

3. Service Type

 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee)

 Yes



STATE OF MISSISSIPPI
DAVID RONALD MUSGROVE, GOVERNOR
MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
CHARLES H. CHISOLM, EXECUTIVE DIRECTOR

October 11, 2000

CERTIFIED LETTER NO. Z 278 184 437 RETURN RECEIPT REQUESTED

Mr. Wendell Stringer
Stringer Funeral Home
301 N. Jackson Street
Crystal Springs, Mississippi 39059

RE: 303 N. Jackson Street
Crystal Springs, Copiah County, Mississippi

Dear Mr. Stringer:

The Uncontrolled Sites Section of the Mississippi Department of Environmental Quality (MDEQ) has completed a review of the sampling report prepared by Ogden Environmental and Engineering for the above referenced property. The MDEQ requires no further action at this site at this time.

If cleanup standards change or additional data becomes available for the site, then MDEQ will notify the appropriate parties of the need for any additional investigation(s) or remedial action(s). These actions will be consistent with our need to protect human health, welfare, and/or the environment.

If you have any questions, concerning this matter, please contact Gretchen Zmitrovich at (601) 961-5240.


Sincerely,

A handwritten signature in black ink that reads "Tony Russell".

Tony Russell, Chief
Uncontrolled Sites Section

Kuhlman Electric-303 N. Jackson (Stringer) SNFA_10-11-00 (gz)

COPY



LEGEND

- ◆ SAMPLE POINT
- DP 332 SAMPLE POINT NUMBER



SAMPLE LOCATIONS FOR STRINGER RENTAL PROPERTY 303 NORTH JACKSON

SCALE: AS SHOWN

DR MDI CRK TP REV BPS

PREPARED BY:

OGDEN ENVIRONMENTAL AND ENGINEERING SERVICES

200 SOUTH OLD STATEVILLE ROAD • HUNTERVILLE, NC 28078 • 704-875-3570

PROJ: 073350000 DATE: 09/24/00 SHEET 1 OF 1

- 1) ALL DISTANCES ARE ESTIMATED
- 2) THIS MAP WAS PREPARED FROM RECORD MAPS
- 3) THIS MAP HAS BEEN PREPARED FOR PRESENTATION PURPOSES ONLY

Soil and Wipe Sample Results
 Stringer Rental Property
 303 North Jackson
 Crystal Springs, Mississippi

SOIL SAMPLES (MG/KG)		DP-334	DP-334	DP-335	DP-335	DP-336	DP-336	DP-337	DP-337
Target Analyte	Sample #	0.5	4	0.5	4	0.5	4	0.5	4
	Depth (ft)	73	74	75	76	77	78	79	80
	Lab #								
PCB as 1260		<0.10	<0.10	0.32	<0.10	0.74	<0.10	0.12	<0.10
	Collection Date	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00
	Collection Time	9:50	9:52	9:54	9:55	9:57	9:58	10:03	10:05
	Injection Date	8/18/00	8/18/00	8/18/00	8/18/00	8/18/00	8/18/00	8/18/00	8/18/00

WIPE SAMPLES (TOTAL UG)		SRP-1	SRP-2	SRP-3
Target Analyte	Sample #	740	741	742
	Depth			
	Lab #			
PCB as 1260		<0.50	<0.50	<0.50
	Collection Date	8/30/00	8/30/00	8/30/00
	Collection Time	13:07	13:09	13:13
	Injection Date	8/30/00	8/30/00	8/30/00

LOCATION:
 SRP1: Backside of bench in backyard.
 SRP2: Southern door on east side of northernmost shed in backyard.
 SRP3: Wooden fence slats, behind DP336, 4' above ground surface.

Soil and Wipe Sample Results
 Stringer Rental Property
 303 North Jackson
 Crystal Springs, Mississippi

SOIL SAMPLES (MG/KG)										
Target Analyte	DP-338	DP-338	DP-393	DP-393	DP-394	DP-395	DP-395	DP-395	DP-395	DP-395
	0.5	4	0.5	4	4	0.5	4	0.5	4	0.5
	81	82	207	208	210	211	212	213	212	213
PCB as 1260	0.75	<0.10	<0.10	NA	NA	0.14	<0.10	<0.10	<0.10	<0.10
	8/17/00	8/17/00	8/19/00	8/19/00	8/19/00	8/19/00	8/19/00	8/19/00	8/19/00	8/19/00
	10:28	10:30	10:42	10:43	10:45	10:48	10:49	10:51	10:49	10:51
	8/18/00	8/18/00	8/19/00	NA	NA	8/19/00	8/19/00	8/19/00	8/19/00	8/19/00

Notes:

NA indicates sample not analyzed

SOIL SAMPLES (MG/KG)										
Target Analyte	DP-396	DP-397	DP-397	DP-439	DP-439	DP-440	DP-440	DP-440	DP-336	DP-338
	4	0.5	4	0.5	4	0.5	0.5	4	0.1	0.1
	214	215	218	304	305	306	307	307	1134	1135
PCB as 1260	NA	<0.10	NA	<0.10	NA	<0.10	NA	NA	0.57 *J	0.64
	8/19/00	8/19/00	8/19/00	8/20/00	8/20/00	8/20/00	8/20/00	8/20/00	9/19/00	9/19/00
	10:52	10:58	10:57	13:47	13:48	13:50	13:52	14:55	14:55	15:00
	NA	8/19/00	NA	8/20/00	NA	8/20/00	NA	9/20/00	9/20/00	9/20/00

Notes:

NA indicates sample not analyzed

* J Estimated level, due to interference from the presence of Technical Chloridams, DDT, DDD, & DDE.



FILE COPY

STATE OF MISSISSIPPI
DAVID RONALD MUSGROVE, GOVERNOR
MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
CHARLES H. CHISOLM, EXECUTIVE DIRECTOR

October 11, 2000

Mr. Wendell Stringer
Stringer Funeral Home
301 N. Jackson Street
Crystal Springs, Mississippi 39059

RE: soil and wipe sampling

Dear Mr. Stringer:

Please find attached the report for the soil and wipe sampling recently conducted at 303 N. Jackson Street, Crystal Springs, MS. The report includes the following:

1. a map showing the sampling locations, and
2. a table containing the sample results from the analysis conducted by the mobile laboratory, Environmental Chemistry Consulting Services.

In addition, please find enclosed a letter from the MDEQ stating that, based on the information collected to date, no further investigative or remedial action is required on your property in regard to contamination from the Kuhlman facility.

Please contact Gretchen Zmitrovich at 601-961-5240 if you have any questions regarding this report.

Sincerely,

A handwritten signature in black ink that reads "Tony Russell".

Tony Russell, Chief
Uncontrolled Sites Section

Enclosures


Kuhlman Electric-303 N. Jackson (Stringer) report_10-11-00 (gz)

AH-00-1638

VIA UPS NEXT DAY AIR

December 20, 2000

Ms. Gretchen Zmitrovich
Mississippi Department of Environmental Quality
Office of Pollution Control
101 West Capitol Street
Jackson, Mississippi 39201



BorgWarner

Anastasia Hamel
Director, Environmental Programs
BorgWarner Inc.
11955 East Nine Mile Road
Warren, Michigan 48089

Re: **Progress Report of Assessment and Remediation Activities
Kuhlman Electric Corporation and Residential Properties
Crystal Springs, Mississippi**

FILE COPY

Dear Ms. Zmitrovich:

This is a progress report to summarize the assessment and remediation activities related to PCB contamination at Crystal Springs, Mississippi. BorgWarner's last update was October 31, 2000. As you are aware, pursuant to the indemnity agreement between Kuhlman Electric Corporation (KEC) and BorgWarner Inc., BorgWarner has continued the assessment at the KEC plant and began the assessment of residential properties along a drainage channel downgradient of the plant. BorgWarner has also been actively remediating those properties adjacent to the KEC plant for which access was previously granted and sampling was complete.

BorgWarner, as it stated in its October 31, 2000 letter to the Mississippi Department of Environmental Quality (MDEQ), remains committed to working closely with MDEQ, USEPA, local government and KEC in a cooperative manner to accomplish the tasks necessary for the protection of human health and the environment, to the extent that the circumstances are covered by its contractual indemnity to KEC. BorgWarner will continue to seek MDEQ's guidance and direction in its current and future intended activities and to promptly share information.

ACTIONS TAKEN AND PLANNED

1. Delineation of Residential Properties along Jackson and Lee Avenues

BorgWarner promptly and voluntarily began sampling and delineation activities at the residential and commercial properties, adjoining the KEC plant that appeared to or reportedly have been affected by runoff or by the removal of soil from the KEC plant prior to October 6, 1999.

Under MDEQ's supervision, BorgWarner conducted delineation activities of these properties during the month of August, 2000. A total of eighteen (18) properties were investigated, which were:

1. Perry Smith, 219 North Jackson Street
2. Stringer Funeral Home, 301 North Jackson Street
3. Stringer Rental Property, 303 North Jackson Street
4. Harold and Suzanne Warren, 403 North Jackson Street
5. Elnor Wright, 401 North Jackson Street
6. Sonny Reeves, 405 North Jackson Street
7. Brent Property, 403 Lee Avenue
8. Louie Lang/David Vinson, 407 North Jackson Street
9. Jerry Youngblood, 100 Lamar St.
10. Medical Clinic, Lee Avenue
11. Edwards Property, 406 Lee Avenue
12. Garment Shop, 414 Lee Avenue
13. Frazier Property, 405 Lee Avenue
14. Duplex Property, 408/410 Lee Avenue
15. Kellum Property, 412 Lee Avenue
16. Dabney/Smith Property, 215 North Jackson
17. Cooper Property, 409 North Jackson
18. Larry and Carol Wright, 305 North Jackson

BorgWarner acted under the continuous guidance and direction of the MDEQ with respect to delineation activities at the residential and commercial properties adjoining the KEC plant. Split samples were analyzed and QA/QC procedures were implemented by two laboratories experienced with polychlorinated biphenyl analysis. Samples were frequently split with on-site MDEQ representatives for MDEQ's independent analysis, which to our knowledge consistently correlated with BorgWarner's on-site and off-site laboratory analytical results.

The delineation activities were conducted utilizing the "US EPA, Region IV Environmental Investigations Standard Operating Procedures and Quality Assurance Manual," May 1996 (EISOPQAM), sampling and analytical protocols. A copy of the work plan with procedures used in the field and applicable sections of the EISOPQAM are attached to this report for reference purposes.

Upon completing the delineation activities, BorgWarner compiled and submitted the analytical results on October 2, 2000 to MDEQ and US EPA, Region IV. Subsequently, BorgWarner began to schedule the remediation of residential and commercial properties adjacent to the KEC plant and along Jackson and Lee Avenues for which access was granted with the assistance of MDEQ and City of Crystal Springs Mayor Webb and where an attorney and/or an independent consultant were not involved in performing conflicting sampling activities.

2. Remediation of Residential Properties

On October 16, 2000 BorgWarner initiated remediation activities at the Medical Center and the Dabney/Smith properties, which are adjacent to the KEC plant. Remediation of the Newman Duplex, on Lee Avenue, began on November 30, 2000. Remediation of these properties involved excavation and disposal of all soil containing 1.0 part per million (ppm) or greater of PCBs in accordance with MDEQ's established clean-up criteria for residential properties. All soils containing greater than 1 ppm PCBs but less than 50 ppm PCBs were profiled and disposed of at the BFI's "Little Dixie" Subtitle D Landfill in Madison County, Mississippi after MDEQ and US EPA, Region IV approvals were obtained.

Following excavation, all excavated areas were sampled to confirm that impacted soil had been removed. In correspondence regarding disposal requirements, Craig Brown of US EPA, Region IV, stated that the excavated soils did not meet the definition of "PCB remediation waste." Under this definition, the remediation activities fell under the management criteria and guidelines set by MDEQ. As a result, the remediation and confirmation of clean-up standards established by MDEQ guidance were adopted and implemented in all of BorgWarner's residential remediation activities. A grid with ten-foot (10) sampling point centers was used to confirm that impacted soils had been removed at each site.

The remediation of the Dabney/Smith, the Medical Center and the Newman duplex property resulted in the removal of 1400 tons of soil, which was disposed of at the BFI "Little Dixie" Subtitle D Landfill and replaced with 1500 tons of certified clean soil. During the remediation activities, the on-site laboratory analyzed 324 soil samples in the month of November and the fixed-base laboratory analyzed 32 quality control samples.

Vegetation, such as live oak trees, was treated with specialty equipment for maximum protection and to minimize damage to the root systems. Soil surrounding the live oak tree roots was removed using an "Air Shovel"™, a unique technology adopted specifically for this purpose. The Air Shovel™ uses a pressure spray to dislodge soil from around the roots while a vacuum system removes the soil and water by vacuuming into a tank. This method of soil removal has performed effectively with minimal damage to the tree's root system as was confirmed by the landscaping contractor and arborist. However, this process, regardless of its effectiveness, is very tedious and as a result only the tree on the Dabney/Smith property was completed during the second half of November. One other live oak tree, located on the Medical Center property, remains to be treated in a similar fashion and is scheduled for January 2001.

Landscaping and replacement of structures (sheds, car ports, etc.) on both the Medical Center and the Dabney/Smith properties are continuing and will most likely be completed by the end of December 2000. Both properties have been surveyed and the fence between the Dabney/Smith and Medical Center properties is currently being re-installed. Landscaping has been completed on the Newman duplex property.

Third party independent sampling activities commissioned by the Nutt & Associates Law Firm have interfered with planned remediation activities along Lee Avenue, specifically at the Frazier's, Edward's, and Kellum's properties. The Garment Shop is a more complicated matter for two reasons. First, the impacted soil at the Garment Shop is located at the property line between it and the Kellum residence and second, the Kellum elm tree roots extend to the Garment Shop property itself. BorgWarner has filed a Freedom of Information Act request to MDEQ in an effort to obtain a copy of the recently submitted report generated by these independent parties.

BorgWarner, after its evaluation of the sampling results and data contained within the third party report, will begin discussions with the attorney(s) representing each resident (mentioned above) along Lee Avenue in an attempt to resolve the matter, including confirmation that all sampling results have been disclosed, and whether further sampling is necessary, and confirm access to then remediate those properties. BorgWarner also plans to keep MDEQ apprised of any developments and any progress or if no progress is being made with the attorney(s) involved.

BorgWarner will schedule delineation activities for the Gas Station, which is at the corner of Lee Avenue next to the Garment Shop, Mayor Webb's residence and the drainage pathway to the south. BorgWarner will inform MDEQ of the timing for those activities.

3. Drainage Channel Properties

Beginning on October 30th through the end of November, BorgWarner collected and analyzed soil samples from nine properties situated along the drainage channel leading from the north side of KEC's plant site to Lake Chautauqua. The properties were:

1. Sojourner Property, 111 M^ePherson Street
2. Weathersby Property, 101 Forest Street
3. Robert Williams Property (Lonnie Williams' residence), 103 Forest Street
4. Flossie M^eMurray Property (Ralph Williams residence), 104 Forest Street
5. Ralph Williams Rental Property, 107 Forest Street
6. Richard Williams Property, 102 Forest Street
7. Roberta Fitzgerald Estate Property, (R.P Edwards point of contact) 108 Tucker Street
Property currently is being rented to the Kendrick family.
8. Welch Property, 501 Camp Street
9. Orister Harris Property, 311 West Railroad Avenue

A total of 650 soil samples was collected from these properties and analyzed by the on-site laboratory. The fixed-base laboratory analyzed an additional 65 samples for confirmation and quality control purposes. These preliminary assessment activities were conducted in the same manner as the Kuhlman plant preliminary site assessment and the KEC plant adjacent residential properties; and utilizing the "EPA, Region IV Environmental Investigations Standard Operating

Procedures and Quality Assurance Manual", May 1996 (EISOPQAM), sampling and analytical protocols.

Preliminary results available at this time indicate that six of the nine properties that were sampled will require certain remediation. Four properties, including the Sojourner, Williams' rental, Harris and Welch properties, will require remediation under the MDEQ guidelines since the highest concentrations detected are less than 50 ppm. Two properties, including the M^cMurray and R. P. Edwards properties, have soil with PCB concentrations greater than 50 ppm and therefore will require remediation under the TSCA rules. The following is a list of properties where concentrations greater than 1.0 ppm PCB were detected as well as the highest detected concentration on each property:

<u>Property</u>	<u>Highest Detected Concentration</u>
Sojourner	2.6 ppm
Williams rental	30.0 ppm
Harris	1.2 ppm
Welch	8.4 ppm
M ^c Murray	70.0 ppm
R. P. Edwards	51.0 ppm

Data from this sampling event are being evaluated and once quality control measures are completed the data will be tabulated. Site-specific reports containing collected data, maps of sampling locations, and work plans for remediation, if required, for each individual site are also being prepared and will be submitted to MDEQ and US EPA, Region IV by January 12, 2001.

It is anticipated that additional sampling will be required along the drainage channel. Several undeveloped properties, either abutting the drainage channel or through which the drainage channel runs, will be sampled to delineate the extent of possibly impacted soil and determine the potential for future runoff to Lake Chautauqua. The Department will be kept apprised as to the timing for this additional investigation and sampling activity.

4. KEC Plant

After an initial phase of sampling in the areas identified by KEC's construction activities and the related equipment decontamination zone, BorgWarner conducted further, substantial sampling activities in the south and north parking lot areas as well as the former above ground storage tank area. These delineation activities, other than any possible data gaps, have been completed. The results are currently being tabulated and compared for correlation purposes between the on-site and off-site laboratories, prior to being issued to MDEQ. Should any data gaps exist, BorgWarner will conduct further sampling activities.

This additional data will be incorporated as an addendum to the *Preliminary Site Assessment Report*, submitted to MDEQ in July 2000. Comments to the *Preliminary Site Assessment Report* made by MDEQ will also be addressed and included in the addendum submittal. It is anticipated that the addendum report will be submitted to MDEQ by February 12, 2001.

5. Lake Chautauqua

BorgWarner intends to consider delineation of the sediments at Lake Chautauqua, ecological assessment, and surface water sampling, to the extent appropriate after receipt of the pending "Task Force" report. These activities will not begin on any great scale until the Task Force report is evaluated.

6. Groundwater Delineation

BorgWarner intends to delineate the nature and extent of any groundwater contamination relative to the KEC plant. Groundwater delineation will take place at the time that remediation at the KEC plant commences. It is critical that the protective cover at the KEC plant site is not disturbed for the time being and that the groundwater investigation is addressed when BorgWarner is actively remediating on the KEC plant property. This approach will ensure that sediments from the KEC Plant do not travel to the drainage channel and Lake Chautauqua.

BorgWarner remains dedicated to continuing its open communication with MDEQ and US EPA, Region IV and looks forward to the meeting with MDEQ and City of Crystal Springs Mayor Webb and other Crystal Springs representatives on January 17, 2001 (at 8:30 a.m.) to further discuss any of the above and share its plans for future activities.

Should you have any questions or comments, please contact me directly at (810) 497-4503 at your earliest convenience.

Very truly yours,



Anastasia Hamel
Director, Environmental Programs
BorgWarner Inc.

Attachments:

1. Work Plan – Preliminary Assessment and Remediation
2. Craig Brown, US EPA, Region IV letter to BFI

cc: J. Banks, MDEQ
T. Russell, MDEQ
K. Dowell, Esq., MDEQ
C. Brown, US EPA Region IV
H. Webb, Mayor Crystal Springs
Laurene H. Horiszny, Esq.
Robert Martin, MSGA
Thomas D. Lupo, Esq.
Scott E. Schang, Esq.
Mickey Crockett, KEC
Al Thomas, KEC

**WORKPLAN FOR THE PRELIMINARY
ASSESSMENT AND REMEDIATION OF PCB CONTAMINATION IN SOIL
KUHLMAN ELECTRIC CORPORATION FACILITY
AND RESIDENTIAL COMMERCIAL PROPERTIES
IN CRYSTAL SPRINGS, MISSISSIPPI**

As established by the Mississippi Department of Environmental Quality (MDEQ) guidelines in connection with this project, all work related to the preliminary assessment of the extent of contamination at the Kuhlman Electric Corporation (KEC) facility and work related to the preliminary assessment and confirmation of remedial actions at KEC adjacent residential/commercial properties and residential properties along the drainage channel (leading from the north side of KEC's facility to Lake Chautauqua) has been performed in accordance with the *Environmental Protection Agency (EPA), Region IV "Environmental Investigations, Standard Operating Procedures and Quality Assurance Manual", May 1996 (EISOPQAM)*.

Copies of relevant and applicable portions of the EISOPQAM are maintained on site during all field activities and all field personnel are trained in its implementation. Remedial action confirmation sampling grids were established using *MDEQ Guidance Document, Verification of Soil Remediation, Environmental Response Division, Waste Management Division, April 1994, Revision 1*. Specifically, sampling grids were based on Part 2-Medium and Large Site Soil Cleanup Verification, "Establishing Grid Interval."

Field operations were performed under the site-specific Health and Safety Plan guidelines. Modified Level "D" Personal Protective Equipment (PPE) was utilized by all personnel working within the investigative area.

Sampling Objectives

The soil-sampling objective is to establish the vertical and horizontal extent of contamination resulting from historical facility operations. In the KEC facility case, the soil-sampling objective included historical use of polychlorinated biphenyl (PCB). All sampling procedures were conducted in accordance with the US EPA, Region IV EISOPQAM. Sampling procedures included the collection of soil samples on a twenty foot triangular grid, where possible, at discreet depth intervals. Surface and subsurface soil samples were collected using GeoProbe® MacroProbe™ direct push sampling equipment. The GeoProbe® system uses a hydraulically driven hammer to advance a hollow, split-barrel sampler to the desired depth. The sampler contains an acetate liner in which a sample of the cored soil is retained. The MacroProbe™ corer retains a 1.25-inch diameter continuous 4 feet in length core sample. Once sampling is completed, the direct-push boring holes are backfilled with bentonite chips in unpaved areas, and with grout in parking lots and other paved areas.

Throughout the delineation activities each direct-push boring was sampled at 0.5-3.0 feet below ground surface (bgs) and at 3.0-6.0 feet bgs. Selected borings were completed to depths varying from 8-12 feet bgs and sampled in these deeper intervals to evaluate the vertical distribution of contaminants.

Additional sampling of dust, stream and drainage ditch sediments, surface water and ground water were collected, as warranted, in accordance with applicable EISOPQAM guidelines.

Analytical Methods

Samples that were collected were analyzed for PCBs by the on-site mobile laboratory, Environmental Chemistry Consulting Services (ECCS) of Madison, Wisconsin. Initially soil samples were also analyzed for chlorinated benzenes until data confirmed that chlorinated benzene contamination is not at issue in samples with low concentrations of PCBs (generally <20 ppm). At least 10% of all samples were split and sent to a fixed-base laboratory, Paradigm Analytical Laboratories, Inc. (PAL) of Wilmington, North Carolina for analysis of the same parameters as for the on-site mobile laboratory to corroborate the results of laboratory analyses for quality control and quality assurance measures. Both the on-site and fixed-base laboratories used the same standard EPA approved analytical methods. PCBs were analyzed by Modified Environmental Protection Agency (EPA) Method 8080/81 and chlorinated benzene compounds were analyzed by EPA Method 8270. Volatile organic compounds (VOCs) were analyzed by EPA Method 8260 for samples suspected of being impacted by other industrial processes solvents unrelated to PCBs. Select soil samples were also analyzed for silver, by EPA Method 6010B, and cyanide, by EPA Method 9012A.

Surface water samples were analyzed by PAL for PCBs using EPA Method 8080/81. Semivolatile organic compounds (SVOCs) were analyzed by EPA Method 8270, Volatile Organic Compounds (VOCs) were analyzed by EPA Method 8260, silver by EPA Method 6010B, and cyanide using Standard Method 4500 Cn-E. Perched ground water was analyzed for PCBs, SVOCs, and VOCs by the same methods as indicated above for surface water.

Quality Control

The following is the list of key personnel dedicated to this project:

Project Manager: Mr. Robert Martin, Martin & Slagle GeoEnvironmental Associates, LLC
Duties: Responsible for management of project including all field coordination efforts.

Field Sample Custodian: Mr. Robert Martin, Christine Slagle, Martin & Slagle GeoEnvironmental Associates, LLC
Duties: Maintaining custody of samples, completing sample labels, Chain-of-Custody record.

Field Team Leader: Mr. Robert Martin, Martin & Slagle GeoEnvironmental Associates, LLC
Duties: Responsible for all activities related to the collection of samples.

Samplers: Tim Fitzpatrick, Christine Slagle, Robert Martin
Duties: Individuals responsible for the actual collection of samples.

Laboratory Sample Custodian: Mr. Michael Linskens, ECCS
Mr. Nicolas Schertz, ECCS
Ms. Erin Staagard, PAL
Duties: Individuals responsible for accepting custody of samples from the field sample custodian.

Quality Assurance Objectives for Data

Data for this project is being generated by two separate entities. The on-site data is generated by ECCS in their mobile laboratory. The fixed-base laboratory, PAL in Wilmington, North Carolina, generates the analytical results for the split samples.

The data quality objectives are pre-defined for the ECCS data in that Mississippi considers all mobile lab data screening level data. ECCS uses the same equipment and methodology as the fixed-base laboratories with the exception of the mini-extraction modification. Mobile laboratory data is validated by comparison of a minimum of 10% split samples with PAL. Following this procedure, the data qualifies as screening data with definitive confirmation under US EPA, Region IV EISOPQAM guidelines.

All samples sent to PAL were collected as follows: The sample was transferred from the GeoProbe® clean, unused, acetate sample liner into the labeled 4 ounce (oz) amber glass soil jar. The sample jar was then transferred to the mobile lab where ECCS personnel homogenized the sample prior to taking an aliquot for analysis. Due to the limited sample volume required by the ECCS mini-extraction and the low volatility of the chemicals of concern, the initial sampling jar was resealed (after ECCS personnel removed the amount of sample needed for their analysis), refrigerated and then sent to PAL; meaning PAL analyzed the sample from the exact same sample jar as ECCS.

Equipment rinsate samples were collected for evaluation of cross-contamination potential from ineffective decontamination procedures. These were prepared by pouring distilled water over the sampling equipment after decontamination and collecting and preserving the rinsate that was generated. Equipment rinseate samples were collected in accordance with the EPA, Region IV EISOPQAM guidelines.

Field blank samples were collected by filling sampling containers that were kept in the transition zone with distilled water. Field blanks determine the presence of ambient contaminants that may not be directly related to concentrations of contaminants in the sample media.

Blind duplicate soil samples were collected for analysis and sent to both laboratories. Blind duplicates were collected by homogenizing an aliquot of sample in a disposable plastic container and splitting the homogenized sample into two containers. After ECCS took their aliquot of these samples, the remainder of the sample was sent to PAL for analysis.

SAMPLE CONTROL AND FIELD RECORDS

Sample Identification

All samples sent to PAL for analysis conform to the labeling requirements under section 3.2.1 of the EISOPQAM.

8.3.1 Chain of Custody Procedures

Samples were logged as they were collected from the geoprobe liners. Date, time and sample lithology were recorded on each log. Samples were then transferred to 4 oz amber glass jars and the jars transferred to a small sample cooler, which was taken to the mobile lab by field personnel in charge of sample handling. Sample identification (ID), date and time sampling occurred were recorded in the field logbook before transferring the samples to the mobile lab. Upon arrival at the mobile lab, the samples were transferred to the ECCS sample custodian who logged each sample on ECCS chain of custody forms. Each sample was assigned a unique ECCS internal ID number for tracking purposes. After analysis, the samples were transferred to either a sample refrigerator in the mobile lab or stored in coolers with ice until they were either shipped to PAL for confirmation analysis or readied for disposal. For samples sent to PAL, a new chain of custody form was completed by field personnel in charge of sample handling.

8.3.2 Field Records

Field records were kept in accordance with procedures and guidelines specified in section 3.5 of EISOPQAM.

8.4 Analytical Procedures

For analysis of samples in the field, ECCS used EPA Method 8082m, **modified for quantitation** of chlorinated benzenes and the mini extraction procedure.

PAL used EPA Method 8082 for quantitation of PCBs. For chlorinated **benzenes**, it used EPA Method 8270. While Method 8270 does not cover all the chlorinated **benzenes**, it provides confirmation of the ones it does detect and has the added benefit of supplying an analysis of a broad range of other semivolatile organic compounds.

For the analysis of cyanide EPA Method 9012A was employed and for silver EPA Method 6010B.

Selected samples were analyzed by EPA Method 8260, primarily to confirm that **volatile organic** compounds were not present in the samples or part of the site contaminants.

8.5 Laboratory Quality Assurance/Quality Control (QA/QC)

QA/QC procedures for both labs were found to be virtually identical. Summaries of each laboratory procedures follow.

ECCS:

- ◆ Continuous calibration standards analyzed every ten samples or less and at the end of a run.
- ◆ Blank samples and laboratory control samples (LCS) analyzed every twenty samples or less with a minimum of one per day.
- ◆ Matrix Spike/Matrix Spike Duplicate (MS/MSD) samples analyzed every twenty samples or less with a minimum of one per day.

PAL:


- ◆ Continuous calibration standards analyzed at least once every 12 hour shift plus a minimum of every 20 samples gas chromatography/mass spectroscopy (GC/MS) criteria follows method specific tuning requirements per EPA Method 8270.
- ◆ Blank and LCS samples analyzed every 20 samples or less with a minimum of one per day.
- ◆ MS/MSD samples analyzed every 20 samples or less with a minimum of one per day.

8.6 Data Validation and Reporting

As discussed in section 8.2, the primary validation of the ECCS data was accomplished through comparison with the data from PAL.

Since Hexachlorobenzene and 1,2,4-Trichlorobenzene are the only chlorinated benzenes on the standard Method 8270 list, these two compounds and total PCBs were the parameters tracked for the data validation procedure.

Overall, the correlation to this point of the investigation and remediation activities has been excellent with the majority of sample splits showing Relative Percent Differences (RPDs) of less than 100. Considering the inherent variability of soil as a matrix, achieving 93% acceptable split data spanning several orders of magnitude of concentration serves to justify the use of the on-site data as definitive quality.



October 2, 2000

Ms. Gretchen Zmitrovich
Office of Pollution Control
Mississippi Department of
Environmental Quality
P.O. Box 10385
Jackson, Mississippi 39289-0385

FILE COPY

**SUBJECT: Transmittal of Analytical Data for Residences
Kuhlman Electric Corporation
Crystal Springs, Mississippi**

Dear Ms. Zmitrovich:

Attached are site plans and spreadsheets showing sampling locations and analytical results from sampling of soils by Ogden Environmental and Energy Services. The soil samples were collected from residential properties surrounding Kuhlman Electric Corporation. Samples were collected from various depths ranging from ground surface to 4 feet below grade and analyzed by an on-site laboratory. Split samples were sent to Paradigm Analytical Laboratories for confirmation of on-site lab results.

The following properties have concentrations of PCB 1260 less than 1 mg/kg.

1. Perry Smith Property at 219 North Jackson Street
2. Stringer Funeral Home at 301 North Jackson Street
3. Stringer Rental Property at 303 North Jackson Street
4. Harold and Suzanne Warren Property at 403 North Jackson Street
5. Elnor Wright Property at 401 North Jackson Street
6. Sonny Reeves Property at 405 North Jackson Street

October 2, 2000

Page 2

7. Brent Property at 403 Lee Avenue
8. Louie Lang / David Vinson at 407 North Jackson
9. Jerry Youngblood at 100 Lamar Street

Please contact me at 828-669-3929 if you have any questions or comments concerning these results.


Sincerely,

Martin and Slagle GeoEnvironmental Associates, LLC



Robert L. Martin, P.G.
Project Manager

Cc: Anastasia Hamel, BorgWarner Inc.



LEGEND
 ◆ SAMPLE POINT
 DP 392 SAMPLE POINT NUMBER



**SAMPLE LOCATIONS FOR
 STRINGER RENTAL PROPERTY
 303 NORTH JACKSON**

SCALE: AS SHOWN	DR MDI	CHK TF	REV BPS
PREPARED BY:			
OGDEN ENVIRONMENTAL AND ENGINEERING SERVICES			
<small>200 SOUTH OLD STATEVILLE ROAD • HUNTERSVILLE, NC 28078 • 704-875-3370</small>			
PROJ: 073350000	DATE: 09/24/00	SHEET 1 OF 1	

- 1) ALL DISTANCES ARE ESTIMATED
- 2) THIS MAP WAS PREPARED FROM RECORD MAPS
- 3) THIS MAP HAS BEEN PREPARED FOR PRESENTATION PURPOSES ONLY

Soil and Wipe Sample Results
 Stringer Rental Property
 303 North Jackson
 Crystal Springs, Mississippi

SOIL SAMPLES (MG/KG)										
Target Analyte	Sample #	DP-334	DP-334	DP-335	DP-335	DP-336	DP-336	DP-336	DP-337	DP-337
	Depth	0.5	4	0.5	4	0.5	4	0.5	0.5	4
	Lab #	73	74	75	76	77	78	79		80
PCB as 1260		<0.10	<0.10	0.32	<0.10	0.74	<0.10	0.12		<0.10
	Collection Date	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00
	Collection Time	9:50	9:52	9:54	9:55	9:57	9:58	10:03		10:05
	Injection Date	8/18/00	8/18/00	8/18/00	8/18/00	8/18/00	8/18/00	8/18/00	8/18/00	8/18/00

WIPE SAMPLES (TOTAL UG)					
Target Analyte	Sample #	SRP-1	SRP-2	SRP-3	
	Depth				
	Lab #	740	741	742	
PCB as 1260		<0.50	<0.50	<0.50	
	Collection Date	8/30/00	8/30/00	8/30/00	
	Collection Time	13:07	13:09	13:13	
	Injection Date	8/30/00	8/30/00	8/30/00	

LOCATION:
 SRP1: Backside of bench in backyard.
 SRP2: Southern door on east side of northernmost shed in backyard.
 SRP3: Wooden fence slats, behind DP336, 4' above ground surface.

Soil and Wipe Sample Results
 Stringer Rental Property
 303 North Jackson
 Crystal Springs, Mississippi


SOIL SAMPLES (MG/KG)		DP-338	DP-336	DP-393	DP-393	DP-394	DP-394	DP-395	DP-395	DP-395	DP-398
Target Analyte	Sample #	Depth	Lab #	0.5	207	209	210	0.5	211	4	0.5
		81	82	208							
PCB as 1260		0.75	<0.10	NA	<0.10	NA	NA	0.14	<0.10	<0.10	<0.10
	Collection Date	8/17/00	8/19/00	8/19/00	8/19/00	8/19/00	8/19/00	8/19/00	8/19/00	8/19/00	8/19/00
	Collection Time	10:28	10:30	10:42	10:44	10:45	10:48	10:48	10:49	10:49	10:51
	Injection Date	8/18/00	8/18/00	8/19/00	8/19/00	8/19/00	8/19/00	8/19/00	8/19/00	8/19/00	8/19/00

SOIL SAMPLES (MG/KG)		DP-396	DP-397	DP-397	DP-439	DP-439	DP-440	DP-440	DP-440	DP-440	DP-336	DP-338
Target Analyte	Sample #	Depth	Lab #	4	216	304	305	306	307	0.5	0.1	0.1
		214	215	216	304	305	306	307	1134	1134	1134	1135
PCB as 1260		NA	<0.10	NA	<0.10	NA	<0.10	NA	NA	0.57 * J	0.64	0.64
	Collection Date	8/19/00	8/19/00	8/19/00	8/20/00	8/20/00	8/20/00	8/20/00	8/20/00	8/20/00	8/19/00	8/19/00
	Collection Time	10:52	10:56	10:57	13:47	13:48	13:50	13:52	14:55	14:55	15:00	15:00
	Injection Date	NA	8/19/00	NA	8/20/00	8/20/00	8/20/00	8/20/00	8/20/00	8/20/00	8/20/00	8/20/00

* J Estimated level, due to interference from the presence of Technical Chlordane, DDT, DDD, & DDE.

October 5, 2000

Ms. Gretchen Zmitrovich
Office of Pollution Control
Mississippi Department of
Environmental Quality
Office of Pollution Control
P.O. Box 10385
Jackson, Mississippi 39289-0385



**SUBJECT: Transmittal of Revised Analytical Data Tables for Residences
Kuhlman Electric Corporation
Crystal Springs, Mississippi**

Dear Ms. Zmitrovich:

Attached is one complete set of revised spreadsheets showing analytical results from sampling of soils by Ogden Environmental and Energy Services. The tables were revised based on your review and comments. Results for split samples are being prepared into tables and will be forwarded to you by Monday at the latest.

Please contact me at 828-669-3929 if you have any questions or comments concerning these results.

Sincerely,

Martin and Slagle GeoEnvironmental Associates, LLC

A handwritten signature in cursive script that reads "Robert L. Martin".

Robert L. Martin, P.G.
Project Manager

Cc: Anastasia Hamel, BorgWarner Inc.

Soil and Wipe Sample Results
 Stringer Rental Property
 303 North Jackson
 Crystal Springs, Mississippi

SOIL SAMPLES (MG/KG)										
Target Analyte	Sample #	DP-334	DP-334	DP-335	DP-335	DP-336	DP-336	DP-337	DP-337	DP-337
	Depth (ft)	0.5	4	0.5	4	0.5	4	0.5	0.5	4
	Lab #	73	74	75	76	77	78	79	79	80
PCB as 1260		<0.10	<0.10	0.32	<0.10	0.74	<0.10	0.12	0.12	<0.10
	Collection Date	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00	8/17/00
	Collection Time	9:50	9:52	9:54	9:55	9:57	9:58	10:03	10:03	10:05
	Injection Date	8/18/00	8/18/00	8/18/00	8/18/00	8/18/00	8/18/00	8/18/00	8/18/00	8/18/00

WIPE SAMPLES (TOTAL UG)				
Target Analyte	Sample #	SRP-1	SRP-2	SRP-3
	Depth			
	Lab #	740	741	742
PCB as 1260		<0.50	<0.50	<0.50
	Collection Date	8/30/00	8/30/00	8/30/00
	Collection Time	13:07	13:09	13:13
	Injection Date	8/30/00	8/30/00	8/30/00

LOCATION: SRP1: Backside of bench in backyard.
 SRP2: Southern door on east side of northernmost shed in backyard.
 SRP3: Wooden fence slats, behind DP336, 4' above ground surface.

Soil and Wipe Sample Results
 Stringer Rental Property
 303 North Jackson
 Crystal Springs, Mississippi

SOIL SAMPLES (MG/KG)	DP-338	DP-338	DP-393	DP-393	DP-384	DP-394	DP-395	DP-395	DP-396
Target Analyte	Sample #	4	4	4	0.5	4	0.5	4	DP-398
	Depth (ft)	0.5	0.5	0.5	0.5	4	0.5	4	DP-398
	Lab #	81	207	208	209	210	211	212	213
PCB as 1260		0.75	<0.10	NA	<0.10	NA	0.14	<0.10	<0.10
	Collection Date	8/17/00	8/19/00	8/19/00	8/19/00	8/19/00	8/19/00	8/19/00	8/19/00
	Collection Time	10:28	10:30	10:43	10:44	10:45	10:48	10:49	10:51
	Injection Date	8/18/00	8/19/00	NA	8/19/00	NA	8/19/00	8/19/00	8/19/00

Notes:

NA indicates sample not analyzed

SOIL SAMPLES (MG/KG)	DP-397	DP-397	DP-439	DP-439	DP-440	DP-440	DP-440	DP-336	DP-338
Target Analyte	Sample #	4	0.5	0.5	4	0.5	4	0.1	DP-338
	Depth (ft)	0.5	0.5	0.5	4	0.5	4	0.1	DP-338
	Lab #	214	215	304	305	306	307	1134	1135
PCB as 1260		NA	<0.10	<0.10	NA	<0.10	NA	0.57 *J	0.54
	Collection Date	8/19/00	8/19/00	8/20/00	8/20/00	8/20/00	8/20/00	9/19/00	9/19/00
	Collection Time	10:52	10:56	13:47	13:48	13:50	13:52	14:55	15:00
	Injection Date	NA	8/19/00	8/20/00	NA	8/20/00	NA	9/20/00	9/20/00

Notes:

NA indicates sample not analyzed

* J Estimated level, due to interference from the presence of Technical Chlordane, DDT, DDD, & DDE.

FILE COPY

19 pages w/cover

To:
Gretchen Zmitrovich
MDEQ

From:
Tim Fitzpatrick
Ogden Environmental

Gretchen: Following are my field mps - I hope
you can read them! Data will follow shortly.

Please call after you receive this fax.

Thanks,

Tim



Job Name: Crystal Springs-

Job Number:

Title: Sonny Reeves backyard 405 Jackson

Computed by:


Checked by:

Date: 2/16/2000

Sheet: 1 Of: 11

N ↑

1 block = 4'





Handwritten notes: DP 280, 200, 7

Job Name:

Crystal Springs

Job Number:

Title:

Stringer Funeral Home

Computed by:


Checked by:

Date:

8-16-2000

Sheet:


2 of 11





Job Name: Crystal Springs
Job Number:
Title: 401 N. Jackson Elnor Wright
Computed by: _____ Checked by:
Date: 8-16-2000 Sheet: 3 Of: 11

1 block = 4'





Job Name: Crystal Springs

Job Number:


Title: 407 N. Jackson Louis Lang

Computed by:

Checked by:

Date: 8-16-00

Sheet: 4 of 11





Job Name:

Crystal Springs

Job Number:

Title:

Lee St. Medical

Computed by:

Checked by:

Date:


8/17/00

Sheet:

5

Of:


11



Lee St



Job Name: Crystal Springs
Job Number:
Title: 303 N. Jackson (Springer)
Computed by:
Date: 8-17-00
Checked by:
Sheet: 11 of 11



NT ↑

1 block = 5'

Fence

DP 439 ND

DP 440 ND

Fence
Funeral Home

Kuhlman

0-12

0-12

DP 388 ND

DP 357 ND

DP 375 ND

DP 336 ND

DP 334 ND

DP 285 ND

DP 334 ND


DP 313 ND



OGDEN

Job Name: Crystal Springs
 Job Number: _____
 Title: 219 N-Jackson - Perry Smith
 Computed by: TJF Checked by: _____
 Date: 8-17-00 Sheet: 7 Of: 11


black = 5'



Kuhlman



Job Name: Crystal Springs
Job Number:
Title: 409 N. Jackson (Amy Cooper)
Computed by: JF
Date: 8-17-00
Checked by:
Sheet 9 of 11





Job Name: Crystal Springs

Job Number:

Title: Dabney Home


Computed by: TJE

Checked by:

Date: 8-17-00

Sheet: 9 Of: 11

1 block = 5'






Job Name: Crystal Springs
Job Number:
Title: Wright House
Computed by:
Date: 8-18-00
Checked by:
Sheet: 510 of 11


NT

1 block = 4'





Job Name: Crystal Springs
Job Number:
Title: Harold & Suzanne Wassen
Computed by: TBF
Date: 8-18-00
Checked by:
Sheet: 11 Of: 12





Job Name:

Job Number:

Title: Dabney yard - south side

Computed by:

Checked by:

Date


8/23/00

Sheet

125

Of 17

1 block = 5'





Job Name:

Job Number:


Title: Fulgham Ave

Computed by:

Checked by:

Date:

Sheet: 13 Of:





Job Name:

Job Number:


Title: *Edwards property*

Computed by: *TJF*

Checked:

Date: *8/24/00*

Sheet: *14*



1 block = 51

Ker St
N

page

Form

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51

1 block = 51



Job Name:

Job Number:


Title: 408/410 Lee St.

Computed by: TDF

Checked by:

Date: 8/24/00

Sheet: 15 Of:





Job Name:

Job Number:

Title: Brent Property East


Computed by: TJS

Checked by:

Date: 8/24/00

Sheet: 16 of

1 block = 2'





Job Name:

Job Number:

Title: *Frazier Property*

Computed by: *TJF*


Checked by:

Date: *8/25/00*

Sheet: *17* Of:

(block = 10')

NT





Job Name:

Job Number:

Title: *Kuhlman South Parking Lot*

Computed by:


Checked by:

Date:

8/26/2000


Sheet:

1/B





Job Name:
Job Number:
Title: 414 Lee St (Garment shop)
Computed by: JPF
Date: 8/26/2000
Checked by:
Sheet: 19 of:





FILE COPY

Job Name:

Job Number

Title:

Computed by:

Date

Checked by

Sheet

Of

To: Gretchin Zmitrovich

From Tim Fitzpatrick

RE: Crystal Springs

31 pages total

Ms. Zmitrovich:

Following ~~is~~^{are} data & maps from our investigation.

We are complete at this time. Please forward the

data to Mr. Robert Martin & Ms. Anastasia Hanel

as well. Thank you

Tim Fitzpatrick

707 236 3496 (cell)

Sample Tracking Form

Date: 15 Nov 02

1-10 1-20 1-30

Target Analyte	1	2	3	Sample Description	Blank #	LCS #	MS #	MSD #
1,3,5-TrCB	1010	1010	1010		101	101	101	101
1,2,4-TrCB								
1,2,3-TrCB								
1,2,3,5,8,1,2,4,5								
1,2,3,4-TeCB								
Penta-CB								
Hexa-CB								
PCB as 1260	1010	1015	1012		106	106	109	107
Surrogate-TCHX	116	114	110		103	109	152	104
DEP	125	111	120		118	109		142
CONTROLS								
1254	11254							
MS 1260	151260							
MS 1265	151265							
INT DATA	15	15	15		15	15	15	15

J = Estimated
E = Exceeds calibration range

Sample Tracking Form

Date: 16 AUG 2000

Target Analyte	ACID		MSD		MS		Blank #	LCS #	MSD #					
	ACID	MSD	MS	MSD	MS	MSD								
1,3,5-TrCB	320	0.5	4	415	4	46	47	48	49	50	51	52	53	54
	321	2	47	48	49	50	51	52	53	54	55	56	57	58
1,2,3-TrCB	321	4	47	48	49	50	51	52	53	54	55	56	57	58
	322	0.5	49	50	51	52	53	54	55	56	57	58	59	60
1,2,3,5,8,1,2,4,5	321	4	48	49	50	51	52	53	54	55	56	57	58	59
	322	0.5	49	50	51	52	53	54	55	56	57	58	59	60
1,2,3,4-TeCB	321	4	48	49	50	51	52	53	54	55	56	57	58	59
	322	0.5	49	50	51	52	53	54	55	56	57	58	59	60
Penta-CB	321	4	48	49	50	51	52	53	54	55	56	57	58	59
	322	0.5	49	50	51	52	53	54	55	56	57	58	59	60
Hexa-CB	321	4	48	49	50	51	52	53	54	55	56	57	58	59
	322	0.5	49	50	51	52	53	54	55	56	57	58	59	60
PCB as 1260	320	0.28	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021
	321	0.10	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021
Surrogate TCMX	141	112	107	108	109	110	111	112	113	114	115	116	117	118
	155	117	111	105	110	116	109	113	104	107				
DLBP	155	117	111	105	110	116	109	113	104	107				
	155	117	111	105	110	116	109	113	104	107				
Blank	101	104	104	104	104	104	104	104	104	104	104	104	104	104
	101	104	104	104	104	104	104	104	104	104	104	104	104	104
MS	101	104	104	104	104	104	104	104	104	104	104	104	104	104
	101	104	104	104	104	104	104	104	104	104	104	104	104	104
MSD	101	104	104	104	104	104	104	104	104	104	104	104	104	104
	101	104	104	104	104	104	104	104	104	104	104	104	104	104

155 117 111 105 110 116 109 113 104 107
 17 17 17 17 17 17 17 17 17 17 17 17 17 17 17
 J = Estimated
 E = Exceeds calibration range
 AUG05 00

Page 1 of 1
Date: August 7 2000

AK-47
1-2
PIL
1-5

Sample Tracking Form

Target Analyte	ACID			ACID			ACID			ACID			ACID			ACID			ACID			ACID			ACID																														
	Sample ID	Sample Description	Amount	Sample ID	Sample Description	Amount	Sample ID	Sample Description	Amount	Sample ID	Sample Description	Amount	Sample ID	Sample Description	Amount	Sample ID	Sample Description	Amount	Sample ID	Sample Description	Amount	Sample ID	Sample Description	Amount	Sample ID	Sample Description	Amount	Sample ID	Sample Description	Amount																									
1,3,5-TrCB	325	4	0.5	326	4	0.5	327	4	0.5	328	4	0.5	329	4	0.5	330	4	0.5	331	4	0.5	332	4	0.5	333	4	0.5	334	4	0.5	Blank #5	334	4	0.5	335	4	0.5	MS #6	335	4	0.5	MSC #6	335	4	0.5										
1,2,4-TrCB																																																							
1,2,3-TrCB																																																							
1,2,3,5,6,1,2,4,5																																																							
1,2,3,4-TeCB																																																							
Penta-CB																																																							
Hexa-CB																																																							
PCB as 1260	0.79	0.43	0.10	0.43	0.10	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10	0.45	0.10			
Surrogate TeMA	143	103	107	104	109	145	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109		
DCBP	132-103	103	107	117	113	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115		

J = Estimated
E = Exceeds calibration range

Page 1 of 2

Date: August 11, 2000

Sample Tracking Form

Target Analyte	MSD #		MS #		LCS #	Blank #	MSD #		MS #		LCS #	Blank #	MSD #		MS #		LCS #	Blank #	MSD #		MS #		LCS #	Blank #	MSD #		MS #		LCS #	Blank #	MSD #		MS #		LCS #	Blank #																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	MSD #	MS #	MSD #	MS #			MSD #	MS #	MSD #	MS #			MSD #	MS #	MSD #	MS #			MSD #	MS #	MSD #	MS #			MSD #	MS #	MSD #	MS #			MSD #	MS #	MSD #	MS #			MSD #	MS #	MSD #	MS #	MSD #	MS #	MSD #	MS #	MSD #	MS #																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1,3,5-TrCB	335	75	335	76	336	77	337	78	338	79	339	80	340	81	341	82	342	83	343	84	344	85	345	86	346	87	347	88	348	89	349	90	350	91	351	92	352	93	353	94	354	95	355	96	356	97	357	98	358	99	359	100	360	101	361	102	362	103	363	104	364	105	365	106	366	107	367	108	368	109	369	110	370	111	371	112	372	113	373	114	374	115	375	116	376	117	377	118	378	119	379	120	380	121	381	122	382	123	383	124	384	125	385	126	386	127	387	128	388	129	389	130	390	131	391	132	392	133	393	134	394	135	395	136	396	137	397	138	398	139	399	140	400	141	401	142	402	143	403	144	404	145	405	146	406	147	407	148	408	149	409	150	410	151	411	152	412	153	413	154	414	155	415	156	416	157	417	158	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000

J = Estimated
E = Exceeds calibration range

Sample Tracking Form

Date: 17 AUG 00

Target Analyte	ACID		Sample Description						Blank #	LCS #	MS #	MSD #
	345	346	347	348	349	350	351	352				
1,3,5-TrICB	4	97	98	99	100	101	102	103	104	105	106	107
1,2,4-TrICB	4	97	98	99	100	101	102	103	104	105	106	107
1,2,3-TrICB	4	97	98	99	100	101	102	103	104	105	106	107
1,2,3,5,8,1,2,4,5	4	97	98	99	100	101	102	103	104	105	106	107
1,2,3,4-TeCB	4	97	98	99	100	101	102	103	104	105	106	107
PCB as 1260	4	97	98	99	100	101	102	103	104	105	106	107
Surrogate TeCA	106	987	987	987	987	987	987	987	987	987	987	987
DEBP	108	108	112	107	111	104	104	107	137	106	121	113
	THE											
	V60											
	18	18	18	18	18	18	18	18	18	18	18	18
	18	18	18	18	18	18	18	18	18	18	18	18

J = Estimated
E = Exceeds calibration range

17

Sample Tracking Form

Date: 18 Aug 00

ACID

ACID

ACID

ACID

Target Analyte	Sample Description																								
	350	350	351	352	352	353	354	354	354	HA-1	1	2	2	3	3	4	4	4	5	5	5	Blank	LCS	MS	MSC
	0.5	4	0.5	4	0.5	4	0.5	4	0.5	4	4	0.5	4	0.5	4	0.5	4	0.5	4	0.5	25	# 8	# 8	#	#
1,3,5-TrCB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1,2,4-TrCB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1,2,3-TrCB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1,2,3,5,8,1,2,4,5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1,2,3,4-TeCB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Penta-CB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Hexa-CB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
FCB as 1250	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Surrogate Pery	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PBB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
(W) Det	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18

J = Estimated
E = Exceeds calibration range

Date: 18 Aug 00

Sample Tracking Form

Target Analyte	Acid		Acid		Acid		Acid		Acid		Acid		Acid		Acid		Blank	LCS	MS	MSD	
	HA-6	6	7	7	355	355	356	356	357	357	358	358	359	359	360	360					361
1,3,5-TrCB	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	95.8	87.4	89.4	
1,2,4-TrCB																		82.6	83.6	84.8	
1,2,3-TrCB																		88.8	89.2	83.2	
1,2,3,5,8,1,2,4,5																		110.4	78.3	80.2	
1,2,3,4-TeCB																		111.5	70.2	71.6	
Penta-CB																		106.3	63.8	64.8	
Hexa-CB																		77.7	67.8	68.6	
PCB as 1260	0.10	0.10	0.11	0.16	0.35	0.10	0.20	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.22	77.1	73.7	72.3	
Surrogate TCM	67	75.3	103	90.2	130	104.3	120	102.5	96.1	105.4	109	102.2	97.2	100.5	93	96	103	121	94.6	710	72.0
DCRP	12.9	97.7	130	123	73.8	99.4	78.1	106	130	91.6	91.4	97.8	107	92.6	101	108	106	135	96.6	91.7	76.2
																		73.1	71.7		
																		78.4	720		
INS Date	18	19	19	19	19	19	19	19	19	19	19	19	19	19	18	18	19	19	19	19	19

J = Estimated
E = Exceeds calibration range

Sample Tracking Form

Date: 18 Aug 00

Target Analyte	410			420			430			440			Sample Description	Blank #	LCS #	MS #	MSD #
	373	374	375	376	377	378	379	380	381	382	383	384					
1,3,5-TrCB	1107	169	171	174	176	178	179	181	182	183	184	4001	91	11	167	88	
1,2,4-TrCB	4001																
1,2,3-TrCB																	
1,2,3,5,8,1,2,4,5																	
1,2,3,4-TeCB																	
Penta-CB																	
Hexa-CB																	
PCB as 1260	205	207	207	207	207	207	207	207	207	207	207	4001	857	84	88	88	
Surrogate TNE	82	113	110	112	81	77	77	79	837	857	80	91	82	79	80	80	
DCE	99	121	120	133	99	90	90	99	108	108		111	101	97	93	93	
	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	

J = Estimated
E = Exceeds calibration range

Sample Tracking Form

Date: 19AUG

Target Analyte	Peak		Peak		Peak		Peak		Peak		Peak		Sample Description		Acio		Acio		MSD #
	Area	Height	Area	Height	Area	Height	Area	Height	Area	Height	Area	Height	Area	Height	Area	Height	Area	Height	
1,3,5-TrICB	382 0.5	185	383 4	188	384 0.5	189	385 4	191	386 0.5	193	387 4	195	388 4	197	389 4	199	Blank	#12	199
1,2,4-TrICB	382 4	186	383 4	188	384 4	190	385 4	192	386 4	193	387 4	195	388 4	197	389 4	199	Blank	#12	199
1,2,3-TrICB	382 4	186	383 4	188	384 4	190	385 4	192	386 4	193	387 4	195	388 4	197	389 4	199	Blank	#12	199
1,2,3,5,8,1,2,4,5																			
1,2,3,4-TeCB																			
Penta-CB																			
Hexa-CB																			
PCB as 1260																			
Surrogate Peak	133		139		140		140		140		141		141		141				
DEP	11		126		126		126		126		126		126		126				
DI																			
TRIAL																			
INS DAB	19		19		19		19		19		19		19		19				

J = Estimated
E = Exceeds calibration range

Sample Tracking Form

Date: 19/11/00

SENT BY: KUHLMAN ELECTRIC CORPORATION

601 8926496

601 8926496;

AUG-2000 10:14AM;

PAGE 14/31

Target Analyte	Sample Description																				
	392 0.5	392 0.5	393 A	394 A	395 0.5	395 A	396 0.5	396 A	397 0.5	397 A	398 0.5	398 A	399 0.5	399 A	400 0.5	401 0.5	401 A	Blank	LCS	MS #	MSD #
1,3,5-TricB	205 LOD	207 LOD	208 LOD	209 LOD	211 LOD	212 LOD	213 LOD	214 LOD	215 LOD	216 LOD	217 LOD	218 LOD	219 LOD	220 LOD	222 LOD	223 LOD	224 LOD	<0.01	# B	205	205
1,2,4-TricB																					
1,2,3-TricB																					
1,2,3,5&1,2,4,5																					
1,2,3,4-TeCB																					
Penta-CB																					
Hexa-CB																					
PCB as 1260	410	LOD	LOD	LOD	LOD	LOD	LOD	LOD	LOD	LOD	LOD	LOD	LOD	LOD	LOD	LOD	LOD	LOD	LOD	LOD	LOD
Surrogate CBX	103	102	986	996	956	77.1	92.9	96.9	96.9	97.7	97.6	930	930	960	923	923	976	976	80.4	97.9	98.4
DCBP	95.9	90.8	90.5	9.5	96.5	82.0	96.0	96.0	97.7		130		98.9	98.0	83.1	83.1	101	96.3	86.9	98.6	

J = Estimated
E = Exceeds calibration range

Sample Tracking Form

Date: 19 Aug 80

Signature: [Signature] 1200 NEMM

Target Analyte	Sample Description		Blank #	LCS #	MS #	MSD #
	421	420				
1,3,5-TrICB	419 4 260	420 4 262	15	15	249	249
1,2,4-TrICB	418 4 258	419 4 260	15	15	249	249
1,2,3-TrICB	417 4 256	420 4 262	15	15	249	249
1,2,3,5,8,1,2,4,5	416 4 254	420 4 262	15	15	249	249
1,2,3,4-TeCB	415 4 252	420 4 262	15	15	249	249
Penta-CB	414 4 250	420 4 262	15	15	249	249
Hexa-CB	413 4 248	420 4 262	15	15	249	249
PCB as 1250	412 4 246	420 4 262	15	15	249	249
Surrogate TCNV	411 4 244	420 4 262	15	15	249	249
DCBP	410 4 242	420 4 262	15	15	249	249
	409 4 240	420 4 262	15	15	249	249
	408 4 238	420 4 262	15	15	249	249
	407 4 236	420 4 262	15	15	249	249
	406 4 234	420 4 262	15	15	249	249
	405 4 232	420 4 262	15	15	249	249
	404 4 230	420 4 262	15	15	249	249
	403 4 228	420 4 262	15	15	249	249
	402 4 226	420 4 262	15	15	249	249
	401 4 224	420 4 262	15	15	249	249
	400 4 222	420 4 262	15	15	249	249
	399 4 220	420 4 262	15	15	249	249
	398 4 218	420 4 262	15	15	249	249
	397 4 216	420 4 262	15	15	249	249
	396 4 214	420 4 262	15	15	249	249
	395 4 212	420 4 262	15	15	249	249
	394 4 210	420 4 262	15	15	249	249
	393 4 208	420 4 262	15	15	249	249
	392 4 206	420 4 262	15	15	249	249
	391 4 204	420 4 262	15	15	249	249
	390 4 202	420 4 262	15	15	249	249
	389 4 200	420 4 262	15	15	249	249
	388 4 198	420 4 262	15	15	249	249
	387 4 196	420 4 262	15	15	249	249
	386 4 194	420 4 262	15	15	249	249
	385 4 192	420 4 262	15	15	249	249
	384 4 190	420 4 262	15	15	249	249
	383 4 188	420 4 262	15	15	249	249
	382 4 186	420 4 262	15	15	249	249
	381 4 184	420 4 262	15	15	249	249
	380 4 182	420 4 262	15	15	249	249
	379 4 180	420 4 262	15	15	249	249
	378 4 178	420 4 262	15	15	249	249
	377 4 176	420 4 262	15	15	249	249
	376 4 174	420 4 262	15	15	249	249
	375 4 172	420 4 262	15	15	249	249
	374 4 170	420 4 262	15	15	249	249
	373 4 168	420 4 262	15	15	249	249
	372 4 166	420 4 262	15	15	249	249
	371 4 164	420 4 262	15	15	249	249
	370 4 162	420 4 262	15	15	249	249
	369 4 160	420 4 262	15	15	249	249
	368 4 158	420 4 262	15	15	249	249
	367 4 156	420 4 262	15	15	249	249
	366 4 154	420 4 262	15	15	249	249
	365 4 152	420 4 262	15	15	249	249
	364 4 150	420 4 262	15	15	249	249
	363 4 148	420 4 262	15	15	249	249
	362 4 146	420 4 262	15	15	249	249
	361 4 144	420 4 262	15	15	249	249
	360 4 142	420 4 262	15	15	249	249
	359 4 140	420 4 262	15	15	249	249
	358 4 138	420 4 262	15	15	249	249
	357 4 136	420 4 262	15	15	249	249
	356 4 134	420 4 262	15	15	249	249
	355 4 132	420 4 262	15	15	249	249
	354 4 130	420 4 262	15	15	249	249
	353 4 128	420 4 262	15	15	249	249
	352 4 126	420 4 262	15	15	249	249
	351 4 124	420 4 262	15	15	249	249
	350 4 122	420 4 262	15	15	249	249
	349 4 120	420 4 262	15	15	249	249
	348 4 118	420 4 262	15	15	249	249
	347 4 116	420 4 262	15	15	249	249
	346 4 114	420 4 262	15	15	249	249
	345 4 112	420 4 262	15	15	249	249
	344 4 110	420 4 262	15	15	249	249
	343 4 108	420 4 262	15	15	249	249
	342 4 106	420 4 262	15	15	249	249
	341 4 104	420 4 262	15	15	249	249
	340 4 102	420 4 262	15	15	249	249
	339 4 100	420 4 262	15	15	249	249
	338 4 98	420 4 262	15	15	249	249
	337 4 96	420 4 262	15	15	249	249
	336 4 94	420 4 262	15	15	249	249
	335 4 92	420 4 262	15	15	249	249
	334 4 90	420 4 262	15	15	249	249
	333 4 88	420 4 262	15	15	249	249
	332 4 86	420 4 262	15	15	249	249
	331 4 84	420 4 262	15	15	249	249
	330 4 82	420 4 262	15	15	249	249
	329 4 80	420 4 262	15	15	249	249
	328 4 78	420 4 262	15	15	249	249
	327 4 76	420 4 262	15	15	249	249
	326 4 74	420 4 262	15	15	249	249
	325 4 72	420 4 262	15	15	249	249
	324 4 70	420 4 262	15	15	249	249
	323 4 68	420 4 262	15	15	249	249
	322 4 66	420 4 262	15	15	249	249
	321 4 64	420 4 262	15	15	249	249
	320 4 62	420 4 262	15	15	249	249
	319 4 60	420 4 262	15	15	249	249
	318 4 58	420 4 262	15	15	249	249
	317 4 56	420 4 262	15	15	249	249
	316 4 54	420 4 262	15	15	249	249
	315 4 52	420 4 262	15	15	249	249
	314 4 50	420 4 262	15	15	249	249
	313 4 48	420 4 262	15	15	249	249
	312 4 46	420 4 262	15	15	249	249
	311 4 44	420 4 262	15	15	249	249
	310 4 42	420 4 262	15	15	249	249
	309 4 40	420 4 262	15	15	249	249
	308 4 38	420 4 262	15	15	249	249
	307 4 36	420 4 262	15	15	249	249
	306 4 34	420 4 262	15	15	249	249
	305 4 32	420 4 262	15	15	249	249
	304 4 30	420 4 262	15	15	249	249
	303 4 28	420 4 262	15	15	249	249
	302 4 26	420 4 262	15	15	249	249
	301 4 24	420 4 262	15	15	249	249
	300 4 22	420 4 262	15	15	249	249
	299 4 20	420 4 262	15	15	249	249
	298 4 18	420 4 262	15	15	249	249
	297 4 16	420 4 262	15	15	249	249
	296 4 14	420 4 262	15	15	249	249
	295 4 12	420 4 262	15	15	249	249
	294 4 10	420 4 262	15	15	249	249
	293 4 8	420 4 262	15	15	249	249
	292 4 6	420 4 262	15	15	249	249
	291 4 4	420 4 262	15	15	249	249
	290 4 2	420 4 262	15	15	249	249
	289 4 0	420 4 262	15	15	249	249

J = Estimated
E = Exceeds calibration range

Sample Tracking Form

Date: 19 Aug 00

ACD

Target Analyte	Sample Description	Blank #	LCS #	MS #	M #
1,3,5-TrCB	422 0.5 265 40.01	427 4 2001	426 4 2001	427 4 2001	427 4 2001
1,2,4-TrCB	423 0.5 267 40.01	427 4 2001	426 4 2001	427 4 2001	427 4 2001
1,2,3-TrCB	424 0.5 269 40.01	427 4 2001	426 4 2001	427 4 2001	427 4 2001
1,2,3,5,8,1,2,4,5	423 0.5 268 40.01	427 4 2001	426 4 2001	427 4 2001	427 4 2001
1,2,3,4-TeCB	422 0.5 266 40.01	427 4 2001	426 4 2001	427 4 2001	427 4 2001
Penta-CB	423 0.5 267 40.01	427 4 2001	426 4 2001	427 4 2001	427 4 2001
Hexa-CB	423 0.5 267 40.01	427 4 2001	426 4 2001	427 4 2001	427 4 2001
PCB as 1260	423 0.5 267 40.01	427 4 2001	426 4 2001	427 4 2001	427 4 2001
Surrogate TCDF	423 0.5 267 40.01	427 4 2001	426 4 2001	427 4 2001	427 4 2001
DDEP	423 0.5 267 40.01	427 4 2001	426 4 2001	427 4 2001	427 4 2001

Good Review done

Room

J = Estimated
E = Exceeds calibration range

Sample Tracking Form

Date: 20 Aug 10

TOX 1st TOX 2nd

Target Analyte	Acid		Acid		Acid		Acid		Acid		Acid		Blank	LCS #	MS #	MSD #																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1,3,5-TrCB	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000

2 Large US Paces one by HCB one by CMX

J = Estimated
E = Exceeds calibration range

Sample Tracking Form

Date: 20 Aug 00

Target Analyte	MS #	LCS #	Blank #	Sample Description	MS #	MST #
1,3,5-TrCB	446	446	447	NO LCS / MS / STD Blank	447	447
1,2,4-TrCB	4	4	0.5		4	
1,2,3-TrCB	317	318	319		320	321
1,2,3,5&1,2,4,5	401		401			
1,2,3,4-TeCB						
Penta-CB						
Hexa-CB						
PCB as 1260	0.12		0.12			
Surrogate 7-cb	112		10%			
D&D	112		98.1			
185 D&D					20	20


J = Estimated
E = Exceeds calibration range



Job Name: Crystal Springs-
 Job Number: _____
 Title: Sony Reeves backyard 405 Jackson
 Computed by: _____ Checked by: _____
 Date: 2/16/2000 Shoot: 1 Or: 11

N ↑

1 block = 4'




1/24/2000



200
200
7


Job Name: Crystal Springs
Job Number: _____
Title: Stringer Funeral Home
Computed by: _____
Date: 8-16-2000 Sheet 2 of 11






Job Name: Crystal Springs
Job Number: _____
Title: 401 N. Jackson Elnor Wright
Computed by: _____ Checked by: _____
Date: 8-16-2000 Sheet: 3 of: 11

1 block = 4'





Job Name: Crystal Springs
Job Number:
Title: 407 N. Jackson Louis Lang
Computed by:
Date: 8-16-00 Sheet 4 of 11






Job Name: Crystal Springs

Job Number: _____

Title: Lee St. Medical


Computed by: _____ Checked by: _____

Date: 8/17/00 Sheet: 5 Of: 11





Job Name: Crystal Springs
 Job Number: _____
 Title: 409 N. Jackson (Army Cooper)
 Computed by: AF Checked by: _____
 Date: 8-17-00 Sheet: 8 of 11





Job Name: Crystal Springs


Job Number: _____

Title: Dabney Home

Computed by: TJF Checked by: _____

Date: 8-17-00 Sheet: 9 Of: 11

1 block = 5'





Job Name: Crystal Springs

Job Number: _____


Title: Wright House

Computed by: _____ Checked by: _____

Date: 8-18-00 Sheet: 10 of: 11

NT


1 block = 4'





Job Name: Crystal Springs
 Job Number: _____
 Title: Harold & Suzanne Warren
 Computed by: TJF Checked by: _____
 Date: 8-18-00 Sheet: 11 Of: 11

N? 1 block = 4'





Job Name:
Job Number:
Title:
Computed by:
Date:

FILE COPY
COPY

Checked by:
Sheet: 1A of:

Fax Coversheet

To: Gretchin Zmitrovich
MDEQ

19 pages
total

From: Tim Fitzpatrick
Ogden Environmental

Re: Crystal Springs Data Summary

Ms. Zmitrovich:

Following is all the data available as of 5:30 PM on Friday Aug 18. The mobile lab had autosampler malfunctions the previous two nights and are thus still somewhat behind.

We will be working through the weekend and you can reach me on my cell at 704-236-3496 if you like.

Best Regards,

Tim Fitzpatrick

Sample Tracking Form

Target Analyte	Acid															Blank	LCS	MS #	MSD #						
	Acid					Acid					Acid														
	D280	D280	D290	D290	D300	D300	D300	D310	D310	D320	D320	D320	D330	D330	D340										
1,3,5- <u>Tr</u> <u>CB</u>	4.05	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	#2	#2	#	#
1,2,4- <u>Tr</u> <u>CB</u>																									
1,2,3- <u>Tr</u> <u>CB</u>																									
1,2,3,5,8,1,2,4,5																									
1,2,3,4- <u>Te</u> <u>CB</u>																									
Pent- <u>C</u> <u>B</u>																									
Hexa- <u>C</u> <u>B</u>																									
PCB as 1260																									
Surrogate <u>C</u> <u>CB</u>	99.6	105	12.9	104	135	106	137	111	102	85.1	131	97.0	104	91.8	139	118	137	108	137	104	111	104	135	136	
DCEP	81.5	160	96.9	101	125	115	130	109	87.9	83.9	129	99.4	101	95.0	140	116	133	107	132	103	111	107	120	130	
						3																			

J = Estimated
E = Exceeds calibration range

12482
1260

Sample Tracking Form

Target Analyte	Target Analyte		Target Analyte		Target Analyte		Target Analyte		Target Analyte		Target Analyte		Target Analyte		Target Analyte		Target Analyte		Target Analyte		MS	MSD		
	PP30	PP30	PP30	PP30	PP30	PP30	PP30	PP30	PP30	PP30	PP30	PP30	PP30	PP30	PP30	PP30	PP30	PP30	PP30	Blank			LCS	
	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4			4	4
1.3.5-TCB	261	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	714	100		
1.2.4-TCB																					98.0	101		
1.2.3-TCB																					97.0	100		
1.2.3,5.8,1.2,4,5																					97.5	103		
1.2.3.4-TCB																					99.4	103		
Penta-CB																					101	106		
Hexa-CB																					103	108		
PCB as 1260	0.22	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.16	0.12	0.12	0.10	0.10	0.10	0.10	0.10	0.13	0.10	100	112		
Surrogate PAH	01	83.8	96	74	111	93	110	107	112	99	134	107	127	98.0	107	103	109	102	106	112	104	100	103	
DC8P	115	102	91	79	103	106	109	114	112	105	128	112	129	101	106	107	106	111	108	120	112	107	109	
			TAKC												TAKC						1268	1260		
			1260												07						1254			

J = Estimated
E = Exceeds calibration range

Sample Tracking Form

Target Analyte	RetID		RetID		Sample Description											Blank #	LCS #	MS #	MSD #
	320	320	321	321	320	321	322	322	323	323	324	324	324	324	324				
1,3,5-TRCB	44	45	46	47	48	49	50	51	52	53	54								
1,2,4-TRCB																			
1,2,3-TRCB																			
1,2,3,5&1,2,4,5																			
1,2,3,4-TeCB																			
Penta-CB																			
Hexa-CB																			
PCB as 1260	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	
Surogale-TCMX	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	
DiBP	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	

J = Estimated
E = Exceeds calibration range

157/16

J = Esil

Target Analyte
Dioxin
Furan
PCB
Total
AT
7289

Target Analyte	ACID		ACID		ACID		ACID		ACID		ACID		ACID		ACID	
	325	05	326	05	327	05	328	05	329	05	330	05	331	05	332	05
1,3,5-TrCB	2e01	2e02	2e03	2e04	2e05	2e06	2e07	2e08	2e09	2e10	2e11	2e12	2e13	2e14	2e15	2e16
1,2,4-TrCB	2e01	2e02	2e03	2e04	2e05	2e06	2e07	2e08	2e09	2e10	2e11	2e12	2e13	2e14	2e15	2e16
1,2,3-TrCB	2e01	2e02	2e03	2e04	2e05	2e06	2e07	2e08	2e09	2e10	2e11	2e12	2e13	2e14	2e15	2e16
1,2,3,5,8,1,2,4,5	2e01	2e02	2e03	2e04	2e05	2e06	2e07	2e08	2e09	2e10	2e11	2e12	2e13	2e14	2e15	2e16
1,2,3,4-TeCB	2e01	2e02	2e03	2e04	2e05	2e06	2e07	2e08	2e09	2e10	2e11	2e12	2e13	2e14	2e15	2e16
Penta-CB	2e01	2e02	2e03	2e04	2e05	2e06	2e07	2e08	2e09	2e10	2e11	2e12	2e13	2e14	2e15	2e16
Hexa-CB	2e01	2e02	2e03	2e04	2e05	2e06	2e07	2e08	2e09	2e10	2e11	2e12	2e13	2e14	2e15	2e16
PCB as 1260	2e01	2e02	2e03	2e04	2e05	2e06	2e07	2e08	2e09	2e10	2e11	2e12	2e13	2e14	2e15	2e16
Surrogate TCM	143	103	108	104	109	109	145	104	103	108	107	107	132	104	133	102
Dioxin	132	103	107	117	113	115	156	107	103	110	105	110	134	110	140	108
					01											
					02											
					03											
					04											
					05											
					06											
					07											
					08											
					09											
					10											
					11											
					12											
					13											
					14											
					15											
					16											
					17											
					18											

Sample Tracking Form

Page 1 of 5
Date: August 17 2000

18 18 18

Sample Tracking Form

Page 2 of AS
Date: 17 AUG 00

Target Analyte	ACID										Sample Description			
	345 0.5	345 4	346 0.5	346 4	347 0.5	347 4	348 0.5	348 4	349 0.5	349 4	Sample #	Sample #	Sample #	Sample #
1,3,5-TCOB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
1,2,4-TCOB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
1,2,3-TCOB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
1,2,3,5,8,1,2,4,5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
1,2,3,4-TeCB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Penta-CB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Hexa-CB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
PCB as 1260	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Surrogate TCXN	106	98.8	98.3	98.7	98.7	98.6	94.5	95.4	122	90.0		81.8		
DBP	108	108	100	112	107	111	104	107	137	106		113		
THX														
W60														
OK														
PEAK														
AFRL														
MINOR														
Blank										# 7	# 7	# 95	# 95	
LCS										# 7	# 7	# 95	# 95	
MS										# 95	# 95	# 95	# 95	
MSD										# 95	# 95	# 95	# 95	
	18	18	18	18	18	18	18	18	18	18	18	18	18	

J = Estm
August 00

J = Estin

Target Analyte	Sample Description																				MS #	MSD #		
	350 0.5	350 4	351 0.5	351 4	352 0.5	352 4	353 0.5	353 4	354 0.5	354 4	Ha-1 0.5	1 4	2 0.5	2 4	3 0.5	3 1.5	4 0.5	4 2.5	5 0.5	5 2.5			Blank #	LCS #
1,3,5-TrCB	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	8	8	140	137
1,2,4-TrCB	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	8	8	135	135
1,2,3-TrCB	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	8	8	133	131
1,2,3,5,8,1,2,4,5	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	8	8	126	124
1,2,3,4-TeCB	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	8	8	124	121
Penta-CB	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	8	8	124	122
Hexa-CB	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	8	8	121	119
PCB as 1260	108	1010	0.33	1010	0.55	1010																	124	117
Surrogate PCH	104	100	104	104	101	100																	138	129
PCB	116	114	108	116	114	105																		
MSD	18	18	18	18	18	18																	18	18

ACID

ACID

ACID

ACID

ACID

ACID

ACID

ACID

ACID

ACID

ACID

ACID

ACID


Sample Tracking Form

Date: 18 Aug 00

Page 1 of 1



Job Name: Crystal Springs
 Job Number: _____
 Title: Sony Reeves backyard 405 Jackson
 Computed by: _____ Checked by: _____
 Date: 2/16/2000 Sheet 1 of 11





DP 280
200
7

Job Name: Crystal Springs

Job Number:


Title: Stringer Funeral Home

Computed by:

Checked by:

Date:

Sheet: 2 Of: 11





Job Name:

Crystal Springs

Job Number:

Title:

401 N. Jackson Floor Wright

Computed by:

Checked by:

Date:


8-16-2000

Sheet:

3 Of 11

1 block = 4'

N ↑






Job Name: Crystal Springs

Job Number: _____

Title: 407 N. Jackson Louis Lang


Computed by: _____ Checked by: _____

Date: 8-16-00 Sheet: 4 Of: 11





Job Name: Crystal Springs
Job Number: _____
Title: Lee St. Medical
Compiled by: _____ Checked by: _____
Date: 8/17/00 Sheet: 5 Of: 11





Job Name: Crystal Springs

Job Number:


Title: 303 N. Jackson (stringer)

Computed by: Checked by:

Date: 8-19-00 Sheet: 6 of 11

NT

1 block = 5'



Job Name:

Crystal Springs

Job Number:

Title:

219 N. Jackson - Perry Smith

Computed by:

TJF

Checked by:

Date:

8-17-00

Sheet:

11



1 block = 5'

↑
②

Funeral Home

Kuhlman

⊙ DP 346

0.31

⊙ DP 345

ND

⊙ DP 344

0.17

⊙ DP 343

0.12

⊙ DP 342

⊙ DP 341

⊙ DP 340

⊙ DP 339

Kuhlman



Job Name: Crystal Springs

Job Number: _____


Title: 409 N. Jackson (Army Cooper)

Computed by: RF

Checked by: _____

Date: 8-17-00


Sheet: 8 of: 11





Job Name: Crystal Springs
 Job Number: _____
 Title: Dabney Home
 Computed by: TJF Checker: _____
 Date: 8-17-00 Sheet: 9 of 11

1 block = 5'





Job Name: Crystal Springs

Job Number:

Title: Wright House

Computed by: Checked by:

Date: 8-18-00 Sheet: 10 of 11


N ↑

1 block = 4'

Kuhlman

- ① 447
- ② 446
- ③ 445
- ④ 444


Stranger Rental Property





Job Name: Crystal Springs
 Job Number: _____
 Title: Harold & Suzanne Warren
 Computed by: TBF Checked by: _____
 Date: 8-18-00 Sheet: 11 Of: 11

NT
 1 block = 4'



8-17-98



Job Name: _____

Job Number: _____

Title: _____

Computed by: _____

Date: _____

FILE COPY

Checked by: _____

Sheet: 1 Of: _____

FAX COVER SHEET

To: Anastasia Hamel / Gretchen Zmitrovich

From: Tim Fitzpatrick (704-286-3496)

Total pages including cover sheet: 10

— Ms. Hamel & Ms. Zmitrovich:

Following is all data available at this point w/ location maps. As stated, the mobile lab experienced troubles w/ their autosampler last night and as a result they are somewhat behind, but should be able to catch up by tomorrow AM. — Please call me on my cell phone if I can help any further (number listed above).

Best Regards:

Tim Fitzpatrick

Sr. Environmental Chemist

Sample Tracking Form

RF Sample Description

Page 2 of 3
Date: Aug 14, 2000


Target Analyte	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	Blank #3	LCS #6	MS #30	MSD #30
1,3,5-TrCB	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001	4001
1,2,4-TrCB																								
1,2,3-TrCB																								
1,2,3,5,6,1,2,4,5																								
1,2,3,4-TeCB																								
Penta-CB																								
Hexa-CB																								
PCB as 1260	6121																							
Surrogate PAK	101	96	74	111	93	110	107	112	99	134	107	127									104	100	103	107
DCB	115	91	79	103	106	109	114	112	105	128	112	129									112	107	109	107
		1160		1160																				

J = Estimating
F = Forecasting
C = Calibration



200
7

Job Name: Crystal Springs
Job Number: _____
Title: Stringer Funeral Home
Computed by: _____ Checked by: _____
Date: _____ Sheet: 2 of: _____



DP 304
0.29
DP 306
DP 306
DP 306
DP 308
DP 309
DP 310
DP 311
DP 312
DP 315
DP 314
DP 316
Fence line
25' spacing
Fun. Home
Fence
Fence
161091
0.23
0.10

16 5 28



Job Name: Crystal Spring S

Job Number: _____


Title: 303 N. Jackson (stringer)

Computed by: _____ Checked by: _____

Date: 8-17-00 Sheet: 6 of: _____

NT


1 block = 5'






Job Name: Crystal Springs
Job Number: _____
Title: 401 N. Jackson Elnor Wright
Computed by: _____ Checked by: _____
Date: 8-16-2000 Sheet: 3 Of: _____

1 block = 4'






Job Name: Crystal Springs
Job Number: _____
Title: 407 N. Jackson Louis Lang
Computed by: _____ Checked by: _____
Date: 8-16-06 Sheet 4 of _____





Job Name: Crystal Springs
 Job Number: _____
 Title: Lee St. Medical
 Computed by: _____ Checked by: _____
 Date: 8/12/00 Sheet: 5 Of: _____





Job Name: Crystal Springs

Job Number:

Title: 219 N. Jackson - Perry Smith


Computed by: TJF

Checked by:

Date: 8-17-00

Start 7 OI:

1 block = 5'



Kuhlman




Job Name: Crystal Springs -

Job Number: _____

Title: Sony Reeves backyard 405 Jackson

Computed by: _____ Checked by: _____

Date: 8/16/2000 Sheet: 1 of: _____



Kuhlman